

```
Import React, { useState } from "react";
```

```
Import "./App.css";
```

```
Function TodoApp() {
```

```
  Const [todos, setTodos] = useState([]);
```

```
  Const [input, setInput] = useState("");
```

```
  // Add todo
```

```
  Const addTodo = () => {
```

```
    If (input.trim() === "") return;
```

```
    setTodos([...todos, input]);
```

```
    setInput("");
```

```
  };
```

```
  Return (
```

```
    <div className="container">
```

```
      <h2>Todo List</h2>
```

```
      <input
```

```
        Type="text"
```

```
        Value={input}
```

```
        onChange={e => setInput(e.target.value)}
```

```
        placeholder="Enter a todo"
```

```
      />
```

```
<button onClick={addTodo}>Add</button>
```

```
<ul>
```

```
  {todos.map((todo, index) => (
```

```
    <li key={index}>{todo}</li>
```

```
  )))
```

```
</ul>
```

```
</div>
```

```
);
```

```
}
```

```
Export default TodoApp;
```

```
Body {  
  Margin: 0;  
  Padding: 0;  
  Background-color: #f4f6f8;  
  Font-family: Arial, sans-serif;  
}
```

```
.container {  
  Max-width: 400px;  
  Margin: 50px auto;  
  Background: white;  
  Padding: 20px;  
  Border-radius: 8px;  
  Box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);  
}
```

```
H2 {  
  Text-align: center;  
  Color: #333;  
}
```

```
Input {  
  Width: 70%;  
  Padding: 8px;  
  Margin-right: 5px;  
}
```

```
Button {  
  Padding: 8px 12px;  
  Cursor: pointer;  
}
```

```
Ul {  
  Margin-top: 20px;  
}
```

```
Li {  
  Margin-bottom: 8px;  
}
```