REDBULL <> CCTV - PRD v1

ONDC · RETAIL · BUYER APP ECOSYSTEM · FUNNEL ATTRIBUTION

REDBULL & CCTV

v1.2 · 20th August 2026 · Screens shown are from the prototype only

> **How to read this**
>
> Each Service gets its purpose, its behaviour, its numbered requirements and a screen from the prototype. The document specifies what the system must do, not how to build it. Every technical choice is collected in section 12 for engineering to answer rather than decided here.

1. What this is

ONDC runs marketing campaigns that send shoppers to Buyer Apps through affiliate partners. Today the chain breaks in the middle: we see clicks, Buyer Apps see orders, and nobody can connect the two. Marketing cannot say which campaign worked, which partner sends real buyers, or whether a drop was our offer, our audience, or a broken page.

This platform closes that gap. It routes campaign traffic, observes the journey on the Buyer App, matches orders back to clicks, and tells marketing what changed and what to do about it.

In scope, Phase 1	Not in Phase 1
Campaign setup and traffic routing across Buyer Apps	App not installed and store redirects
Funnel capture on Buyer App websites	Cross-device and cross-browser journeys
Order attribution within a window	Model-generated insight copy
Category match and ROI reporting	Cancellation and return reversal
Rule-based flags and a decision queue	live postbacks to affiliates

Affiliate reports, emailed from the platform	mobile apps and SDKs.
Configuration versions, audit history and rollback	

2. How the system fits together

Two layers, deliberately separated. CCTV is what a Buyer App integrates against to tell us what happened. Redbull decides.

> **The principle the whole design rests on**
>
> CCTV holds no URL patterns/ Buyer Apps, & it never guesses what a page was. A Buyer App's own systems send it events, against a schema Redbull publishes once. What it does with those events — matching them to a click inside the window — is the same for every Buyer App. The test of this design is that onboarding a new Buyer App is a one-time integration against a fixed schema, never a release on our side.

Services

#	Service	Owns	Must never
S1	Configuration & Registry	Campaigns, splits and landing paths. Buyer App registry, tier and agreement. The event contract. Config versions and rollback	Let a campaign go live before its setup is valid, or allow traffic to a Buyer App that has not signed
S2	Click Routing	Receiving the click, recording it, generating the click id, applying the traffic split, sending the shopper on	Lose a click, or carry the destination in the link
S3	Postback & Attribution	Receiving the events a Buyer App posts against the published schema, and matching them to the click	Interpret a payload shape it was not given, or hold logic specific to one Buyer App

S4	Reporting & Insights	Dashboards, funnels, baselines, the rule set, and the reports sent to affiliates and Buyer Apps	Produce a result a human cannot reproduce, or count one order twice
S5	UI	Web interface for setup and for reading everything back	Let a general user change configuration

S3 is CCTV — the contract a Buyer App integrates against. Everything else is what we internally call Redbull. S1 is the setup that everything else depends on.

How they fit together




Figure 1 — *The five services and what passes between them. The top band is set up once. The middle band happens on every click, left to right. The bottom band is what the platform produces, including the report that goes back to the affiliate who sent the click. Login, audit, monitoring and mail delivery are needed for all of it, but they are not services of their own.*

What each hop passes

One shopper, one order, traced through every Service.

Hop	What is passed	Example
Affiliate to S2	The tap, plus the affiliate's own identifiers on the query string	go.ondc.org/c/CAMP-2026-0089-CK?aff_click_id=ck_88231&sub_id=tg_masala

S1 to S2	Which Buyer Apps are eligible, their tier, the split and the landing paths	Hamaramall Tier 2 signed, HM 60 / MS 30 / DH 10
S2 to the shopper	A redirect to the chosen Buyer App, carrying the click id S2 just generated	hamaramall.com/spices-summer?ondc_click_id=abc789
S2 to S3	The click record — which campaign, which Buyer App, and when	—
S1 to the Buyer App	The published event schema and endpoint, agreed once at onboarding	event_name enum, required fields per event, https://redbull.ondc.org/v1/events
Buyer App to S3	Each event as it happens, and the full order when it completes	purchase, click_id abc789, order ORD12345, value 847
S3 to S4	Attributed events with campaign, affiliate, Buyer App and category match	594 orders, CashKaro, 51% on category
S4 to an affiliate	The report for one campaign and one affiliate, mailed from the platform	CashKaro, 594 conversions, their aff_click_id and sub_id returned, ₹8.4L
S4 to a Buyer App	Their abstracted funnel report, Tier 2 only	Cart to checkout 70% against a cohort median of 78

Read the diagram top to bottom

The top band is configured and is set once. The middle band happens on every click, left to right. The bottom band is what the system produces. If anything in the top band is missing or incomplete, nothing below it works — which is why S1 gates everything.

Data flow

The same journey as the hop table above, read top to bottom as one continuous path.

Stage	What happens
Affiliate link	The shopper taps the link.
S2 — Click Routing	Records the click, generates the click id, applies the traffic split, chooses the Buyer App, and redirects.
Buyer App's own systems	Receive the redirect and capture the click id from the landing URL.
S3 — Buyer App Postback and Attribution	Receives the events the Buyer App posts, validates them against the published schema, and matches them to the click.
S4 — Reporting & Insights	Builds the dashboards, funnels and baselines, runs the rule set, and produces the reports.
S5 — UI	Where configuration is set, and where everything is read back and sent out.
S1 — Config & Registry	Feeds S2 and S3 with configuration, and publishes the schema to the Buyer App. Nothing above flows without it.

3. Click Routing Service

Receives every affiliate click, records it, decides which Buyer App the shopper goes to, and sends them there.

> **One link per campaign per affiliate. Not per Buyer App.**
>
> Two things are decided at the moment of the click and neither is in the link: which Buyer App the shopper goes to, taken from the split marketing configuration, and the click id we will know them by, which is generated here. The same CashKaro link can send one shopper to Hamaramall and the next to Magicpin — which is what allows a live campaign to be re-routed without any affiliate reissuing anything.

go.ondc.org/c/CAMP-2026-0089-CK?aff_click_id=ck_88231&sub_id=tg_masala




Figure 2 — *S2. Marketing sets each Buyer App's share.. Changes take effect on the next click; nothing about the affiliate link changes.*

Requirements

#	Requirement	Priority
01	The click is written to the database before any response is returned to the shopper.	Must
02	aff_click_id and sub_id are read from the query string and stored against the click.	Must
03	The click id is generated here and stored against the click alongside the affiliate's own ids. It is the only id passed to the Buyer App.	Must
04	A Buyer App is chosen by weighted draw against the campaign split, and the choice is stored on the click.	Must
05	Split changes take effect on the next click. Clicks already made keep the Buyer App they reached.	Should
06	An affiliate link is never invalidated by a routing change.	Should
07	Where the selected Buyer App is unavailable, the routing request fails and the failure is recorded against the campaign. No automatic re-route in this phase.	Must

4. Postback and Attribution Service

A published event contract a Buyer App integrates against once. It receives what the Buyer App's own systems report, validates it, and matches it to the click — no script tag, no code running inside the Buyer App's page. What used to be inferred from a page's URL is now stated directly by the Buyer App that generated it.




Figure 3 — *S3. The event schema and a postback validator a Buyer App uses to test their integration before going live.*

The event schema

event_name	Fires when	Carries
landing	The Buyer App's page loads with ondc_click_id present in the URL	click_id, campaign_id, landing path
product_view	A product detail page is shown	click_id, sku, category, price
category_view	A category listing is shown	click_id, category
add_to_cart	An item is added to the cart	click_id, sku, category, qty, price
checkout_started	Checkout is entered	click_id, cart value, item count
order_confirmed	The Buyer App's own order confirmation completes	click_id, order id, order value, items with categories
order_status_update	An order is cancelled or returned	order id, status, reason

Why checkout must stay separate

Collapsing cart to order into one step makes a payment gateway failure indistinguishable from a general conversion decline. The outage alert in S4 is written on the checkout-to-order break and cannot exist without this event.

What the Buyer App is responsible for

The Buyer App keeps the click id from the landing URL and sends it with every later event, including the purchase. Where a shopper has clicked more than one campaign link, the Buyer App decides which click id to send. We attribute the one we are given. This is a deliberate line. We do not identify shoppers, match devices, or choose between two clicks, because any of that would mean knowing who the shopper is — and we do not, on purpose.

How a returning shopper is recognised

A shopper often lands, leaves, and buys days later. The mechanism that connects the two visits is worth stating precisely, because it is commonly assumed to work better than it does.

We recognise the browser, not the customer

On landing, the Buyer App's own integration writes the click reference into local storage and a first-party cookie on the Buyer App's own domain. It sits there until the window closes. When the shopper returns and orders, the Buyer App reads it off and sends it with the order. There is no customer identity involved at any point, and no personal data is used.

ondc_click_id : abc789
campaign : CAMP-2026-0089
stored_at : 14 Aug 09:12
expires : 21 Aug 09:12 (7-day window)

Situation	Result
Clicked and ordered on the same browser, inside the window	Matched

Cleared cookies or site data before ordering	Not matched
Clicked on a phone, ordered on a laptop	Not matched
Clicked in Chrome, ordered in Safari	Not matched
Browsing privately	Not matched
Landed on the website, ordered in the app	Not matched — separate storage
On Safari, returned after more than 7 days	Not matched — storage expired

Roughly 10 to 20% of orders will not be attributed

This is the accepted cost of device-local identity and should be stated as a known number rather than discovered in month two. Note also that Safari expires client-side storage after seven days of inactivity, so a 30-day electronics window cannot be honoured there.




Figure 4 — *S3 and S4. The six-stage funnel for one campaign, with the drops identified. Switch by affiliate or by Buyer App.*

The Buyer App baseline

Where a Buyer App shares its full funnel, campaign traffic can be compared against their own organic traffic. This is what turns fault attribution from an argument into a lookup.




Figure 5 — *S3 and S4. Where both drop equally, the fault is the Buyer App's page. Where only ours drops, the fault is who we sent.*

Requirements

#	Requirement	Priority
01	A Buyer App integrates against one published event schema. CCTV performs no per-Buyer-App payload interpretation.	Must
02	Events captured: page view, product view, category view, add to cart, checkout started, purchase, order status update.	Must
03	Checkout stays its own event, distinct from cart and purchase.	Must
04	Purchase carries order id, order value, items and item categories, matching the object the Buyer App's own backend already builds for the ONDC network exchange.	Must
05	The Buyer App captures the click id from the landing URL and carries it through to every subsequent event, including the purchase.	Must
06	Where a shopper has clicked more than once, the Buyer App decides which click id to send. We attribute the one we are given.	Must
07	An event with no click id is accepted and stored as unattributed. It is never dropped and never guessed.	Must
08	Every event is authenticated and carries a Buyer-App-issued event id. A redelivered event is never counted twice.	Must

09	An event that arrives out of order is stored once and does not change what has already been attributed.	Must
10	Where the Buyer App is at Tier 1, only events carrying a click id are accepted. Where Tier 2, all events are accepted.	Must
11	An event is available to report within the platform's freshness bar (S4-03).	Must
12	An event is attributed to the click id it carries, where that click falls inside the campaign attribution window.	Must
13	The internal window and the affiliate contractual window are evaluated independently. An order may fall inside one and outside the other.	Must
14	Category match is the share of attributed order value falling in the promoted category.	Must
15	The full category breakdown is retained, not only the match percentage, so cross-sell is visible.	Must
16	An order is never attributed to a Buyer App the shopper did not reach.	Must
17	An order with no click id is not attributed, and is counted in the unattributed rate.	Must

5. Configuration and Registry Service

Holds everything marketing sets, and the Buyer App setup everything else depends on. Two levels: set once per Buyer App, set per campaign.




Figure 6 — *S1. Campaign setup. Category drives the default attribution window; commission rate sits on the affiliate because without it there is no cost side and therefore no ROI.*

What is set where

Per Buyer App — once	Per campaign
Website domain	Category and attribution window
Event schema version and postback credentials	Buyer Apps and their traffic split
Data sharing tier and agreement status	Landing path per Buyer App
Mobile app readiness	Affiliates and commission rates
Configuration version and audit history	AOV bucket thresholds, and any tiered commission built on them



Figure-7 — *S1. The data sharing ladder. What a Buyer App receives depends on what it shares, and the abstraction rules are stated as commitments.*

Tiers

Tier	They share	They receive
1	Nothing. No event integration in place	Clicks delivered only
2	Funnel on sessions carrying a click id	Their own campaign report and category match
3	Site-wide funnel including organic	The above, plus their position against the cohort and affiliate lift over organic

Requirements

#	Requirement	Priority
01	Marketing supplies a path, not a full URL. The system joins it to the Buyer App domain.	Must
02	Attribution window defaults from category and remains editable per campaign. Seven days is the network default.	Must
03	Commission rate is a required field on every affiliate on a campaign.	Must
04	A schema version is published once and requires no release on our side. A Buyer App migrates to it within the stated deprecation window.	Must
05	Adding a Buyer App requires no code change on Redbull's side. The Buyer App's own integration work is separate and one-time.	Must
06	Splits must total 100%. A campaign that does not cannot be saved.	Must
07	Only Buyer Apps at Tier 1 or above with a signed agreement can hold a non-zero share.	Must
08	A campaign cannot be activated until its Buyer Apps, splits and landing paths are valid together.	Must
09	Every configuration change is versioned and records who, when, and a mandatory reason.	Must
10	Any published configuration can be rolled back to an earlier version. A rollback takes effect on the next click, like any other change.	Must
11	A published change applies to the next request. No release and no restart.	Must
12	No production data flows for a Buyer App until its agreement status reads signed.	Must

13	Tier 2 capture is off by default and cannot be enabled from the admin console alone.	Must
14	A benchmark renders only where the cohort has at least five Buyer Apps for that category and period.	Must
15	A recipient is excluded from the median shown to them, and cohort membership is never disclosed.	Must
16	Reports aggregate to category. No SKU, seller or provider data crosses between Buyer Apps.	Must
17	No shopper-level data leaves ONDC in either direction.	Must
18	Commission may be tiered by AOV bucket instead of a single flat rate per affiliate.	Should
19	A concentration cap may be set per campaign or network-wide, capping the share of a day's volume any single affiliate can hold before S4 flags it (R-15).	Should

6. Reporting and Insights Service

Runs a fixed rule set over the attributed data, raises flags, and ranks them by the money at stake. Phase 1 is rules only.

> **Rules now, language model later**
>
> Detection and diagnosis are deterministic and must stay so — the same data has to produce the same answer every time, and a person must be able to reproduce it. A model may later rewrite the wording into plainer English and retrieve similar past cases. It must never compute a number or decide which rule fired.




Figure 8 — *S4. The decision queue, ranked by value at stake. Each flag carries its rule identifier and opens to show the exact test that fired.*

The rule set

#	Rule	Fires when	Example
R-01	Audience fit	Within one campaign, the click-to-order conversion gap between best- and worst-performing affiliate reaches the affiliate-gap threshold (15%) or more.	On the Diwali Snacks campaign, CashKaro converts at 4.6% and Magicpin at 3.6% — a 28% relative gap, well past the 15% threshold, so it's flagged as affiliate-specific rather than a deal-wide issue.
R-02	Deal-level (agnostic)	Within one campaign, the CVR gap between affiliates stays under the affiliate-gap threshold — the deal performs consistently.	On the Personal Care Starter Kit campaign, CashKaro and Wishlink both convert within 3.2–3.5% CVR — under the 15% gap, so the deal itself is what's working, not any one affiliate.
R-03	Platform, per-affiliate	For one affiliate, the CVR gap between its best- and worst-performing Buyer App	CashKaro converts at 5.1% on Hamaramall but only 3.7% on Digihaat for the same campaign — a 38%

		reaches the buyer-app-gap threshold (15%) or more.	relative gap, flagging that this affiliate behaves very differently depending on the Buyer App.
R-04	Platform (agnostic)	For one affiliate, the CVR gap across Buyer Apps stays under the buyer-app-gap threshold.	Magicpin converts within 2.9–3.3% CVR across Hamaramall, Digihaat and Apna Bazaar alike — under the 15% gap, so this affiliate's performance travels well across Buyer Apps.
R-05	Affiliate quality	An affiliate is running three or more campaigns with clicks, and every one of them converts at or above the quality-benchmark CVR (2%).	Admitad is running 4 active campaigns, all converting between 2.4% and 3.1% — clears the 2% floor on all four, flagged as a consistently high-quality affiliate worth expanding.
R-06	Off category	A campaign's category-match score falls below its category's floor (Grocery 65%, Fashion 35%, Electronics 70%, Home & Kitchen 60%).	An Electronics campaign is running at 58% category match against the 70% Electronics floor — the traffic landing on it isn't actually electronics shoppers.
R-07	Return below floor	A campaign–affiliate pairing's earnings-per-click drops below its category's EPC floor (Grocery ₹1.30, Fashion ₹1.60, Electronics ₹2.00, Home & Kitchen ₹1.50).	CashKaro's EPC on a Fashion campaign works out to ₹1.15, below the ₹1.60 Fashion floor — the clicks are coming in, but the return per click isn't clearing the bar.
R-08	Traffic quality	A Buyer App's landing-to-product-view rate for	On Digihaat, 50% of our affiliate landings go on to

	gap	our affiliate traffic trails that same Buyer App's own baseline (its native shoppers).	view a product, against 61% for Digihaat's own shoppers on the same step — an 11 % gap, pointing at our targeting or creativity.
R-09	Deal outlier	Within one affiliate, the CVR gap between its best- and worst-performing campaign reaches the campaign-gap threshold (15%) or more.	Admitad converts 22% better on the Diwali Spices campaign than on the Everyday Snacks campaign (4.1% vs 3.4% CVR) — same affiliate, different deals, worth a closer look at the weaker campaign.
R-10	Consisten t across deals	Within one affiliate, the CVR gap across all its campaigns stays under the campaign-gap threshold.	Wishlink converts within a narrow 3.1–3.6% CVR band across all 3 of its active campaigns — whatever it's doing works the same.
R-11	ROI below floor	A campaign's GMV-to-spend ratio drops below the ROI floor (5.0× network-wide default, or a campaign-specific override).	The Home & Kitchen Flash Sale campaign is running at 3.2× GMV-to-spend against the 5.0× network floor — commission is still paid, but the spend behind the deal isn't earning its keep.
R-12	Purchase timing (salary cycle)	A campaign launches in a week that trails its category's known peak buying week by 5 percentage points of demand share or more.	A Grocery campaign launches in week 1 of the month, but Grocery demand peaks in week 2 (35.6% of the month's orders vs 25.7% in week-1) — a gap, suggesting the campaign could be timed well.
R-13	Pacing drop	Today's orders fall below a set % of the	CashKaro is averaging 42 orders/day over the trailing

		affiliate's trailing 7-day average	week but logged only 9 orders today — 21% of its average, flagged for check.
R-14	Concentration Risk	One affiliate's share of a day's network volume exceeds a set cap	Magicpin accounts for 240 of today's 380 network-wide orders — 63% of the day's volume, flagging over-reliance on one affiliate.
R-15	Reconciliation Gap	Affiliate-claimed and platform-computed orders diverge beyond a set tolerance	Wishlink claims 612 orders over the last 30 days; ONDC's own postback data computes 580 — a 5.5% gap, this stays on hold until reconciled.
R-16	Ticket-size skew	Share of orders under the low AOV bucket exceeds a set ceiling	71% of Admitad's orders over the period fall under the low-AOV bucket — above the 65% ticket-skew ceiling, flagging that this affiliate's traffic skews heavily toward small-basket purchases.




Figure 9 — *S4. The rule set with fire counts and dismissal rates. R-05 fired nineteen times and was dismissed on two thirds of them, which is how a miscalibrated rule surfaces.*

Requirements

#	Requirement	Priority
01	Every metric is defined once and computed identically across all views.	Must
02	Funnel is sliceable by affiliate and by Buyer App, and both reconcile to the same totals.	Must
03	Data is no more than 120 minutes behind live.	Must
04	A dashboard view loads in under two seconds.	Must
05	Any view can be exported and shared as a link that opens the same filtered state.	Should
06	Reports returned to Buyer Apps show no competitor by name and require a cohort of at least five.	Must
07	A daily view, refreshed on the platform's freshness bar (M6-03), shows per affiliate: orders today/yesterday and day-on-day change, month-to-date pacing against target, and a run-rate projection to month end.	Must
08	The same daily view shows GMV, AOV, commission payable, and completed vs. cancelled/returned share, alongside the buyer-app and category splits M6-02 already requires.	Must
09	Where affiliate-claimed figures are available, they are shown alongside platform-computed figures for the same period, with the difference in both transactions and value stated, not just a pass/fail.	Should
10	An affiliate crossing the concentration cap (R-15) or falling below its own pacing threshold (R-14) is surfaced on this view directly, not only on the Insights page.	Must
11	The daily view retains enough history to show week-on-week and month-on-month shape, so a recurring pattern (a payday-week spike, say) is visible without a dedicated forecasting rule.	Should

12	Every flag states measured facts and names the rule that produced it.	Must
13	Every flag exposes its condition, the observed values and the threshold.	Must
14	Flags are ranked by estimated value at stake, not by severity label.	Must
15	Marketing edits thresholds. Rule logic is not editable in the product in Phase 1.	Must
16	Dismissal rate per rule is tracked and visible.	Must
17	A flag may be dismissed with a reason, which is retained.	Should
18	R-14 through R-17 read from the same daily affiliate figures M6 already computes for reporting — no separate pipeline.	Must
19	Where affiliate-claimed data is unavailable for R-16, the rule does not fire, and the affiliate is marked "reconciliation unavailable" rather than passing silently.	Must



Figure 10 — *S4. R-14 through R-17 firing against the same seed data as elsewhere in this document — pacing, concentration, reconciliation and ticket-size, ranked by value at stake like every other signal on this page.*




Figure 11 — *S4. Sharing an insight with the team, sending structured feedback to an affiliate, and recording what was learned.*

Affiliate daily operations view

Built directly from the marketing team's own daily tracking sheet and decision framework: what today looks like against the recent trend, whether this month is pacing to target, and the checks — pacing, concentration, reconciliation, ticket-size — that decide whether to leave a campaign alone or act on it today. Every number already exists elsewhere in Redbull; this view is where they're read together.



Figure 12 — *S4. One affiliate's daily view: today vs. yesterday, month-to-date pacing, the last 7 days, completed vs. cancelled/returned, and the AOV mix, closing with the claimed-vs-computed reconciliation (R-16).*




Figure 13 — *S4. Network-wide concentration at a glance (R-15), and the trigger → diagnosis → action cards this view surfaces — mirroring the marketing team's own operating cadence.*

Telling affiliates about conversions

In this phase Affiliates get reports, sent from the platform. User picks the campaign and the affiliate. The platform builds the report for that pairing and drafts a mail with it attached. Marketing fills in who it goes to and sends it. Because the mail leaves from the platform, what was sent, to whom and when is recorded — rather than sitting in one person's sent items where nobody else can find it.



Figure 13 — *What the affiliate appends to the link. Both values are stored on the click and handed straight back on the postback, which is how the affiliate pays the right publisher.*

#	Requirement	Priority
20	Reports can be produced for any campaign, affiliate and period. It carries the affiliate's click ids and sub_ids, so affiliate can attribute easily.	Must
21	A conversion appears once, in one report period. Re-running a report for the same period returns the same conversions.	Must

22	The affiliate contractual window governs which conversions appear in an affiliate report, independent of the internal window.	Must
23	Reports sent to affiliates from the platform. Marketing selects a campaign & affiliate, platform builds report & attaches it to drafted mail.	Must
24	The platform composes the subject and the body. Marketing can edit both before sending.	Must
25	Every send is recorded — campaign, affiliate, period, recipients, who sent it and when — and the record is visible in the product.	Must

7. UI Service

The browser interface for the whole platform. It is where configuration is set, where everything is read back, and where reports go out. It is not a Buyer App interface, and there is no mobile app.

Requirements

#	Requirement	Priority
01	Configuration is created and changed here. An admin writes; a general user reads.	Must
02	Configuration versions and audit history are visible, showing who changed what and why.	Must
03	An earlier configuration version can be rolled back from here.	Must
04	Dashboards, funnels and the decision queue are read here.	Must
05	Affiliate reports are produced, drafted and sent from here.	Should

8. Things that must stay true

- A click is never lost. It is recorded before anything else happens.

- A click is attributed to the Buyer App it actually reached, never retro-assigned.
- An affiliate link never changes for the life of a campaign.
- CCTV never interprets payload shape it was not given. An event outside the published schema is rejected, not inferred.
- An insight can always be traced back to a stated rule, threshold and observation.
- No Buyer App receives traffic or gives data before its agreement is signed.

> **Clicks will exceed landings**
>
> Because M1-01 records the click before the shopper arrives anywhere, some clicks produce no landing — abandoned taps, blocked scripts, closed tabs. This is correct and needs documenting, or it will be raised as a defect in week two.

12. Open questions

#	Question
01	Should a shopper who taps the same link twice land on the same Buyer App? Sticky is a better experience and cleaner attribution; pure random gives a truer split.
02	Does the Router respond with a redirect or a page? A page is likely needed for app-opening and in-app browsers.
03	ROI cost definition. Commission alone gives roughly 20x. Commission plus funded discount gives 3.4x. Both appear in existing documents.
04	Safari expires client-side storage after seven days of inactivity, so a 30-day electronics window is not achievable there. Accept, or find another mechanism?
05	What happens to in-flight clicks when a Buyer App is removed from a live campaign?
06	How are alerts actually delivered? The outage response assumes notification within minutes; no channel is currently specified.
07	Bot and click fraud handling. This system triggers commission payments, so inflated clicks are direct financial exposure.

08	Data retention per entity — clicks, events, orders.
09	Should a shopper who lands on the website and later orders in the app be recoverable at all, or is that loss accepted for Phase 1?
10	What deprecation window applies when the event schema changes?
11	Is event integration mandatory for a new Buyer App, or does an unintegrated Buyer App simply generate no funnel data until they build it?

13. Success Metrics

Theme	Metric
North Star (Outcome)	% higher order count from agencies/campaigns whose targeting was optimised using funnel-attribution data vs. unoptimised.
Attribution Rate	Attribution Rate | Over 80% of orders on tagged Buyer Apps matched to a click, measured per Buyer App
Attribution Coverage	% of buyer-app orders with complete journey (view → cart → checkout → order) captured in one standard schema
Schema validation Rate	Over 95% of a Buyer App's test events pass validation before their integration goes live
Click integrity	Every click reaching the Router is recorded, including abandoned ones
Redirect latency	Under 300ms at p95, excluding the Buyer App's own page load
Link stability	A mid-campaign routing change requires no affiliate action
Rule health	No rule sustaining a dismissal rate above 50% without review