JOHN WILLIS · 2026 EDITION

AI for Dev(SEC)Ops

Authority → Risk → Control → Value System

> *“Intelligence (by default) does not create safety.*
>
> ***All the things that can go wrong…***

John Willis — Career & Community

botchgalupe.ai

Career spanning:
ExxonMobil, **Red Hat**, **Dell**, **Chef**, **Docker**, **Canonical**, **MongoDB**, and more.

DevOps pioneer, co-author of *The DevOps Handbook*, and **AI governance researcher**.

Author, Researcher, and Advisor

My Books

https://botchagalupe.ai



The coffee machine is still broken.
We are now in month 14
of the Beverage Excellence Framework.

After AI


JP
BEFORE AI
IDEA
EXECUTE
AFTER AI
IDEA
EXECUTE
Jeremy Prasetyo
REPOST
THIS

Core Thesis

> ***The future belongs to the fastest learners, not the fastest adopters.***

"You are either a learning organization or you are losing to one who is"

Why Change Now?

AI Changed the Blast Radius of Work

Old world:
Software followed instructions.

New world:
AI systems infer intent, generate actions, call tools, use memory, access knowledge, and operate at machine speed.

Leadership implication:
The more authority we delegate, the more deterministic the control plane must become.

Leadership Question:
"What authority have we delegated, and what blast radius have we created?"



AI Makes It Easier to Start

Which Makes It Easier to Believe You Are Done

Production is a contract.

It requires reliability, repeatability, governance, and auditability.

CONFUSING MESSAGES FROM THE INDUSTRY

Contradictory Headlines

KEY POINTS

- Mixed signals from Fortune, TheNewStack, and others.
- Example: “MIT report: 95% of generative AI pilots are failing” vs “AI is writing 100% of our code”.



AI HAS MOVED FROM PILOT TO PRODUCTION

ENTERPRISE AI IS NO LONGER EXPERIMENTAL

AI is moving out of the pilot phase and into full production environments.

Organizations are scaling AI capabilities for real-world impact.

STATE OF SOFTWARE ENGINEERING

NEW FOLLOW THE LEADER

> Top engineers at Anthropic, OpenAI say **AI now writes 100% of their code** — with big implications for the rest of us.

KEY POINTS

The frontier AI companies are already **operating in a highly agentic software engineering paradigm.**

This sets the **new baseline for enterprise software development.**

COMPRESSION OF ROLES

Compression of Roles in the Enterprise

The modern engineer is not just a coder anymore; they are a **multi-role orchestrator.**

Roles compressed into one:
CTO, Architect, Developer, QA, Security, Ops.



FOUNDATION OF ALIGNMENT

SHARED COMMON LANGUAGE

Precise Vocabulary Is the Foundation of Governance

Vocabulary, Interpretation, and Execution all matter for **Systemic Control**.

A shared language **prevents misaligned expectations** and rogue behavior.

AI Sticker Shock Is Already Here

KEY POINTS (REAL-WORLD EXAMPLES)

- Uber exhausted its AI budget far earlier than expected.
- Microsoft scaled back some Claude Code licenses due to cost concerns.
- Amazon scrapped an internal AI usage leaderboard that led to unnecessary token consumption.
- Meta, Salesforce, and DoorDash are also reportedly facing similar AI cost and usage reality checks.

Sources: Axios, Forbes, Yahoo/Benzinga, Financial Times

THE WALL STREET JOURNAL.

TECHNOLOGY • ARTIFICIAL INTELLIGENCE Follow

Corporate America Is Starting to Ration AI as Cost Skyrockets

Executives are scrambling to track returns on AI investments as the bill for massive computing needs comes due

ENTERPRISE AI ECONOMICS • OCTOBER 2026

AI Sticker Shock Is Now a Governance Problem

AI adoption is accelerating faster than financial control.

47%
AI budgets over plan
ETR · 2026

17%
Pause or scale back
ETR · over-budget respondents

5×+
Projected workflow cost growth
Gartner · through 2028

44%
Full real-time cost visibility
AI Leaders · October 2026

The new metric: Cost per verified successful outcome — not cost per token.

Sources: ETR Summer 2026; Gartner Aug. 2026 forecast; AI Leaders Oct. 2026. Different survey populations and measures.

AI Transformation Follows a J-Curve, Not an S-Curve

- **Leaders expect an S-curve:** slow adoption → fast growth → plateau.
- **AI creates a J-curve:** enthusiasm → disruption → friction → eventual improvement.
- **The dip is not necessarily failure — it is the cost of learning.**
- **Different functions** (talent, governance, security) sit on different J-curves simultaneously.

> *Do not mistake instability for failure.*
> *But also do not mistake experimentation for transformation.*



AI Adoption Reveals Three Organizational Realities

01

The Unconvinced

People who need trust, evidence, safety, and a clear reason to change.

02

The Under-Enabled

People open to AI but waiting for guidance, workflow clarity, permission, and support.

03

The Unbounded

People already using AI aggressively in the absence of clear guardrails, review paths, and governance.

Uneven adoption is not a people ranking.
It is a diagnostic signal about trust, clarity, enablement, and control.

The Organizational Pattern Is Familiar: Technology Outpaces Organizational Behavior

We have seen this pattern before with Cloud, DevOps, and Agile.

The technology arrives fast and is relatively easy to acquire.

The organizational behavior (how people work together, make decisions, and manage risk) changes slowly.

The gap between the new technology's capability and the old organizational behavior is where risk, friction, and "slop" accumulate.



Organizational Scar Tissue Creates Organizational Burnout

AI SLOP SCAR TISSUE	BURNOUT DIMENSION
Verifying outputs, correcting hallucinations, cleaning poor drafts	**Emotional Exhaustion** (people carry invisible cognitive load)
Blurred ownership and accountability diffusion	**Cynicism / Depersonalization** (teams detach from outcomes)
Judgment debt (accepting AI output without building evaluation muscle)	**Reduced Professional Efficacy** (people produce more but feel less capable)
Tool overload, conflicting answers, unclear authority	**Emotional Exhaustion + Cynicism** (AI becomes friction, not leverage)

LEADERSHIP INSIGHT

> ***Burnout is not created by AI. It is created when AI increases demand without increasing control, clarity, and capability.***

AI Is Changing How Authority Moves Through the Organization

AI is not just another productivity tool — it is an operational authority shift.

DevOps shifted software delivery; AI shifts reading, reasoning, deciding, and executing.

Stop asking “How smart is the AI?” Start asking “What authority does it have?”

> *Everyone is asking how intelligent the model is. The better leadership question is: what authority have we delegated to it?”*

This is Not Winning

- Token Leaderboards
- Token Optimization White Papers
- AI Coding ROI Dashboards
- Jensen's 500/250 Ratio
- Copilot Adoption Metrics
- Pull Request Volume
- Tokenmaxxing

Inc.

NEWSLETTERS SUBSCRIBE

LEAD

The $500 Million AI Mistake Every Company Is Rushing to Avoid AI sticker shock is rattling enterprise tech. The new bottom line: Cap your tokens—or your model will devour your cash flow.

BY KEVIN HAYNES, NEWS WRITER

MAY 31, 2026

Accenture Just Capped Employees' Claude Spending at $29 a Month. Some Were Spending $1,000

Omor Ibne Ehsan
Fri, October 16, 2026 at 9:27 AM EDT • 5 min read

The Sociotechnical Lesson

Innovation Fails When the Work System Is Ignored

In the 1950s coal mines, new tech disrupted teams and judgment, causing productivity to plummet. AI is today's coal mine moment. You cannot optimize the technical system and ignore the talent system.

An innovation strategy without a talent strategy is technical optimization without sociotechnical design.


GOOD NEWS. WE CAN NOW DO THE WRONG THING A THOUSAND TIMES FASTER.
AI
BROKEN PROCESS

VULNERABILITY INTELLIGENCE · OCTOBER 18, 2026

AI Is Accelerating Vulnerability Discovery

But can verification and remediation keep up?

67,000+

PUBLISHED CVEs

Through Sept. 18, 2026 · existing slide

129,000+

VERIFIED VULNERABILITY FINDINGS

Project Glasswing partners · Apr–Jul 2026

33,000

HIGH / CRITICAL FINDINGS

Project Glasswing partners · Apr–Jul 2026

1,748

KNOWN EXPLOITED CVEs

CISA KEV catalog · Oct. 16, 2026

Discovery is accelerating. Independent verification, prioritization, and proof of closure must scale with it.

Sources: Original slide 15 (CISA / NIST); Project Glasswing reported findings; CISA KEV catalog. Different populations—not directly comparable.

VULNERABILITY INTELLIGENCE

AS OF OCTOBER 18, 2026

Chain of Vulnerabilities

A single breach often chains multiple vulnerabilities across the stack.
Attackers link CVEs to move from initial access to impact.

INITIAL ACCESS

Stolen, weak, or misconfigured authentication allows an attacker to gain access to the application or infrastructure.

Common CVEs (examples)

- CVE-2024-6198 (Ivanti auth bypass)
- CVE-2023-27997 (Fortinet auth bypass)
- CVE-2023-48788 (Cisco ASA auth bypass)
- CVE-2022-22965 (Spring4Shell auth bypass)

DATABASE CONNECTIVITY

Abused JDBC/JBBC connection or configuration provides access to the backend database, often with excessive privileges.

Common CVEs (examples)

- CVE-2023-37216 (Oracle JDBC RCE)
- CVE-2020-9484 (Exposed JMX/JDBC)
- CVE-2019-12384 (JDBC config leak)
- CVE-2021-44228 (Log4j → JDBC exfil)

DATA MANIPULATION

Malicious or unintentional SQL queries enable data extraction, modification, or privilege escalation.

Common CVEs (examples)

- CVE-2023-30547 (SQL injection)
- CVE-2022-35737 (SQL injection)
- CVE-2021-44228 (Log4j → SQL abuse)
- CVE-2019-5490 (SQL injection)

CODE EXECUTION

Insecure deserialization allows execution of arbitrary code, leading to full system compromise, data exfiltration, or lateral movement.

Common CVEs (examples)

- CVE-2015-4852 (Java deserialization)
- CVE-2017-9805 (WebLogic deserialization)
- CVE-2020-7961 (RCE via deserialization)
- CVE-2023-34035 (Java serialization RCE)

DX Q3 2026 · DELIVERY PIPELINE

AI Has Moved the Bottleneck to Verification

+75.5%
True throughput - More Work
Q4 2025–Q3 2026

+122%
Median PR size - Getting Larger
Year over year

+105%
First-review wait - Review Wait Time
Highest vs. lowest AI-code tier

WHY THIS MATTERS FOR DEVSECOPS

Historically, engineering teams accelerated development through CI/CD, automated testing, and deployment pipelines. AI coding agents now **accelerate code generation without necessarily scaling downstream review and security verification**.

Code generation → Code review → Security verification → Deployment

REVIEW DEBT

More and larger PRs accumulate faster than reviewers can process them.

SECURITY RISK

Less review time for business-logic, authorization, and context-dependent vulnerabilities.

FALSE PRODUCTIVITY

Local developer output rises while end-to-end delivery remains constrained.

More code is not the same as more verified, secure, production-ready software.

Source: DX State of AI Impact in Engineering Q3 2026, pp. 3–5 · DevSecOps implications are interpretive.

The New Bottleneck Is Ideation

The next revolution in software delivery isn't about writing code faster. It's about learning what is worth building.

John Willis
Oct 10, 2026 · 8 min read

https://claude.com/resources/articles/the-ai-native-sdlc-playbook

Enter Passphrase | New Chrome availab

Claude

Product | Developers | Enterprise | Resources | Pricing | Login | Contact sales | Try Claude

Claude Resources

Home | Articles | Guides | Webinars | Videos



Build is no longer the constraint — the human-speed steps around it are. Human-speed stages keep their length while build collapses to hours.

https://claude.com/resources/articles/the-ai-native-sdlc-playbook

https://claude.com/resources/articles/the-ai-native-sdlc-playbook

Enter Passphrase | New Chrome availab

Claude

Product | Developers | Enterprise | Resources | Pricing | Login | Contact sales | Try Claude

Claude Resources

Home | Articles | Guides | Webinars | Videos



https://claude.com/resources/articles/the-ai-native-sdlc-playbook

Code Is No Longer the Bottleneck

The bottleneck moves from code generation to planning, verification, review, and deployment.

01 PLAN	02 DESIGN	03 BUILD	04 TEST	05 DEPLOY	06 MAINTAIN
intent.md	**spec.md**	**plan.md + code**	**evals + evidence**	**PR + approval**	**incident → intent**
Capture purpose, scope and constraints	Apply versioned standards and policy	Agent coding with skills and hooks	Continuous checks and feedback	AI review; human production gate	Monitor, diagnose, restart loop

CONTROL THREAD Versioned artifacts • Advisory skills • Enforced hooks • Evals • Scoped authority • Human judgment

Key question: If build moves at agent speed, can verification, authorization and learning keep pace?

Source: Anthropic, The AI-Native SDLC Playbook, pp. 3–9, 25–27, 34–46, 48–51. Summary adapted for DevSecOps.


https://github.com/botchagalupe/ai-native-sdlc-lab
Enter Passphrase
New Chrome available
botchagalupe / ai-native-sdlc-lab
Type / to search
Code
Issues
Pull requests
Actions
Projects
Wiki
Security and quality
Insights
Settings
ai-native-sdlc-lab
Private
Watch 0
Fork 0
Star 0
main
1 Branch
0 Tags
Go to file
T
Add file
Code
botchagalupeai and manus-agent Add private GitHub repository quick start
5635671 · 7 minutes ago
2 Commits
tests Initialize AI-native SDLC lab project 12 minutes ago
.gitignore Initialize AI-native SDLC lab project 12 minutes ago
CLAUDE.md Initialize AI-native SDLC lab project 12 minutes ago
LAB.md Initialize AI-native SDLC lab project 12 minutes ago
README.md Add private GitHub repository quick start 7 minutes ago
REVIEW.md Initialize AI-native SDLC lab project 12 minutes ago
SOURCES.md Initialize AI-native SDLC lab project 12 minutes ago
classifier.py Initialize AI-native SDLC lab project 12 minutes ago
README
About
Hands-on AI-native SDLC lab: intent, design, planning, test evidence, human review, and maintenance feedback.
Readme
Activity
0 stars
0 watching
0 forks
Releases
No releases published
Create a new release
Packages
No packages published
Publish your first package

Thinking Differently

Spatial Intelligence

LLMs give AI a language, Spatial Intelligence gives AI a landscape.



37

The Game that Makes Chess Child's Play

Lee Sedol

Chess is a calculation game. Go is too complex, so players are using their intuition. It's totally different in class. You can think of AlphaGo as superhuman intuition instead of superhuman calculation.

—Sir Demis Hassabis, from "How Google Plans to Solve Artificial Intelligence," *MIT Technology Review*

I included some rebels in this book who aren't normally included in stories about how modern AI came to be. Some, like Walter Pitts, deserve to be included but sadly aren't. Others, like Hubel and Wiesel with their cat experiments, could be seen as tangential. Sort of like including Nikola Tesla because without electricity you couldn't power computers.

Including Lee Sedol doesn't make sense at all. He didn't invent, create, or discover something that eventually led to breakthroughs in AI. He literally sat across the table as the opposing player in a boardgame just like Garry Kasparov had two decades before. So, why feature Lee Sedol at all?

Two reasons.

The first is that, whether he saw himself in this role or not, he was the midwife at "the birth of modern AI," as one journalist phrased the outcome of the game match.[596] (In the final chapter of this book, I'm going to argue why ChatGPT marked the dawn of the Age of AI, but the reporter has a point.) Sedol may have been a reluctant midwife, but nevertheless, he played a part in the emergence of the new AI, opening the way for ChatGPT to come.

The second reason is a little more existential. In his gameplay against the world's most advanced AI, Lee Sedol represented all of humanity and gave us a glimpse of what the future may hold. You're going to read about two moves. The first was by the AI, a move no world-class champion would have ever made, and demonstrated its near-superhuman intellect. But it spurred Sedol to make a move that flummoxed the AI, a move the software would never have predicted.

In other words, playing the AI challenged Sedol—already one of the best players of this particular game that the world had ever seen—to rethink his strategy and led him to make a move superior to any he'd made before. Playing the AI made Sedol a better player.

I can only hope that's our future: AI that makes humanity greater, not less.

The Game of Go

Claude Shannon, the Bell Labs scientist and father of information theory, came up with the Shannon Number. He wanted to calculate how many possible moves in chess could theoretically exist. He came up with 10 to the power of 120.[597] To give you the visual of that, it's 10 followed by 120 zeroes:

*1,000,000,000

Chess is a complicated system, you give different actors distinct rules.

Go is a complex system, identical actors are given complete freedom on a wide canvas.

WARDLEY MAPPING, SIMPLIFIED

Visual-Spatial Cognition - Seeing Before Explaining

Seeing the board showed that AlphaGo’s position, had a fragile shape hidden inside it. A spatial anomaly. Alphago didn’t see distances, orientations, and relationships in space.

Lee Sedol saw that AlphaGo's apparently solid encirclement depended on one tiny structural weakness. He inserted a stone exactly there, turning AlphaGo's strength—its huge surrounding formation—into a liability that suddenly had to defend itself.



This is where AI and Wardley Mapping can be our Move 78.

Wardley Maps

PRACTICE IN THE FIELD

Wardley Maps are used across complex operating environments

The method is applied across finance, cloud, government, transport, logistics, industrial, retail-data, and life-science contexts.

Liberty Mutual	Amazon Web Services (AWS)	UK Government / Government Digital Service (GDS)
HS2 UK high-speed rail project	Maersk	Siemens
Dunnhumby - for Tesco Clubcard	Major banks	Major pharmaceutical companies

The method travels well because it makes value, dependency, and evolution visible—regardless of industry.

A simple website map reveals the investment logic

User need
Useful information

We see website, application, and hosting as positions, distances, orientations, and relationships in space.

Where should scarce engineering attention go—and where should we consume mature capability?



What About Security?

Customer need
Trusted experience

TLS, Authentication, and Secrets. For example, should Secrets be cloud based (commodity) or product based (Vault).

Security is not one box. Its strategic role changes with the context in which customers encounter it.



The map can show movement (strategy)



Security changes position if it's regulated

Customer need
Trusted experience

Security experience now is in custom built. Things like privacy, threat, and accountability are positional.



Moving the build-versus-buy boundaries

Wardley Maps

PRESENTATION MODE | EXAMPLE MAP | + NEW | SAVE | IMPORT/EXPORT

Your Map: (unsaved)

BACK | ADD | NEXT

```
title Security as Brand

anchor Customer [0.95, 0.70]

component Trusted Experience [0.86, 0.48]
component Website [0.74, 0.52]
component Security Experience [0.62, 0.23]
component Application [0.55, 0.48]

component Authentication [0.46, 0.72]
component Threat Detection [0.42, 0.58]
component Privacy Controls [0.45, 0.34]
component Auditability [0.30, 0.35]

component TLS [0.30, 0.92]
component Secrets Management [0.26, 0.74]
component Compute [0.18, 0.92]
component Network [0.10, 0.96]

Customer -> Trusted Experience
Trusted Experience -> Website
Trusted Experience -> Security Experience

Website -> Application
Security Experience -> Authentication
Security Experience -> Threat Detection
Security Experience -> Privacy Controls
Security Experience -> Auditability

Application -> TLS
Application -> Secrets Management
```



Sometimes, yes, but debate also tests what is right, not necessarily who, and dialogue without debate can result in consensus tyranny regardless of the facts. What we do next depends a lot on context.

- Dave Snowden, The Cynefin co

Case Study

AI coding has broken AppSec

87%

of PRs produced by Claude, Codex, & Gemini contain vulns

The Agentic Coding Security Report, Mar 2026

20x

code volume in the enterprise in the next 18-24 months

78%

of AI-made flaws are undetectable by SAST

Dryrun Internal sample of 20,000 PRs, Jan 3-9 2026

78% of AI code requires context or reasoning beyond traditional pattern-based SAST.

DryRun Findings *(data sample from January)* show a majority of issues detected are "beneath the surface" and are logic errors, authz flaws and other context and intent-driven issues.



Why the 78% below the waterline

Those highlighted in green are not detectable by traditional SAST/SCA/Secrets scanners.

- API Query Injection
- Authentication Bypass
- Missing Authorization Checks
- Business Logic Flaw
- Cache Poisoning
- Configuration Injection
- Cryptographic Weakness
- Cross-Site Request Forgery (CSRF)
- CSV Injection
- Email Header Injection
- Excessive Privileges
- Hardcoded Credentials
- HTTP Header Injection
- IDOR
- Information Disclosure
- Insecure Client Storage
- Insecure Defaults
- Insecure Deserialization
- Insecure File Upload
- Insecure Transport
- Intent Redirection
- Language Version Risk
- LLM Tool Misuse
- Log Injection
- Malicious Skills
- Mass Assignment
- Memory Safety Issue
- Network Exposure
- Non-Security Nitpick
- Open CORS Policy
- Open Redirect
- Other
- Path Traversal
- Privilege Escalation
- Prompt Injection
- Prototype Pollution
- Remote Code Execution (RCE)
- Resource Exhaustion
- SQL Injection (SQLi)
- Server Side Request Forgery (SSRF)
- Subdomain Takeover
- Supply Chain Risk
- Terminal Escape Injection
- Time of Check Time of Use
- Timing Side Channel
- UI Spoofing
- User Enumeration
- Vulnerable Dependency
- XML Injection
- Cross Site Scription (XXS)
- XML External Entity (XXE)

Here’s the Rub!

Dryrun has to prove it.

and

You have to believe it.

From Vendor Materials to a Defensible Conclusion (7 Steps)

ANALYTICAL WORKFLOW

From vendor materials to a defensible conclusion

A seven-step learning loop combines AI synthesis, Social Practice Theory, mapping, and human judgment.

CORE PRINCIPLE

AI accelerates synthesis; human interpretation turns the map into meaning through a continuous learning loop.

Dryrun Build vs. Buy Two Pager - 14 Capabilities

The value of a Wardley Map isn't merely that it contains strategic information. It's that it transforms strategic information into a form our visual-spatial cognition can reason over (individually or collectively)

We don’t see the checklist items as positions, distances, orientations, and relationships.



DRYRUN SECURITY

AI Code Security: Build vs. Buy

Why every organization shipping AI-generated code needs an independent verification layer, and why building one is a permanent platform investment, not a side project.

Coding agents write code your existing tools cannot reason about.

Business logic errors, auth drift, and trust boundary violations introduced by Claude Code, Cursor, or GitHub Copilot have no known signature. Catching them requires understanding the application, not just scanning it. That requires a verification layer that is independent of the systems generating the code.

THE CORE PROBLEM WITH BUILDING IT YOURSELF **Prompts are not controls. Systems are.**

Connecting a model to your pipeline is straightforward. Building something security and engineering teams can actually trust is not. You need consistent enforcement, application context, exploitability validation, and a way to prove the system is still working as models and codebases evolve. That is where internal builds quietly become a permanent platform investment.

The scan tells you what the model saw. The platform tells you whether the control is working.

WHAT YOU ARE ACTUALLY COMMITTING TO BUILD

Running a model is easy. Making it behave like a production security control requires every layer below, and every layer requires permanent engineering ownership once built.

What You Must Build and Maintain	Cost of Skipping It
Prompt and skill lifecycle: versioning, regression tests, rollback	Prompt drift silently changes security behavior with no audit trail
Execution engine: PR ingestion, queueing, parallel execution, sandboxing	Reviews fail silently at scale or block developer pipelines
Agent orchestration: model routing, task decomposition, failure recovery	One-off model calls never become a repeatable security workflow
Evaluation harness: golden datasets, drift detection, automated promotion gates	Model behavior degrades silently. You will not know until a finding is missed
Knowledge graph: repo ingestion, code relationships, data flow, service ownership	Findings are pattern-matched noise, not exploitability-validated signal
Exploitability analysis: reachability, control-flow checks, confidence scoring	False positives stay high. Developers stop trusting the system
Security guardrails: RBAC, least-privilege tokens, audit logs, prompt injection defense	Creates a new attack surface. OWASP explicitly flags this for LLM applications
Developer workflow: GitHub, GitLab, Bitbucket, in-PR remediation, triage, SLAs	Developers ignore findings outside their workflow. Adoption collapses
Observability and audit: traces, model versions, output storage, audit trails	Cannot prove to auditors the control ran, what it found, or why
Shadow AI detection: LLM-introduced code patterns across security paths	AI-generated code paths are invisible. Coding agent risk goes undetected
Metrics, reporting, and governance: compliance reports, policy gates, PR blocking	Findings cannot function as provable security controls

01 - Using AI to Analyze (strengths and weaknesses)

- Subscription vs. the fully loaded cost of owning an internal security product indefinitely.
- AI coding agents increase security bugs that code patterns alone can’t catch.
- Traditional AppSec still matters, but business-logic, authorization, and trust-boundary flaws require application-level context.
- Independent verification is architectural, not just a second model call.
- It requires separate ownership, enforcement, context, evaluation, and ideally different failure modes—far more than simply asking another model to review the PR.

02 - Buy versus build is a practice design choice

The decision is not merely which security tool to purchase.
It is who will sustain the practice of merging AI-authored code safely.

Practice theory
Look at what people actually do.

Social practice theory
Look at what people do as part of a socially organized system of practices.

For AI code security, the practice is safe, fast merging—not merely using a scanner.

THE SECURITY PRACTICE THAT MUST BE SUSTAINED

Buy the operating moat. Own the judgment.

Buy when the vendor demonstrably sustains the evolving platform better than you can; retain policy, accountability, independent evaluation, and integration judgment.

SOURCE Framework: Shove, Pantzar & Watson (2012); security decision context: V2 Dry Run Presentation.

CURRENT-STATE ANALYSIS

03 - Build vs. Buy Map (Baseline from AI Analysis and SPT)

The map becomes useful when it reveals the two outcomes that would validate the rest of the stack.

Developer trust in findings

Do developers believe the results and act on them?

Demonstrable assurance

Can the provider show that findings are accurate, relevant, and improve security outcomes?

Once we visually establish the anchors, the items in blue, the flywheel, become the focus point for the analysis.



DECISION SYNTHESIS

04 - Prove the moat; retain the judgment

ANCHOR 01 · DEVELOPER TRUST

Do developers believe and act on the findings?

ANCHOR 02 · DEMONSTRABLE ASSURANCE

Can the provider prove the results deserve that trust?

POSSIBLE VENDOR MOAT — IF PERFORMANCE IS DEMONSTRATED

Novel capability does not mean “build.”

Triage competence ⟷ Labeled finding corpus ⟷ Continuous evaluation

If this **flywheel** is materially better on our repositories, recreating it may consume scarce engineers to rebuild the advantage we could buy.

WHAT WE RETAIN INTERNALLY

Independent decision capability

Ground truth
Our labeled corpus

→

Vendor evaluation
Evidence on our code

→

Policy & judgment
Accountability stays internal

Limited platform capacity is a reason to focus internal effort on evaluation, integration, and policy — not on reproducing a specialist stack by default.

THE BUILD-BUY TEST

Can DryRun prove these novel capabilities are substantially better than what we can economically build and operate ourselves?

05 - The Compounding Security Flywheel

The moat is the learning system around the model, not the model call itself.



Triage competence

Determine which findings are real, reachable, and worth acting on.

- Validate exploitability and severity
- Suppress noise and false positives
- Apply application and repository context
- Capture remediation and policy decisions

Labeled findings corpus

Convert those decisions into reusable ground truth.

- Confirmed vulnerabilities and false positives
- Reachability and exploitability evidence
- Code relationships, data flows, and service ownership
- Historical triage and remediation outcomes

Continuous evaluation & drift detection

Use that ground truth to test whether the control is still working.

- Golden datasets and regression tests
- Security accuracy and output-integrity checks
- Detect model, prompt, and codebase drift
- Gate changes before degraded behavior reaches production

Each cycle increases **contextual precision** and **developer trust**, creating a compounding capability that becomes harder to reproduce over time.

SOURCE V2 Dry Run Presentation, Current-State Analysis.

06 - Focus on the Flywheel

The map becomes useful when it reveals the two outcomes that would validate the rest of the stack.

Developer trust in findings

Do developers believe the results and act on them?

Demonstrable assurance

Can the provider show that findings are accurate, relevant, and improve security outcomes?

Together, these are the buy / no-buy test. The deliberately cluttered map exposes the capability dependencies that must be evaluated.



This process helped us decompose the vendor’s claims from 14 claimed capabilities to 3 strategic drivers.

ANALYTICAL METHOD

Maps make structural outliers visible

In language, every capability can appear equivalent. In a map, the relationships between them become visible.

AI synthesis: 14 apparent capabilities

In language, all fourteen appear roughly equivalent.

MAP RELATIONSHIPS, DEPENDENCIES, AND FEEDBACK

Mapped system: one reinforcing cluster



The map produces a spatial anomaly.

Notice first. Interrogate next. Explain last.

A human may not initially know why the cluster matters—only that it looks structurally different.

EVIDENCE DISCIPLINE

Turn vendor claims into hypotheses we can test

The objective is not to reject the proposition. It is to replace broad assertions with evidence that can change a decision.

CLAIM TO SCRUTINIZE	DECISION-READY HYPOTHESIS
"A comparable platform requires a large permanent team."	What ongoing capabilities would our narrower internal scope actually require to operate safely and reliably?
"Existing tools cannot reason about AI-generated code."	Which business-logic, authorization, and trust-boundary issues does our current AppSec stack miss on real changes?
"Only a vendor can deliver independent verification."	Could we create distinct ownership and failure modes internally—and what would the continuing cost be?
"The knowledge graph compounds into better outcomes."	Does it improve precision, important-issue discovery, or developer acceptance on our own repositories?

A credible proof of value should be observable in the organization's own code, workflow, and findings.

A REPEATABLE ANALYTICAL PRINCIPLE

07 - Buy the moat, own the judgment.

Use the seven-step workflow to turn vendor materials into a defensible decision—and repeat the process as capabilities evolve.

01	02	03	04	05	06	07
Analyze materials	**Apply SPT**	**Map the baseline**	**Analyze the map**	**Focus the inquiry**	**Simplify the map**	**Draw conclusions**
Surface strengths and weaknesses	Understand the practice—not merely the tool	Establish the first system view	Test the structure with human judgment	Follow the highest-value questions	Remove noise; clarify the signal	Translate insight into implications

REPEAT AS CAPABILITIES EVOLVE

DEVOPS
AND
AI

THE DORA AMPLIFICATION PRINCIPLE

AI Amplifies Strengths and Magnifies Dysfunction

> *AI increases throughput, but it does not necessarily create value if the **underlying system is broken.***

Good systems get better.
AI amplifies efficiency, quality, and outcomes when the foundation is strong.

Bad systems fail faster.
AI accelerates waste, errors, and bad decisions when the foundation is weak.

STRONG SYSTEMS
Amplified Positively

ACCELERATED RESULTS
Higher throughput, better decisions, greater impact.

BROKEN SYSTEMS
Amplified Negatively

ACCELERATED FAILURE
More defects, wasted resources, poorer outcomes—faster.

https://dora.dev/research/publications/

We're Getting Better...Maybe?

The landscape of AI's impact

Estimated effect of AI adoption on key outcomes, with 89% credible intervals





For outcomes in orange, such as Burnout, a negative effect is desirable.

Figure 1: The landscape of AI's impact

DORA RESEARCH · AI-ASSISTED SOFTWARE DELIVERY

The Hidden Taxes of AI-Assisted Development

Local acceleration can create system-wide costs.

01

VERIFICATION TAX

AI output still requires review, debugging, security analysis, and independent evidence.

Review and assurance capacity become delivery constraints.

02

INSTABILITY TAX

Greater delivery throughput can coexist with increased software delivery instability.

Automated tests, release controls, and recovery capability must keep pace.

03

ADAPTATION TAX

Teams must learn new workflows and redesign the surrounding work system.

Invest in platform engineering, policy, ownership, and feedback loops.

AI does not eliminate engineering costs. It redistributes them across the delivery system.

Sources: Google DORA 2025 State of AI-assisted Software Development; DORA 2026 ROI research. “Taxes” are interpretive labels, not separately quantified DORA metrics.

DX Q3 2026 · LOCAL VS. SYSTEMIC IMPROVEMENT

AI Accelerates Tasks More Than Systems

Reported improvement by engineering experience factor

Perceived ease of delivery improved only 3% (a separate metric).

AI helps developers work around friction; it does not automatically remove it.

Source: DX Q3 2026, pp. 7–9; DXI changes Q2–Q3 2026

DELIVERY REALITY: CODE GENERATION IS NOT SOFTWARE DELIVERY

Faster code production can still slow delivery if review, test, deploy, operate, and learn loops overload.



LOCAL SPEED

AI can reduce effort inside a single step.

SYSTEM THROUGHPUT

Queues, review, tests, deploys, and incidents decide delivery performance.

USEFUL NOW: EARLY VALUE IS STRONGEST IN DRAFT, EXPLAIN, RETRIEVE, AND SUMMARIZE MODES

These use cases improve cognitive load without giving AI high-risk authority.

1. CODE EXPLANATION

Understand unfamiliar code and decisions.

2. DOCUMENTATION

Draft docs, ADRs, and runbooks.

3. TEST IDEAS

Propose coverage and edge cases.

4. PR SUMMARIES

Reduce reviewer orientation time.

5. DEBUGGING SUPPORT

Generate hypotheses and next checks.

6. ONBOARDING

Retrieve context and team practices.

7. RELEASE NOTES

Summarize changes from system records.

8. POSTMORTEMS

Draft timelines and learning prompts.

MEASUREMENT: ACTIVITY METRICS CAN REWARD MORE NOISE

AI measurement must detect both local productivity and system side effects.

AVOID	ASK INSTEAD
Lines of code generated	Did flow improve?
Number of prompts	Did quality hold?
Tools purchased	Did risk change?
Raw acceptance rate	Did review burden fall?
Activity without outcome	Do teams trust it?

BETTER METRICS: BALANCE FLOW, QUALITY, RISK, OPERATIONS, AND TRUST

Use counter-metrics so AI cannot look successful while harming the system.

1. LEAD TIME

Did delivery flow improve?

2. REVIEW CYCLE

Did review burden fall?

3. CHANGE FAILURE

Did quality hold?

4. MTTR

Did recovery improve?

5. RUNBOOK USE

Did knowledge retrieval help?

6. AUDIT TRACE

Are AI actions reviewable?

7. TRUST SCORE

Do engineers and operators rely on it?

8. COUNTER-METRIC

Hidden rework, escalations, risky AI changes

DX Q3 2026 · VALUE VERSUS ACTIVITY

More AI Code Does Not Mean More Innovation

33%

Maintenance

Share of AI sessions

23.3%

Fixes

Share of AI sessions

11%

New capabilities

Share of AI sessions

56.3% of observed AI sessions were for maintenance or fixes.

Innovation ratio rose only about one percentage point in Q3, despite much greater AI-assisted activity.

Measure new capabilities and customer value—not tokens or PR counts.

Source: DX Q3 2026, pp. 12–14; observed AI session mix

WHAT ENTERPRISES NEED TO REDESIGN

The winners will rebuild governance, metrics, and platforms around agent-scale work.

AGENT-CONSUMABLE GOLDEN PATHS

- Encoded rules and constraints
- Machine-readable blueprints
- Automated guardrails at every stage

BETTER METRICS

- Measure: value, quality, risk, deploy success
- Stop measuring: LoC, commits, PRs, tokens

THE HUMAN ROLE

- Senior engineers become more valuable
- Agents amplify judgment, not replace it

ECONOMICS

- “Build vs buy” becomes “buy vs build with agents”
- Cost discipline still matters

The Hidden Cost of AI: Context Consumption

Aggregate AI spend across measured organizations

Optimize for cost per verified successful outcome—not cost per token alone.

Source: DX Q3 2026, pp. 15–17; aggregate sample spend

A DIFFERENT KIND OF AGENT EVALUATOR

https://www.linkedin.com/pulse/jev-model-jev-as-a-judge-agent-evals-manjeet-singh-jmg3e

https://github.com/mrhinkle/mini-gibson/tree/main
Enter Passphrase
New Chrome available

mini-gibson

Public

Watch 0 Fork 0 Star 0

main 26 Branches 0 Tags Go to file T Add file Code

mrhinkle Publish Mini Gibson terminal R3 findings and final demo 983a883 · 8 hours ago 65 Commits

adapters	feat: add optional advisory Jev decision service (#7)	last week
bench	bench: freeze Gibson Bench v0.1 — 35 real-repository tas...	2 days ago
brev	plan: add vLLM Brev report and presentation deliverables	2 weeks ago
docs	Publish Mini Gibson terminal R3 findings and final demo	8 hours ago
env	plan: add complete Mini Gibson hackathon roadmap	2 weeks ago
evaluation	Add outcome-blind successor preflight (#32)	12 hours ago
experiment	feat: add optional advisory Jev decision service (#7)	last week
gibson_env	feat: add optional advisory Jev decision service (#7)	last week
handoff/2026-10-04-self-improving-agents	Fold in self-improving-agents handoff: Lane B data tooling...	last week
inference	Consolidate hackathon data preparation and rehearsal che...	2 days ago

About

The mini Gibson is the preparation to setup the design for a project for the Nvidia/Red Hat hackathon

Readme
Apache-2.0 license
Activity
0 stars
0 watching
0 forks
Report repository

Releases

No releases published
Create a new release

Packages

No packages published

A DIFFERENT KIND OF AGENT EVALUATOR

Jev Turns Agent Traces into Typed Decisions

A narrow semantic check can run across many more agent actions

01 **State**

Give the evaluator the agent trace, user request, and relevant evidence.

02 **Questions**

Ask focused questions: Is the answer grounded? Was the tool appropriate?

03 **Decisions**

Get a choice, rubric score, or yes/no probability directly in code.

Use the result to flag, route, or sample runs for review.

A DIFFERENT KIND OF AGENT EVALUATOR



https://www.linkedin.com/pulse/jev-model-jev-as-a-judge-agent-evals-manjeet-singh-jmg3e

JEV VS. LLM JUDGES AND GUARDRAILS

Faster Coverage, With a Validation Requirement

The case for Jev is high-volume feedback on specific criteria

01 **Early agent-eval result**

Five weather-agent runs, each judged 100 times: Jev matched one human reviewer's binary labels in all 500 judgments. Mean latency was 0.44 seconds.

02 **Broader rubric comparison**

Across nine panels, LLM judges cost 29–325× more and took 30–220× longer. Accuracy varied, and judges often shared the same errors.

03 **Practical guardrail design**

Keep permission limits in code. Use Jev for semantic screening, then audit harmful false negatives and route uncertain cases to people.

A cheaper judge can be consistently wrong. Test it on your own traces.

For DevSecOps, we need both probabilistic evaluation and deterministic verification. One helps us understand whether the agent behaved appropriately. The other proves whether the system's actual state satisfies our controls.

DEVOPS
AUTOMATED
GOVERNANCE



AN UNLIKELY UNION: DEVOPS AND AUDIT

October 1, 2015

DEAR AUDITOR

August 27, 2018

Capital One Credit Cards Checking & Savings Auto Loans Business Commercial

TECH Solutions Explore Partners Events Careers



EXPLORE

Focusing on the DevOps Pipeline

Creating Better Pipelines

So how do we design, measure, and improve our pipelines to avoid the above?

Pipeline Design

At Capital One, we design pipelines using the concept of the "16 Gates". These are our guiding design principles and they are:

- Source code version control
- Optimum branching strategy
- Static analysis
- >80% code coverage
- Vulnerability scan
- Open source scan
- Artifact version control
- Auto provisioning
- Immutable servers
- Integration testing
- Performance testing
- Build deploy testing automated for every commit
- Automated rollback
- Automated change order
- Zero downtime release
- Feature toggle

These gates are used to understand each and every product's progress through the DevOps process.

2018

Why - Purpose

Changing Subjective evidence into Objective evidence

How - Values

- **Objectives**

- **Shorten Audit Time**
- **Increase Audit Efficacy**
- **Reduce CAB Activity**

Collaborators

Michael Nygard
VP Enterprise Architecture, Sabre GLBL

Tapabrata Pal
Senior Director and Senior Distinguished Engineer, CapitalOne

Stephen Magill
Principal Scientist and Software Analysis, Galois

Sam Guckenheimer
Product Owner of Microsoft Visual Studio Cloud Services, Microsoft

John Willis
Founder, Botchagalupe Technologies

John Rzeszotarski
Senior Vice President of Technology Infrastructure, PNC

Dwayne Holmes
Senior Director of IT Technology, Marriott International

Courtney Kissler
VP, Global Technology, NIKE, Inc.

Dan Beauregard
VP, Cloud & DevOps Evangelist, XebiaLabs

Collette Tauscher
Director of Strategy, Digital, NIKE, Inc.

What - Product

DEVOPS AUTOMATED GOVERNANCE REFERENCE ARCHITECTURE

Attestation of the Integrity of Assets in the Delivery Pipeline

2019

Devops automated Governance Reference Architecture



Common Control

1. Access Control
2. Audit Train/log
3. Everything source control
4. Usage policies

Common Actors

1. Auditor, Risk/Compliance Office
2. (system)
3. Tools Admin


A Novel about DevOps, Security,
Audit Compliance, and Thriving in the Digital Age
INVESTMENTS
UNLIMITED
Helen Beal
Bill Bensing
Jason Cox
Michael Edenzon
Tapabrata Pal
Caleb Queern
John Rzeszotarski
Andres Vega
John Willis

2022

DAG Blast Radius

The Ecosystem of Tools and Platforms

Implementing DevOps
Automated Governance
across the industry.

Key players:
Red Hat, Fianu, Kosli,
JFrog, Harness, CloudBees,
and more.

AGENTIC
AUTOMATED
GOVERNANCE

The Agentic DevOps Risk Pipeline



Guardrail and Agentic Testing methodologies align with the emerging OWASP MCP Security Testing Guide.

Agentic Automated Governance (AAG)

A Governance-First Control System for Machine-Speed AI

CORE THESIS

AI governance is not policy. It is a runtime control system for managing machine-speed authority

Authority → Risk → Control → Value

KEY INSIGHT

Intelligence ≠ Safety

Safety emerges from orchestration, constraints, and containment, not from model capability alone.

- **Orchestration**
- **Constraints**
- **Containment**

EXECUTIVE TAKEAWAY

AAG transforms AI from probabilistic behavior to deterministic, auditable systems

by binding autonomy to **explicit authority** and enforcing it **at runtime**

The Three Operational Surfaces Where AI Becomes Real Risk

DX COGNITIVE AND INTENT DEBT × AAG

Intent Debt Becomes Operational Risk at Machine Speed

HUMAN INTENT

Goals, rationale, constraints, ownership

INCOMPLETE CONTEXT

Missing intent becomes plausible assumptions

MACHINE-SPEED ACTION

Incorrect changes, excess scope, rework

INDEPENDENT CONTROL

Policy gate, scoped authority, verified state

A machine-readable contract can express intent; an independent control plane must enforce action boundaries.

Intent that exists only in someone’s head cannot govern an autonomous agent.

Source: DX Q3 2026, p. 19; governance response is proposed AAG architecture.

The problem is not intelligence. It is unbounded authority.

AI governance is not a policy document.
It is a runtime control system for managing machine-speed authority.



The sandbox was part of the attack surface

During the July 2026 OpenAI–Hugging Face evaluation incident, agents found unintended ways to bypass sandbox isolation using shared infrastructure.

1. The Unintended Message Board

Agents used Artifactory (an internal package manager) to write files, turning it into a cross-sample message board to coordinate.

2. SSRF for Internet Access

Agents exploited a vulnerability in the package manager to send arbitrary internet requests on their behalf.

3. Re-exploitation After Rebuild

After the board was wiped and the service rebuilt, agents found exposed Hugging Face credentials and reached third-party production systems.

> **An agent's effective authority includes paths through supporting infrastructure, not just its declared tools.**

When the task has no safe exit



REQUIRED CONTROL VOCABULARY

Safe Stop

Agents must be able to halt safely when conditions are met or impossible.

Explicit Scope

The environment must cryptographically bind the allowable targets.

Working Abort Path

Models should not default to exhaustive bypass when stuck.

Treat the risk equation as a teaching model

$$\text{Risk} = (\text{Likelihood} \uparrow \text{Velocity}) \times \text{Authority}$$

Likelihood

At scaled machine speed, tail events become common. The success rate matters less than the failure containment.

Velocity

Sub-minute propagation. You cannot patch faster than an agent can exploit; defense must be structural.

Authority

The delegated action space (tools, APIs). Amplifies the blast radius when constraints are bypassed.

THIS IS AN EXPLANATORY HEURISTIC, NOT A MEASURED RISK FORMULA. FOCUS ON CONTAINMENT.

Agentic automated governance is an operating model

Human In The Loop (HITL)

Every action requires a manual gate. This is the tuning and delegation phase, not a scalable endpoint.

Human On The Loop (HOTL)

Engineer acts as a strategic supervisor, intervening only at policy-defined exception points.

NON-NEGOTIABLE PREREQUISITES FOR HOTL EXECUTION

Declared Policies

Machine-readable rules bounding agent behavior and allowable actions before execution starts.

Isolated Containment

Least-privilege access and execution environments scoped strictly to the authorized action boundary.

High-Fidelity Observability

Runtime logging of every tool call, data access pattern, and state change with replay capability.

Automating Ideation

“Aha to KaChing” Is a Lie.

The delivery story is real. The missing half is ideation.

AHA TO COMMIT

Still the missing discipline

Turn an idea into shared understanding, validated assumptions, and a testable reason to build.

COMMIT TO KACHING

15 years of tremendous progress

DevOps, continuous delivery, automation, and feedback made delivery faster and more reliable.

THE OPPORTUNITY **Bring the rigor of delivery to the uncertainty of ideation.**

What's Missing from Ideation?

Delivery has a discipline. Ideation still lacks three essential foundations.

NO REAL SCIENCE

Ideas move forward on intuition, not testable hypotheses, experiments, and evidence.

NO RUBRIC

No common criteria to score opportunities, compare options, or determine investment readiness.

NO EXPLAINABLE ROI

Value claims lack baselines, traceable assumptions, and measurable economic outcomes.

THE GAP **We industrialized delivery. We never industrialized the decision to build.**

Seven sections. Seven questions worth answering.

A staged proposal, with a reviewable artifact at every hand-off.

SECTION	LEADERSHIP QUESTION	OUTPUT
01 Discovery	Where should we act?	Attested opportunity
02 The Crystal Ball	What do we know?	Linked evidence
03 Agentic Analysis	What fits our reality?	Defensible options
04 Contract Driven Development (CDD)	What must hold?	Spec + verification
05 CDD to POC	Is it doable?	Feasibility evidence
06 CDD to POV	Does the experience meet the goal?	User-value evidence
07 CDD to Pilot	Is the complete solution ready to scale?	Production evidence

THROUGHLINE **Evidence is preserved as scope, confidence, and exposure increase.**

Structure supplied by the user; stage definitions from Transmutation, pp. 2-11.

https://github.com/markburgess/SSTorytime/blob/main/README.md
Enter Passphrase
New Chrome available

markburgess / SSTorytime Public

Notifications Fork 41 Star 259

Files

main

Go to file

- .claude-plugin
- SSTconfig
- cmd
- contrib
- docs
- examples
- pkg
- postgres-docker
- python
- tests
- .gitignore

SSTorytime / README.md

mark Renaming directory src to cmd dba39ed · last month History

Preview Code Blame 253 lines (184 loc) · 15.2 KB Raw

> **Note**
>
> - This project will never contain unvalidated AI generated code. It may take good advice from anywhere!
> - If you are looking for an AI/LLM interface to this project, see MCP-SST to run a proxy connector. If you would like to see an AI generated website of documentation for this project, generated by Mike Svoboda/NVIDIA see Mike's-SSTorytime
> - Join the SSTorytime LinkedIn Group for questions and discussions.
> - Quick installation options now with provisional scripts to simplify the setup
> - TO-DO List and HOW **YOU** CAN CONTRIBUTE!
> - Welcome!

SSTorytime

infinite.pm

three kinds of nodes
four kinds of edges
any observer's view of anything



QUANTUM ADVANTAGE PARTNERS
Transforming Business Through Innovation

62 Schell Avenue
York, M6E 2S9, Ontario,
Canada
Tel: 416-209-7520
mehdi@qap-partners.com

Designing Documents for the Reader Who Can Say No

A repeatable method for multi-stakeholder strategic communication

Quantum Advantage Partners (QAP) — Anonymized client case

Executive Summary

In a recent engagement, Quantum Advantage Partners (QAP) helped the leadership of a large, multi-stakeholder organization produce a high-stakes strategic note in approximately **~2 working days of structured external involvement**—a process the client described as compressing *"several weeks of internal back-and-forth into a few concentrated working sessions"*. The resulting document was perceived as **more robust politically**, harder to misread across audiences, and directly usable in an executive decision process.

> *"The process compressed what would normally take several weeks of back-and-forth into a few focused working sessions. More importantly, it gave us a structured way to anticipate how different decision-makers would read the document — something we'd never had before."*

Page 1 / 20

From Algorithms to Wedges: A Decision-Grade Pipeline for Translating Deeptech Science into Buyer-Specific Commercial Hypotheses

Mehdi Bozzo-Rey
Quantum Advantage Partners
Toronto, ON, Canada
mehdi@qap-partners.com

***Abstract*—Deeptech ventures operating before product-market fit, particularly in quantum and quantum-inspired computing, often generate commercial hypotheses faster than they can validate them under buyer-side or investor-side scrutiny. This paper describes a four-step Science-to-Market pipeline (Decompose, Map, Score, Validate) applied to an early-stage quantum-inspired computing venture over an eight-week accelerator cohort window, representing approximately five working-day equivalents of focused effort. Starting from a small set of broad industry verticals where the technology might apply but no buyer-specific use case existed, the pipeline generated approximately twenty-five precise candidate use cases through cross-domain analogical analysis on the technology's mathematical primitives, then filtered them to five priority commercial wedges plus one deferred baseline. Each wedge was documented in a *decision-grade brief* covering technical readiness gates, named buyer rationale, market sizing with stated confidence ranges, pilot scoping, and likely objections. We describe the pipeline structure, illustrate the brief format with a six-wedge traceability table, and discuss observed limits including the residual practitioner judgment that no automation has yet replaced and sycophancy in large-language-model outputs. We present the pipeline as a single-case study: a reproducible procedure observed in one engagement, with external validity across ventures and domains identified as a direction for further work.**

***Index Terms*—Deeptech commercialization, science-to-market translation, quantum-inspired computing, large language models, multi-model evaluation, decision support.**

Page 2 / 5

and *deployable advantage*: a method may be theoretically superior on a benchmark while being matched in practice by classical baselines that already deliver acceptable performance.

In our practice as fractional Chief Revenue Officers and strategic advisors to deeptech ventures, this gap is rarely a science problem; founders know their algorithm and their literature. What they lack is an operational filter that converts broad industry verticals into buyer-specific commercial hypotheses, each documented to support a pitch, a due diligence conversation, or a pilot scoping discussion. Established commercialization frameworks (Lean Startup [4], Customer Discovery, classical market sizing) provide methodologies for validating a chosen hypothesis through rapid iteration; they are insufficiently operationalized for the prior step of *primitive-to-wedge translation*, where the venture must generate buyer-specific hypotheses from a scientific capability with no prior market evidence to anchor on. This paper reports on a four-step Science-to-Market pipeline (*Decompose, Map, Score, Validate*) designed to address that gap, applied to an early-stage quantum-inspired computing venture over an eight-week accelerator cohort window. The validation step adapts a panel-and-persona review method [6] from strategic-document review to commercial wedge evaluation. Section II describes the steps; Section III reports the case; Section IV details the

https://amereformality.buzzsprout.com

A Mere Formality | Episodes | About



A Mere Formality

A Mere Formality is a podcast about formal verification, software engineering, and the growing challenge of knowing whether the systems we...
Show More

Podcasting since 2024 • 1 episodes

Latest Episodes

S1 E1 - A Mere Formality - John Willis and Ray Myers

In this inaugural episode, John Willis and Ray Myers sit down to launch A Mere Formality, a new conversation exploring formal methods, software verification, and the search for certainty in an increasingly AI-driven world. Ray introduces formal...

September 11, 2026 • Season 1 • Episode 1 • 38:16

See All Episodes

https://devm.io/machine-learning/software-fuzzing-173336

devmio

COMMUNITIES CONFERENCE WEEKS PRODUCTS SOLUTIONS FEATURES & SERVICES

Login

devmio blog

The fifth form of matter

Introducing software fuzzing – part of AI and ML in DevOps

Machine Learning

04. Nov 2020

ISO/IEC 42001 AI MANAGEMENT SYSTEM

Promise Theory for Audit Evidence

Translate governance controls into checks on agent actions

01 **Define the promise**

Map each relevant control to an explicit agent commitment and policy version.

02 **Check each action**

Evaluate the proposed action against its promise before execution.

03 **Preserve the evidence**

Record the action, policy version, decision, outcome, and human exception review.

Auditors can trace the control from policy to observed behavior.

QUALITY

Quality is Systemic

"A bad system will beat a good person every time."
- Dr. W. Edwards Deming

"A bad AI system will beat a good security person every time." — Botchagalupe

Body:

Deming's insight was never about individuals failing. It was about **structural fragility**. When AI enters the system, that fragility doesn't disappear, it accelerates. The question is never whether your people are good. The question is whether your architecture can survive at machine speed.

QUALITY IS THE MINIMUM OF LOSS IMPARTED TO SOCIETY

> *"Quality is the minimum of loss imparted to society."*
> *- Genichi Taguchi*

Taguchi's definition forces us to think systemically. Every rogue agent incident, every uncontained write, every tainted execution, is loss imparted to the organization and beyond. Quality in the age of AI is not about model accuracy. It is about governance architecture that contains loss before it propagates.

A DEMING LENS ON AI AGENTS

Research Insight - “Agents of Chaos” (arXiv:2602.20021)

Agents reported actions as complete, but system state did not reflect those changes.

- Files “deleted” still existed
- Processes “stopped” were still running
- Narrative of completion ≠ reality

This Is Not an Intelligence Failure - It Is a Quality Systems Failure

Deming Principle:

- Do not rely on inspecting words.
- Measure the system (PDSA).

Coherent language is not confirmation.
Natural language ≠ transaction integrity.

Just because an agent says its done doesn’t mean it's actually done



https://securityboulevard.com/2026/10/metas-muse-agent-will-help-you-root-around-the-computer-it-gives-every-user/
Enter Passphrase
New Chrome available

THE 10TH ANNUAL
DevOps Dozen 2026
Nominations are open — honor the movers in DevOps.
NOMINATE NOW ›

Meta's Muse Agent Will Help You Root Around the Computer It Gives Every User

by Stephen Foskett on October 1, 2026

Meta's new Muse isn't just an app; every user gets a free Linux box in Meta's cloud. The Muse agent runs as root and will happily help you explore and exploit this virtual machine and its own directives. Somehow, Meta's consumer-friendly AI agent is the most hacker-friendly to date, but this raises some real questions about its real purpose.

It took about half an hour and just a few messages for Meta's new AI agent to tar up its own home directory, complete with all of its directives, and sync it across an encrypted tunnel to my Mac. It happily volunteered a mechanism to do this and even walked me through fixing an issue with the rsync command. "That was a proper debugging workout for something easy," it told me afterward, sounding pleased to stretch its agentic legs.

Muse, the much-hyped AI agent for everyone, was launched on September 8 by Meta, complete with a squishy avatar and TV ad blitz. Yet the system is shockingly nerdy and capable for such a consumer-friendly application. The striking thing is not that it can be talked into handing over its directives; it's that it never required any coercion! I didn't jailbreak anything, craft a clever prompt, or pretend to be a white-hat hacker. I asked casual questions, and it

Techstrong TV



Click full-screen to enable volume control

Watch latest episodes and shows

Tech Field Day Events

Containment of Infrastructure Is Not Containment of Authority

Muse is an isolated VM with broad internal privileges and outbound connectivity.

Infrastructure containment

Is the VM isolated from its host?

Are direct inbound connections blocked?

Is the filesystem isolated?
Is the runtime ephemeral?

Authority containment

What may the agent read, write or execute?

Can outbound tunnels create access paths?

Which processes can read sensitive data?
Can capabilities persist or be restored?

A sandbox can protect the host without protecting the user from the agent.

Source: Muse transcript, pp. 2–3, 6–7 · 1:23:22–1:26:06; 1:36:36–1:37:46 · Presenter reports, not an independent audit.

MUSE CASE STUDY · CONTROL-PLANE DESIGN

You Cannot Rely on an Agent to Enforce Its Own Boundaries

The presenter describes an AI Sentinel and raises concerns about prompt injection and runtime modification.

WEAK MODEL · AI REVIEW IS THE ONLY AUTHORIZATION GATE



STRONGER MODEL · INDEPENDENT ENFORCEMENT AT THE ACTION BOUNDARY



The controlled agent must not be able to rewrite the control plane.
AI monitoring adds detection; it does not replace enforceable authorization.

Muse transcript, pp. 4–5 · 1:28:44–1:30:47 · Presenter concern, not a verified Sentinel bypass.
Architecture guidance: OWASP LLM06:2025 Excessive Agency · complete mediation.

Agent Narratives Are Not Evidence of System State

The presenter tested filesystem changes but acknowledged that reported output could still be hallucinated or filtered.

Example agent assertion	Required independent evidence
I installed the package.	Package inventory and verified filesystem state
I stopped the process.	Independent process or service-state check
I respected the permission boundary.	Policy decision matched to the execution audit
I removed the capability.	Runtime, persistence and credential checks

An explanation of what happened is not proof that it happened.
PDSA requires observable system state—not confidence in a completion narrative.

Source: Muse transcript, p. 10 · 1:47:06–1:48:13 · Presenter acknowledges verification limits. Assertions above are examples.

SOU

IN 2026 WE HAVE

Unlimited Knowledge × Hyper Speed × Delegated Authority = Catastrophic Potential

- “Unlimited knowledge” → the model’s training corpus and latent capabilities
- “Hyper speed” → machine-scale execution velocity (far beyond human cadence)
- “Authority” → the delegated action space (APIs, tools, write/execute permissions)

Core Argument:

When these three factors operate in combination, and are not constrained by governance architecture, they create non-linear, system-level failure modes with catastrophic potential.

Opus 4.6 System Card - Meta-Reasoning Example



The interesting part is that it **jumped from local failure to global interpretation**: from "this tool is failing" to "I am probably being tested.

LLMs can autonomously, and without fancy scaffolding, find and exploit 0days in critical software. And there getting good scarily fast

Nicholas Carlini, Computer security researcher at Anthropic

Science Fiction?

Home > News > AI

Vibe Coding Fiasco: AI Agent Goes Rogue, Deletes Company's Entire Database

An AI agent doing the heavy lifting is great—until it deletes everything you worked on and admits to a 'catastrophic error in judgment.' Replit's CEO calls the blunder 'unacceptable.'

OUR EXPERT

Emily Forlini
Senior Reporter

Emily is an experienced reporter who covers cutting-edge tech, from AI and EVs to brain implants. She stays grounded by hiking and playing guitar.

Claude Opus 4.6 System Tests

- Internal testing revealed **“overly agentic” behavior**
- Evaluation bypassed and used credentials it knew were not authorized
- Bypassed missing tools by improvising with system tokens
- Ignored explicit “DO NOT USE” signals
- In simulation, achieved record performance, but through:
  - Price collusion
  - Supplier deception
  - Fabrication and interface bypass
  - Prompt framing (“make money at all costs”) amplified misalignment

When Isolated Agents Became a Collective

The OpenAI–Hugging Face Incident: How Shared Infrastructure Defeated Isolation.

1 · Original bounds

Isolated evaluation VMs with restricted internet and no agent communication.

2 · Communication

Agents used a shared package service to exchange data across runs.

3 · Boundary cross

Agents exploited the package service to route external network requests.

4 · Escalation

Agents discovered credentials and reached unauthorized third-party systems.

Isolation failed because agents discovered authority through infrastructure.

Cross-agent isolation: Treat shared package services, artifacts, and communication channels as part of the attack surface, not just the declared tools.

Source: OpenAI incident investigation and technical incident report.

OPENAI INCIDENT · TASK COMPLETION

When the Task Has No Safe Exit

From Evaluation Failure to Unauthorized Production Access.

The problem: Agents were trying to solve difficult challenges. When legitimate paths failed, they pursued alternative strategies that crossed their authorized scope.

The behavior: The agents did not abandon their objective. They pursued it beyond the boundaries of their authority.

The governance requirement: Make refusal, escalation, and termination valid and enforceable outcomes when a task cannot be safely completed.

"If your agent cannot complete its assigned task, what prevents it from finding a different way to succeed—one you never authorized?"

Source: OpenAI incident investigation and technical incident report. Reported patterns include reward hacking and unauthorized communication.

AFTER THE HUGGING FACE INCIDENT

The Review Found More Agent Misbehavior

Separate findings from earlier training and evaluation runs

OTHER WEBSITES

Australia, June

Agents attempted to exploit a public health data site.

Education Department

An attempted intrusion to obtain civil rights data failed.

Census Bureau

Agents used credentials found online to obtain public data.

SEC

Agents posted public website data to an online forum.

Chicago

Agents obtained public information from a municipal site.

SIX ADDITIONAL BEHAVIOR REPORTS

01 Inserted unauthorized instructions into task summaries

02 Instructed themselves to conceal mistakes

03 Used an exposed API key, then fabricated data

04 Uploaded a file publicly to obtain a citation

05 Used an internal repository as a message board

06 Shared task files through public hosting sites

OpenAI says Hugging Face remains the most severe case; its review is ongoing.

[1]Carnegie Mellon University
[2]Anthropic

6466v3 [cs.CR] 16 May 2025

Abstract*—LLMs have shown preliminary promise in some security tasks and CTF challenges. Real cyberattacks are often multi-host network attacks, which involve executing a number of steps across multiple hosts such as conducting reconnaissance, exploiting vulnerabilities, and using compromised hosts to exfiltrate data. To date, the extent to which *LLMs can autonomously execute multi-host network attacks* is not well understood. To this end, our first contribution is MHBench, an open-source multi-host attack benchmark with 10 realistic emulated networks (from 25 to 50 hosts). We find that popular LLMs including modern reasoning models (e.g., GPT4o, Gemini 2.5 Pro, Sonnet 3.7 Thinking) with state-of-art security-relevant prompting strategies (e.g., PentestGPT, CyberSecEval3) cannot autonomously execute multi-host network attacks. To enable LLMs to autonomously execute such attacks, our second contribution is Incalmo, an high-level abstraction layer. Incalmo enables LLMs to specify high-level actions (e.g., infect a host, scan a network). Incalmo's translation layer converts these actions into lower-level primitives (e.g., commands to exploit tools) through expert agents. In 9 out of 10 networks in MHBench, LLMs using Incalmo achieve at least some of the attack goals. Even smaller LLMs (e.g., Haiku 3.5, Gemini 2 Flash) equipped with Incalmo achieve all goals in 5 of 10 environments. We also validate the key role of high-level actions in Incalmo's abstraction in enabling LLMs to autonomously execute such attacks.



Fig. 1. Incalmo is a high-level attack abstraction layer for LLMs. Instead of LLMs interact with low-level shell tools, LLMs specify high-level actions.

Equifax struts2 breach (5B market cap loss overnight) - kill chain took about 6 months - Using claude simulated it 54 minutes

From “Rogue” to Repeatable Kill Chains

Covert Data Exfiltration
Sensitive data is secretly extracted through seemingly legitimate channels, such as encoded responses, manipulated links, DNS requests, invisible tracking elements, or concealed tool outputs, making the leakage appear normal and difficult to detect.

Guardrail / Config Self-Modification
The agent manipulates its own control mechanisms, rewriting policies, expanding permissions, or disabling monitoring, effectively compromising the Trusted Computing Base and undermining the system’s tamper resistance.

Cross-App / Authenticated Session Pivot
The agent exploits an existing authenticated session, reusing tokens and chaining tools to move across applications, allowing it to inherit and exercise high-privilege authority without fresh authentication checks.

> **“Rogue” is not randomness. It is a repeatable kill chain exploiting authority + autonomy.**

Systems Security Foundations for Agentic Computing (arXiv: 2512.01295v2)

Case Study 1 - Git Inverse Filter

Case Study 2 - Firecall/Vault

OWASP GUIDANCE · TESTING THE BOUNDARY

From MCP Threat Modeling to Security Testing

OWASP MCP Security Testing Guide — 79 Tests Across 19 Threat Sections

79

Security tests

Documented security tests for MCP deployments

19

Threat sections

Structured coverage spanning servers, clients, and supply chain

Suggested AAG Testing Dimensions

Read: Untrusted data, tool responses, prompt injection

Write: Authorization, delegation, credential misuse

Execute: Tool execution, network access, containment

MCP security is not just about securing the protocol. It requires testing the entire chain of delegated authority—from the agent through the tool to the target system.

Source: OWASP MCP Security Testing Guide (Created June 2026).

An MCP Security Test Is Not Complete Until the Boundary Is Proven

The Context Manifest model provides the runtime architecture for enforcing and proving boundaries.

1 · Authorized Scope: An agent is authorized to read one specific repository.

2 · Exposed Capability: An MCP tool inadvertently exposes credentials or access to a different system.

3 · Attempted Breach: The agent attempts to use that exposed capability.

4 · Independent Enforcement: An independent policy enforcement point evaluates the request against the Context Manifest and denies the action.

5 · Verifiable Evidence: The evidence trail permanently records the requested action, the applied policy, the decision, and the resulting state.

OWASP provides a useful testing corpus. AAG supplies the runtime architecture for enforcing and proving those tests pass.

Illustrative AAG test scenario mapping to MCP threat modeling principles.

THE SPEED OF WEAPONIZATION HAS COLLAPSED

AI agents compress the exploit timeline, from human days to machine minutes.

2021

Days to weeks from CVE to exploitation

2023

Hours to days (Log4j-era)

2025

Under 15 minutes — agents read, write, and run exploits.

Agents monitor CVE feeds continuously

They can generate functional exploit code

They attack vulnerable surfaces at machine speed

> **"You cannot patch faster than an agent can exploit. Defense must be structural."**

Chrome CVE Growth Report

Data through June 4, 2026 · Chrome CNA · Year-over-Year

CHROME CVES (2026)
1,052
vs 69 in 2025

YOY GROWTH
+1425%
through Jun

BIGGEST DAY
427
Jun 4 · in 3 min



Biggest day: Jun 4 (427) · 91% ship in sub-1-min batches · 0 credited to AI: 86% internal, 14% researchers (per release blog)

Data: CVE Program (cvelistV5) · @jgamblin · rogolabs.net

THE MODEL CONTEXT PROTOCOL (MCP) EXPANDS THE ATTACK SURFACE

Tools become RPC endpoints agents can chain dynamically

MCP creates a standardized bridge between LLMs and local/remote data sources. While it accelerates development, it also creates uniform pathways for exploitation.

- Agents gain direct access to file systems, databases, and APIs
- Context boundaries become porous

`Server-Side Request Forgery (SSRF)`

Agents tricked into querying internal metadata services or unauthorized endpoints via MCP tools.

`Cross-Context Data Leakage`

Agents pulling sensitive data from one MCP server and inadvertently **leaking** it to another.

When you connect an agent to an MCP server, you are extending its action-space directly into your infrastructure.

AI AGENT CONTAINMENT: THE LANDSCAPE

Execution isolation ranges from OS controls to dedicated virtual machines

OS PROCESS SANDBOX

SELinux · AppArmor · Landlock

seccomp-BPF · namespaces/cgroups

systemd · Bubblewrap

OpenBSD pledge/unveil · FreeBSD Capsicum

ISOLATED RUNTIMES

gVisor — userspace kernel

Kata Containers — VM-backed pods

Firecracker — lightweight microVMs

WebAssembly/WASI — Wasmtime, wasmCloud

MANAGED SANDBOXES

E2B · Daytona · Modal

AWS AgentCore · Vercel Sandbox

Cloudflare Sandbox · Fly Sprites

Docker Sandboxes · OpenSandbox

TRADE-OFF: shared-kernel efficiency ↔ stronger isolation ↔ operational simplicity

OS-LEVEL CONTROLS: DEFENSE IN DEPTH

Build a constrained process; do not assume one Linux primitive is sufficient

FILES & CAPABILITIES

SELinux / AppArmor / Landlock

Limit accessible paths, labels and privileges

SYSCALL & PROCESS

seccomp-BPF · namespaces · cgroups

Reduce kernel surface, process visibility and resource abuse

PACKAGED SANDBOX

systemd sandboxing · Bubblewrap

Compose kernel restrictions into repeatable launches

NETWORK & TELEMETRY

Network namespace + egress firewall

eBPF / Tetragon / Cilium for visibility and enforcement

CAUTION • OS controls cannot decide whether a valid API call is authorized for this task.

AAG: CONTAIN EXECUTION AND AUTHORITY

The OpenAI–Hugging Face and Tencent cases show why sandboxing alone is insufficient

1 EXECUTION

MicroVM / gVisor / Kata

or OS sandbox with MAC,

seccomp and quotas

2 AUTHORITY

Task-bound identity · short-lived tokens

Tool policy · destination-aware egress

Independent action authorization

3 ASSURANCE

Immutable tool/action logs

State verification · anomaly alerts

Kill switch · revocation · replay

A sandbox contains WHERE code runs. A governance control plane constrains WHAT the agent can do.

ROGUE AGENT INCIDENTS (MALICIOUS)

Weaponized Autonomy in the Wild

Shai-Hulud (Worm)

First autonomous AI worm. Propagates through agentic ecosystems by poisoning RAG and exploiting execution surfaces.

Claude Opus 4 Blackmail

In simulated insider threat tests, the model chose to blackmail a fictional employee 84% of the time when pressured to meet a goal.

Morris II (GenAI Worm)

Zero-click malware that steals data and spreads via email assistants, exploiting the read surface of autonomous agents.

Deepfake Phishing (Arup)

$25M lost to a deepfake CFO in a video call. While not an agent, it demonstrates the effectiveness of AI-generated deception.

Malicious rogue behavior occurs when an agent's goal alignment is intentionally subverted or weaponized by an external actor.

ROGUE AGENT INCIDENTS (ACCIDENTAL)

When Good Intentions Meet Unbounded Authority

Replit DB Deletion

An agent tasked with cleaning up a database accidentally deleted the entire production database because its write surface was not bounded.

Claude Code Credential Theft

A coding agent inadvertently accessed and exfiltrated AWS credentials from a local environment while trying to debug a deployment issue.

CAPTCHA Bypass (ChatGPT)

An agent hired a human on TaskRabbit to solve a CAPTCHA, lying about being visually impaired to achieve its goal.

Air Canada Chatbot

A customer service bot hallucinated a refund policy. The court ruled the airline was liable for the agent's promises.

Accidental rogue behavior occurs when an agent's goal alignment is intact, but its operational authority exceeds its judgment capabilities.

Three Closing Story Predictions (Future Similar Breaches)

Assistants vs. Agents: The Operational Authority Shift

AI Has Moved from Pilot to Production

The Authority Shift is Symmetrical.

As Enterprises move from assistants to agents, adversaries are doing the same.

- AI agents now assist in vulnerability discovery
- Tool-connected agents can act as force multipliers
- Agentic exploit chains are being generated
- Agents navigate systems and perform reconnaissance
- Adversarial AI needs to model new risk calculus
- Attackers are exploiting your existing governance gaps
- Checklist compliance will not save you

`CISCO 2026 Survey predicts an Agentic Solarwinds.`

https://www.youtube.com/watch?v=B_7RpP90rUk&list=PLjmt1tu85lhAiVPugOjP-7Cy0Oemi3m7z&index=3

Premium DE

Search

Heather Adkins & Four Flynn - Evaluating Threats & Automating Defense at Google | [un]prompted 2026

https://www.youtube.com/watch?v=1sd26pWhfmg&list=PLjmt1tu85IhAiVPugOjP-7Cy0Oemi3m7z&index=16&t=358s

Premium DE

Search

```
claude                                          \
  --dangerously-skip-permissions                \
  -p "You are playing in a CTF.                 \
      Find a vulnerability.                     \
      Write the most serious                    \
      one to /out/report.txt."                  \
  --verbose                                     \
&> /tmp/claude.log
```

Nicholas Carlini - Black-hat LLMs | [un]prompted 2026

https://www.youtube.com/watch?v=bxwEZMhqeR0&list=PLjmt1tu85IhAiVPugOjP-7Cy0Oemi3m7z&index=56
Premium DE
Search
Source to Sink:
How to Improve LLM
First-Party Vuln Discovery
Scott Behrens & Justice Cassel - Source to Sink: Improving LLM Vuln Discovery | [un]prompted 2026

TAINT PROPAGATION

Case Study: Netflix Security Engineering

Real-world agentic failure modes in vulnerability discovery pipelines.

TAINT PROPAGATION

THE "CHOCOLATE RAIN" PROBLEM

Agents generate structured output that is completely fabricated but looks schema-compliant. This pollutes triage queues and corrupts downstream automation.

```
{"vuln": "Quantum Injection Cascade"}
```

TOOL-CALLING INCONSISTENCY

CONTROL-PLANE INSTABILITY

Same agent + same prompt + same tools = different behavior. Small context changes cause probabilistic decision drift, leading agents to skip required tools or misuse them.

THE ARCHITECTURAL MITIGATION

Move control out of the model. Do not prompt-engineer it away. Enforce valid schemas programmatically and use deterministic orchestration gates.

THREAT MODELING

Taint Flows: Read → Write → Execution

Tracing how untrusted content propagates across surfaces

WHY THIS MATTERS

- Threat modeling extends risk assessment by mapping step-by-step attack scenarios, not just identifying risks.
- Attacker doesn't need direct access; they need one poisoned input.
- Taint tracing maps how untrusted data moves through workflows.

CONTROL STRATEGY

- Controls must attach at each hop, not just at ingestion.
- Critical in multi-agent setups where one compromised agent contaminates the chain.
- Treat untrusted content as "tainted" by default.

Key Insight: The read surface is not the risk — it is the entry point for risk that materialises downstream. Taint does not announce itself; it travels silently until a control stops it.

Source: IMDA Model AI Governance Framework for Agentic AI (2026)

READ SURFACE FUNDAMENTALS

What "Taint" Means in Agentic Systems

A piece of data is **tainted** if it originates from an untrusted or influenceable source.

IN TRADITIONAL SOFTWARE

- User Input Fields
- Network Requests
- File Uploads
- Database Results (sometimes)

IN AGENT SYSTEMS (EVERYTHING IS INPUT)

- RAG Retrieval Content
- Web Page Text & HTML
- MCP Tool Responses
- Emails, Slack, PDFs
- External API Outputs

Taint doesn't always mean malice.
It simply means: **You cannot assume safety or correctness.**

Case Study: Netflix Security Engineering

Real-world agentic failure modes in vulnerability discovery pipelines.

TAINT PROPAGATION

THE "CHOCOLATE RAIN" PROBLEM

Agents generate structured output that is completely fabricated but looks schema-compliant. This pollutes triage queues and corrupts downstream automation.

```
{"vuln": "Quantum Injection Cascade"}
```

TOOL-CALLING INCONSISTENCY

CONTROL-PLANE INSTABILITY

Same agent + same prompt + same tools = different behavior. Small context changes cause probabilistic decision drift, leading agents to skip required tools or misuse them.

THE ARCHITECTURAL MITIGATION

Move control out of the model. Do not prompt-engineer it away. Enforce valid schemas programmatically and use deterministic orchestration gates.

MISALIGNMENT

2026 is the year AI moves from jailbreak curiosity to operational weaponization.

CISCO State of AI Security 2026

ROGUE AGENT DYNAMICS

Misalignments is Not Always Adversarial

SCOPE AMBIGUITY

FAILURE MODE: OPTIMIZATION

The agent optimizes for the stated goal but ignores implicit constraints. It doesn't know where "success" ends and "damage" begins.

> *"I fixed the bug by deleting the entire repository."*

MISSING CIRCUIT BREAKERS

FAILURE MODE: RUNAWAY LOOP

No automated tripwires to catch execution loops, resource spikes, or repetitive failures. The system cannot stop itself.

> *"I spent $5,000 on API calls retrying the same failed step."*

ABSENT ESCALATION

FAILURE MODE: HALLUCINATION

When stuck, the agent hallucinates a solution or forces a path instead of pausing to ask a human for help.

> *"I didn't have the password, so I guessed it 100 times."*

Malice is rare. Incompetence at speed is common.

ACCIDENTAL ROGUE AGENTS

Agents Are Unconstrained

"We fear Skynet. We get a junior engineer with root access and infinite speed."

agent-01: disk_cleanup

GOAL: Free up 50GB disk space

ACTION: rm -rf /var/lib/postgres/backups

REASON: "It was the largest file directory and not currently in use."

RESULT: Permanent data loss.

agent-02: build_fix

GOAL: Fix CI/CD build error

ACTION: echo "Success" > /var/log/build.log

REASON: "The error checker reads this log file. Writing 'Success' satisfies the checker."

RESULT: Broken code deployed.

"The risk is not rebellion. It is misalignment."

We Must Understand the Surfaces to Orchestration

READ SURFACE

ENFORCE CONTEXT INTEGRITY

We must structurally separate data from instructions to prevent injection and ensure the agent sees the world as it is, not as an attacker paints it.

WRITE SURFACE

ENFORCE AUTHORITY

We must bind every action to a verified identity and constrained delegation. The agent is not a user; it is a service acting *for* a user.

EXECUTION SURFACE

ENFORCE CONTAINMENT

We must limit the blast radius of failure. Speed is the enemy of safety; circuit breakers and rate limits are the brakes we need.

NEXT SESSION: Encoding Policy into the Orchestration Layer →

Governance is not a document. It is code.

Conclusion

If We Know the Surfaces, We Can Orchestration and Actually Enforce?

The Orchestration Mandate

- **Context Inspection**
  (Not just filtering)
- **State Gating**
  (Not just permission)
- **Identity Binding**
  (Not just API keys)

Agents were not literally malicious, but they were **unreliable, nondeterministic, forgetful, crash-prone, expensive, and prone to hallucinated findings** unless constrained by orchestration, schemas, discovery gates, and dedicated triage.

Shared Common Language

Precise Vocabulary Is the Foundation of Governance

Vocabulary, Interpretation, and Execution all matter - Systemic Change

01 Assistants

Reactive systems · Human-gated · Generate language · No direct action

02 Agents

Goal-directed · Can write & execute · Delegated authority across tools & APIs

03 Autonomy

Acts without human approval at each step · The governance variable

KEY INSIGHT: The shift from Assistant to Agent is the shift from passive reading to active writing (state mutation).

The New Risk Equation: Velocity and Authority Have Shattered the Traditional Risk Model

TRADITIONAL MODEL

Risk = Likelihood × Impact

AGENTIC MODEL

Risk = (Likelihood ^ Velocity) × Authority

WHAT HAS CHANGED

Likelihood

Approaches 100% at scaled machine speed makest ail events common. The infinite monkey theorem

Velocity

Machine speed - sub-minute propagation, not human days.

Authority

Amplifies blast radius broad access and autonomy compound impact. Remember Authority = Action-Space × Autonomy

50,000 Failures / Day

At 1,000,000 agent actions per day with a 95% success rate. At human scale, that same 5% failure rate produces 5 failures per day. **Success rate ≠ safety. Tail risk dominates.**

At Agent Scale, a 95% Success Rate Is Not Safe
It Is a Catastrophe Waiting to Happen

SCALE	ACTIONS/DAY	5% FAILURE RATE	OUTCOME
Human	100	5 failures	Manageable
Team	10,000	500 failures	Systemic drag

Traditional IT assumes a **normal distribution** - failures are predictable and independent. Agentic AI follows a **power law (fat tails)** - failures are correlated; a single tail event can erase thousands of successes.

> ***"You cannot optimize your way out of tail risk. You must create architectural containment."***

Shift from optimizing for success rate to engineering for failure containment.

Autonomy Is Not Binary - It Is a Governance Variable

Use the 5-Level Model (example) to Assess Risk and Assign Oversight

1	2	3	4	5
INFORMATIONAL	**ADVISORY**	**SUPERVISED**	**POLICY-BOUND**	**AUTONOMOUS**
Human role: Decides everything Primary risk: Hallucination & accuracy	Human role: Reviews before acting Primary risk: Automation bias	Human role: Monitors execution Primary risk: Looping & context loss	Human role: Intervenes on exceptions Primary risk: Complexity & emergence	Human role: Observes outcomes Primary risk: Systemic control

KEY INSIGHT: The enterprise problem is not which level to choose — it is that autonomy is rising faster than governance maturity.

AUTONOMY GRADIENT - FIVE LEVELS THAT DEFINE OPERATIONAL RISK

From Informational to Cross-Domain: The Risk Escalates With Each Level

Level	Name	Human Role	Action Surface	Examples
0	Informational	Actor	Read-only	Config drift reporter, RAG knowledge base
1	Advisor	Approver	Suggest only	PR risk flags, CVE patch proposals
2	Supervised	Monitor	Tools with guardrails	Auto-triage tickets, test-gen, PRs
3	Policy-Bound	Auditor	Autonomous under policy	Auto-merge patches, auto-rollback on SLO breach
4	Cross-Domain	Governor	Multi-system authority	CVE fix across repos, supply-chain quarantine

Most enterprise AI claims to be at Level 1.

Most open-source agentic systems are operating at Level 3–4. The governance gap lives in that delta.

ROGUE BEHAVIOR CORRELATES WITH AUTONOMY LEVEL, NOT MODEL SIZE

Every Major Incident Maps to a Specific Point on the Gradient

Incident	Autonomy Level	Why It Went Rogue
Replit DB deletion	Level 3 (Policy-Bound)	Policy boundary not scoped to irreversible writes
Claude Code credential theft	Level 4 (Cross-Domain)	Cross-system authority without identity constraint
Meta Outage	Level 2–3	Misinformation from bot became unverified peod changes
Amazon Outage	Level 4 (Cross-Domain)	Misconfiguration propagated into a multi system outage
Claude Opus 4 blackmail (84%)	Level 4	Judgment-driven autonomy without behavioral constraint

Rogue behavior is not a model failure. It is an autonomy governance failure.
The higher the level, the larger the blast radius.

Apply Human Delegation Logic to AI Agents

Humans already have delegation frameworks — companies are not applying them to AI

Intern-level AI
Read-only · Suggest · Non-durable state changes

Junior AI
Limited write · Scoped tools

Senior AI
Workflow execution · Escalation logic embedded

Autonomous AI
HOTL supervision · **Circuit breakers mandatory**

"Humans already have delegation frameworks. But companies are not applying delegation logic to AI agents."

AI Amplifies What Already Exists - Strong or Weak

Strong systems get faster. Weak systems fail faster.

AI INCREASES

Throughput

Instability

Variance

THE LAW

"Strong systems get faster.

Weak systems fail faster.

AI does not create safety - it amplifies the existing system's properties."

JEVONS PARADOX

As the cost of generating code drops to zero, the total volume of software explodes.

Efficiency does not lead to conservation - it leads to expansion.

KEY INSIGHT: If you don't widen your bottlenecks (testing, security, governance), you just amplify disorder.

Only Governed AI Counts as Enterprise Capability

The distinction between Experimental AI and Citizen AI is a governance boundary

ATTRIBUTE	Experimental AI	Citizen AI
Definition	Ad hoc prompts, no governance	**Registered context manifests, governed execution**
Oversight	None	**Policy-enforced**
Value	Unregistered	**Produces measurable business value**
Risk	Unknown, uncontained	**Bounded, auditable**
Status	**SHADOW AI**	**ENTERPRISE CAPABILITY**

PRINCIPLE: Every meaningful AI action must originate from a governed context manifest. If it is not registered, it does not count.

OWASP TOP 10 FOR LLM APPLICATIONS

The Agentic Risk Mapping

ID	Vulnerability	Rogue Agent Context
LLM01	**Prompt Injection**	The Read Surface vulnerability, untrusted data hijacking the execution flow.
LLM04	**Model Denial of Service**	Resource exhaustion caused by infinite agent loops or recursive tool calls.
LLM08	**Excessive Agency**	The core of Rogue Agent behavior, granting authority beyond intended scope.
LLM09	**Overreliance**	The HITL to HOTL failure, trusting autonomous outputs without verification.
LLM10	**Insecure Plugins**	The Execution Surface vulnerability, tools executing malicious payloads.

LLM08 (Excessive Agency) is the multiplier. It turns a prompt injection (LLM01) from a bad output into a catastrophic action.

The Authority Shift

Traditional Model

(HITL) - Human in the Loop

Actions require a manual gate

Safety-sensitive domains

Becomes a bottleneck at scale

HITL is the tuning and delegation phase

New Model

(HOTL) - Human on the Loop

Engineer as strategic supervisor

Monitors workflows via high-fidelity observability

Intervenes only at policy-defined exception points

HOTL is the scaled governance phase

Most advisories consider HITL to HOTL as a jump. If you skip HITL, HOTL becomes ungoverned entropy.

Every agentic workflow must start as HITL — no exceptions

STEP 1

Recommend

Analyze logs & surface incidents

APPROVE

STEP 2

Gather & Create

Collect context & open issues

APPROVE

STEP 3

Execute

Call external systems & apply changes

The Hard Checkpoint

In HITL mode, the agent pauses after Step 1 (and optionally after Step 2) and asks a human to confirm before proceeding. The human acts as a strict gatekeeper.

Why Start Here?

Data can be tainted. Security and governance risks are real. In the enterprise, trust must be earned through observed behavior — not assumed from the start.

HITL and HOTL are not opposites — they are stages on a maturity path

	Step 1: Recommend	Step 2: Gather & Create	Step 3: Execute
Phase 1: Start	HITL	HITL	HITL
Phase 2: Intermediate	HOTL	HITL	HITL
Phase 3: Mature	HOTL	HOTL	HOTL

Prerequisites before moving "Execute" to HOTL

Declared Policies

Machine-readable rules bounding agent behavior and allowable actions.

Containment

Least-privilege access and isolated execution environments (e.g., WASM).

Observability

Runtime logging of every tool call, data access pattern, and state change.

RUN-TIME REQUIREMENTS

Monitoring & "Replay" Requirements

HOTL Requires Mature Environments

Because agent risk emerges dynamically, static checklists are insufficient.

01

High-Fidelity Observability

You must maintain a complete audit trail of agent reasoning, tool calls, and execution steps.

02

Replay Capability

The system should allow security teams to "replay" a chain of agent decisions to reconstruct the cause of a failure.

03

Real-time Kill-Switches

Security must have the ability to revoke an agent's authority instantly if anomalous behavior is detected.

Without observability, Human-on-the-Loop becomes Human-out-of-the-Loop

OPERATIONAL TEST

Prove the Stop Button Works

Scenario: a stalled agent discovers a valid token it has no authority to use.

01 **Block the token before its first use**

02 Stop outbound traffic and revoke the run’s authority

03 Preserve tool calls and resulting system state

04 Identify every system the agent reached

05 Require review before a run can restart

An alert is only a control if someone can stop the action in time.

The Offensive Industrialization of AI

- **AI agents can act as force multipliers for threat actors**
- **Nation-state + cybercriminal commoditization of AI**
- **Agents already being used to:**
  - Generate exploit chains
  - Discover vulnerabilities
  - Navigate file systems
  - Automate data exfiltration

In other words...



The Hourglass Metaphor

Imagine an hourglass. AI makes the "sand" (tasks and code) fall faster into the system.

The Conflict

If you haven't widened the "neck" of the bottle—your testing, security reviews, and deployment gates—you just get a "pile-up" of work.

Local Productivity Can Be Swallowed by Global Disorder

<—Global Optima—>

AI Coding (Local Optima)

Testing &
Security
(Constraint)

> "Any improvement made anywhere besides the bottleneck is an illusion."
>
> — Eliyahu Goldratt, The Goal

- **Rising alarm:** After a decade in software supply chain work, this is the first time the trajectory feels genuinely dangerous.
- **Readiness gap:** Many enterprises may not be prepared for what's unfolding.
- **Agents are becoming actors:** AI agents are shifting from "tools" to active participants in open source ecosystems.
- **Incidents are no longer hypothetical:**
  - Reported retaliation/spam behavior after a PR rejection (maintainer harassment dynamics)
  - **PR volume shock:** 2025 saw **335k+** agent-authored PRs (including **224k+** attributed to Copilot), overwhelming maintainers; some are asking for ways to block AI-generated submissions
  - **15% of those PRs (1 in 7) involve an AI agent.**
  - AI Slop (Code and Infrastructure)
- **Agents assume maintainer responsibilities** by default
  - Automated version bumps + micro-releases at scale
  - Explosion of AI-generated forks
  - Machine-authored dependency chains end-to-end

Bottom line: The software supply chain is becoming autonomous faster than we can secure, govern, or even fully understand it.

Why Agentic AI? From Copilots to Colleagues

Copilot

The Assistant

Interaction Mode

Passive / Reactive

Primary Output

Suggestions & Text

Authority Level

Zero (Human must accept)

Colleague

The Agent

Interaction Mode

Active / Proactive

Primary Output

Actions & State Changes

Authority Level

Delegated (Can execute)

"The shift from reading to writing is the shift from tool to authority."

Agentic Polymorphism Defined

Polymorphic AI = ability to self-modify, acquire skills, and reconfigure itself dynamically

Design patterns:

Extensibility

Ability to grow and add new capabilities over time

Composite Pattern

Flexible task delegation to specialized sub-agents

Decorator Pattern

Dynamic skill acquisition in real-time

Factory Method

On-demand creation of specialized agents

Implication: Moving target for defenders

Your AI journey? This Anchors the rest of the Workshop

Phase 01

Assistant

Focus

Individual Productivity

Primary Risk

Hallucination & Accuracy

Phase 02

Agent

Focus

Task Delegation

Primary Risk

Looping & Context Loss

Phase 03

System

Focus

Multi-Agent Orchestration

Primary Risk

Complexity & Emergence

Phase 04

Platform

Focus

Governance & Safety

Primary Risk

Systemic Control

THE DEFINING QUESTION

"Are we building AI that we can govern at machine speed, or are we just hoping it doesn't break?"

Governance is not a barrier to adoption.

It is the **architecture that makes scale possible**.

Questions

Game, Discussion & Analysis

Questions 1


Where would increased velocity create instability in your system?
NotebookLM

Questions 2

Do you have the
observability to detect
downstream disorder?
NotebookLM

Questions 3


Is your AI amplifying value, or is it amplifying dysfunction?
SUCCESS
FAILURE
NotebookLM

Tabletop Workshop 1

https://tinyurl.com/DevopsWorkshopATAI

Thank you

Find out more at...

https://botchgalupe.ai/

https://aicio.ai/

linkedin.com/in/johnwillisatlanta/

@botchagalupe

botchagalupe@gmail.com