

Sample Template save and run in .yaml format

AWSTemplateFormatVersion: '2010-09-09'

Description: VPC with a Public Subnet

Resources:

MyVPC:

Type: AWS::EC2::VPC

Properties:

CidrBlock: 10.0.0.0/16

EnableDnsSupport: true

EnableDnsHostnames: true

Tags:

- Key: Name

Value: MyVPC

MyInternetGateway:

Type: AWS::EC2::InternetGateway

Properties:

Tags:

- Key: Name

Value: MyInternetGateway

AttachGateway:

Type: AWS::EC2::VPCGatewayAttachment

Properties:

VpcId: !Ref MyVPC

InternetGatewayId: !Ref MyInternetGateway

MyPublicSubnet:

Type: AWS::EC2::Subnet

Properties:

VpcId: !Ref MyVPC

CidrBlock: 10.0.3.0/24

MapPublicIpOnLaunch: true

AvailabilityZone: !Select [0, !GetAZs "]

Tags:

- Key: Name

Value: MyPublicSubnet

MyRouteTable:

Type: AWS::EC2::RouteTable

Properties:

VpcId: !Ref MyVPC

Tags:

- Key: Name

Value: MyPublicRouteTable

MyRoute:

Type: AWS::EC2::Route

DependsOn: AttachGateway

Properties:

RouteTableId: !Ref MyRouteTable

DestinationCidrBlock: 0.0.0.0/0

GatewayId: !Ref MyInternetGateway

SubnetRouteTableAssociation:

Type: AWS::EC2::SubnetRouteTableAssociation

Properties:

SubnetId: !Ref MyPublicSubnet

RouteTableId: !Ref MyRouteTable

mylinuxserver11:

Type: AWS::EC2::Instance

Properties:

InstanceType: t2.micro

ImageId: ami-00a929b66ed6e0de6

SubnetId: !Ref MyPublicSubnet

Outputs:

VPCId:

Description: VPC ID

Value: !Ref MyVPC

PublicSubnetId:

Description: Public Subnet ID

Value: !Ref MyPublicSubnet

InstanceId:

Description: ID of instance launched

Value: !Ref mylinuxserver11