KANTIPUDI VENKATESH

Boiler Operation Engineer (BOE) From Andhra Pradesh, PG Diploma in Thermal Power Plant Engineering From JSW, B.TECH in Electrical & Electronics Engineering,

Mobile: +91 9912400591

E-mail: kantipudi.venkatesh@gmail.com

ABSTRACT

- ❖ Qualified Assistant Manager with more than **7** years experience in BTG Commissioning and Operation of Thermal Power Plant.
- **\Delta** Having BOE Certification From Andhra Pradesh.
- ❖ Presently working in TATA STEEL BSL as Assistant Manager (BTG Operations).
- **❖** A keen performer experience in managing Commissioning and Operation of thermal power plant (2x350MW PF, 4x150MW CFBC & 2x150MW IR-CFBC, 75 TPH Slop Fired Boiler).
- ❖ Proficient in Operation & commissioning activities involving resource planning, inprocess inspection, team building & co-ordination with internal/external departments.
- **An effective communicator with excellent relationship management skills and strong analytical, problem solving & organizational abilities.**

EXPERIENCE SUMMARY

TATA STEEL BSL LIMITED, Narendrapur, ODISHA.

Since Dec '2019 to till now

(2*275 TPH CFBC Boiler, 165 MW Turbine) Thermal Power Plant

Assistant Manager - BTG operations.

Steam Generators of **CFBC BOILER** M/s. THYSSENKRUPP INDUSTRIES INDIA PVT. LTD. Make 2×275 **TPH** capacity, 105 **Kg/cm²** press, 545°C temp. With Turbo Generator 1×165 MW, WATER **COOLED CONDENSER** STEAM TURBINE of M/s. SEIMENS make.

OMS LIMITED, VIZAG STEEL PLANT (RINL), Vizag, AP. Since jun '2019 to Dec '2019

Boiler Incharge TPP Zone(16×25 TPH CDCP Boilers(WHRB)).

Steam Generators of WHRB BOILER M/s. Belgorod Power(Russia) Make 16×25 TPH capacity, 40 Kg/cm² press, 440°C temp.

MEENAKSHI ENERGY LIMITED, Nellore, AP.

Since Mar '2018 to May '2019

Assistant manager - BTG Commissioning & Operations.

1000 MW (2X350MW PF Boiler & 2X150MW CFBC Boiler) Thermal Power Plant

Steam Generators of **PF BOILER** M/s. CETHAR VESSELS LTD **2*1165 TPH** capacity, **179 Kg/cm²** press, **543**°C temp. With Turbo Generators **2*350 MW, WATER COOLED CONDENSER** STEAM TURBINE of M/s. HARBIN TURBINE COMPANY make.

Steam Generators of IR-CFBC BOILER M/s. THERMAX LTD 2*495 TPH capacity, 143 Kg/cm² press, 540°C temp. With Turbo Generators 2*150 MW, WATER COOLED CONDENSER STEAM TURBINE of M/s. NANJING TURBINE & ELECTRIC MACHINARY GROUP make.

Fives Cail -KCP Ltd, Dhampur, UP.

From Dec'2017 to Mar '2018

Sr. Engineer- Boiler Commissioning & Operations.

(75 TPH Capacity Twin Travelling Grate Slop Fired Boiler) Co-Generation Plant

Steam Generator of **SLOP Fired BOILER** M/s. Fives Cail KCP LTD. Make **75 TPH** capacity, **45 ata** press, **400**°C temp. With Turbo Generator **8.76MW**, BACK PRESSURE TURBINE of M/s. BHEL make.

SIMHAPURI ENERGY LIMITED, Nellore, AP.

From Oct'2013 to jun'2017

Engineer-DCS-BTG Operations.

600 MW (4X150MW CFBC Boiler) Thermal Power Plant

Steam Generators of **CFBC BOILER** M/s. WUXI BOILERS Make **4*487 TPH** capacity, **137 Kg/cm²** press, **540**°C temp. With Turbo Generators **4*150 MW**, **WATER COOLED CONDENSER** STEAM TURBINE of M/s. HARBIN TURBINE COMPANY make.

PRESENT JOB PROFILE

TATA STEEL BSL LIMITED, Narendrapur, ODISHA <u>till now</u>

Dec"2019 to

Assistant Manager- BTG Operations

<u>Responsibilities:-</u>Working as Assistant Manager in BFPP-II(Blast Furnace Power Plant- II), looking Boiler Operations having capacity of 2×275 TPH CFBC Boilers.

- **★** Responsible for safe and smooth operation of Boiler , Turbine and their auxillaries by maintaining operational parameters.
- **★** Monitoring and recording performance of Boiler and Turbine.
- ★ Emergency handle like black out, tube leakage, coal feeder, oil burner, BOP areas, Fan tripping, BFP changeover.,
- ★ Annual shutdown and over-hauling activities like valves and damper operation checking, air leak test and hydro test etc.,
- **★** Responsible for ensuring all environmental & chemical parameters within the limit.
- **★** Preparation of Daily, Monthly and Annual reports of Efficiency Related parameters
- **★** Analysis of tripping and trouble shooting for preventive measures. .

CORE COMPETENCIES

Operation Activities:-

- * Responsible for continuous, safe and efficient operation of Boiler and Turbine DCS.
- ❖ Well versed in Hot Startup, Cold Startup, and warm start up procedures of Boiler and Turbine DCS.
- Handled major and critical Operation and maintenance jobs of turbine in a systematic and efficient way.
- ❖ Prepare the punch list against the completion of system with reference diagram.
- Checking of starting permissive and trip logic of Boiler and Turbine and auxiliaries.
- ❖ Boiler and Turbine protections checking.
- ❖ Making the system ready for vacuum pulling, steam dumping & turbine rolling.

Commissioning Activities :-

* MDBFP Oil Flushing * Boiler Auxiliaries steam Blowing

* CCCW System Flushing * Condenser Flood Test

Training undergone during academy:

- ★ Six Months intensive routine On **Job training** on **pulverized Coal Fired boiler of 300MW** thermal power plant in JSW Industrial Complex.
- ★ Six Months intensive routine On **Job training (BFG + Corex) Gas fired boiler of 130MW** thermal power plant in JSW Industrial Complex, Toranagallu, Bellary (Karnataka).
- **★** Trained in **300 MW Thermal Power Plant Operations (SIMULATOR).**

ACADEMIC QUALIFICATION

Examination Passed	University/Board	College/Institute	Marks (%)	Year of Passing
12th	Board of Intermediate education,AP	Vidya Vikas Junior College	87.6	2005-2007
B.TECH(EEE)	JNTUK	KIET Engineering College	69	2007-2011
PG Diplomo in	M.S. RAMAHIAH	JSW Energy Centre	72	2012-2013

Email: kantipudi.venkatesh@gmail.com

Thermal power	Institute of	of Excellence	
plant	Technology and		
	Management		

	PER	SO	NA	L D	AT	'A:
--	-----	----	----	-----	----	-----

Name K. Venkatesh

Fathers Name K. Venkata Rao

Date of birth 29-01-1990

Pass port K2292712 Valid till 2023

Marital status Married

Proficient in Language's English, Telugu & Hindi

Hobbies Watching News, Playing Cricket

Permanent Address K. Venatesh, S/O Venkta rao

Dr no-6-95, Kantipudi street, Dulla

Kadiam mandal, East godavari district-533234

Andhra pradesh.

Date:

Place: K. VENKATESH