

Soil Analysis GIS

Spatial Soil Analysis Application

Soil Analysis Dashboard

View and collect geographically referenced soil samples.

 Application is running

TOTAL SAMPLES

1

AVERAGE PH


6.80

LOW NITROGEN

0

Soil Sample Map

Click anywhere on the map to add a soil sample.



Selected Soil Sample

View detailed laboratory information for the selected soil sample.

S-001

Soil Sample ID: 1

[Locate on Map](#)

Sample Date **2026-08-29T18:30:00.000Z**

Location **17.7123400, 83.3012500**

Sampling Depth **0.00 - 15.00 cm**

Soil Texture **Loamy**

pH **6.80**

Nitrogen **285.00**

Phosphorus **18.00**

Potassium **240.00**

Organic Carbon **0.720**

Electrical Conductivity **0.350**

Soil Analysis

Classified interpretation of laboratory soil properties.

Sample	pH	Nitrogen	Phosphorus	Potassium	Organic Carbon	Electrical Conductivity	Overall Fertility
S-001	6.8	285	18	240	0.72	0.35	Moderate / Good
	pH	kg/ha	kg/ha	kg/ha	%	dS/m	
	Neutral	Medium	Medium	Medium	Medium	Non-saline	

Soil Interpretation & Recommendations

Interpretation of soil fertility, limiting nutrients, soil reaction, and salinity.

Sample	Overall Fertility	Limiting Nutrients	Soil Reaction	Salinity
S-001	Moderate / Good	None identified	Neutral	Non-saline

Management Observations

Sample-specific observations generated from the soil interpretation.

S-001 - Management Observations

- No Low major fertility parameter was identified from the laboratory results.
- Overall fertility is classified as Moderate / Good based on the current laboratory interpretation.

Soil Reaction: Soil reaction is generally favorable for a wide range of crops.

Salinity: Electrical conductivity indicates no significant salinity concern.

Crop Suitability

Crop suitability ranking based on the classified soil conditions.

S-001 - Crop Suitability

Assessment Method: Weighted soil suitability assessment

Soil Texture: **40%**

Soil Reaction: **30%**

Salinity: **30%**

Rank	Crop	Category	Suitability	Score	Texture	Reaction	Salinity
1	Black Gram	Pulse	Highly Suitable	100 / 100	40	30	30
Positive Factors - Soil texture (Loamy) is a excellent match for Black Gram. - Soil reaction (Neutral) is a excellent match for Black Gram. - Salinity condition (Non-saline) is a excellent match for Black Gram. Management Considerations - Review crop-specific agronomic requirements before selecting Black Gram.							
2	Cotton	Fibre	Highly Suitable	100 / 100	40	30	30
Positive Factors - Soil texture (Loamy) is a excellent match for Cotton. - Soil reaction (Neutral) is a excellent match for Cotton. - Salinity condition (Non-saline) is a excellent match for Cotton.							

Rank	Crop	Category	Suitability	Score	Texture	Reaction	Salinity
	Management Considerations Review crop-specific agronomic requirements before selecting Cotton.						
3	Groundnut	Oilseed	Highly Suitable	100 / 100	40	30	30
	Positive Factors - Soil texture (Loamy) is a excellent match for Groundnut. - Soil reaction (Neutral) is a excellent match for Groundnut. - Salinity condition (Non-saline) is a excellent match for Groundnut. Management Considerations - Review crop-specific agronomic requirements before selecting Groundnut.						
4	Maize	Cereal	Highly Suitable	100 / 100	40	30	30
	Positive Factors - Soil texture (Loamy) is a excellent match for Maize. - Soil reaction (Neutral) is a excellent match for Maize. - Salinity condition (Non-saline) is a excellent match for Maize. Management Considerations - Review crop-specific agronomic requirements before selecting Maize.						
5	Red Gram (Pigeon Pea)	Pulse	Highly Suitable	100 / 100	40	30	30
	Positive Factors						

[illegible]

Rank	Crop	Category	Suitability	Score	Texture	Reaction	Salinity
8	Wheat	Cereal	Highly Suitable	100 / 100	40	30	30
Positive Factors - Soil texture (Loamy) is a excellent match for Wheat. - Soil reaction (Neutral) is a excellent match for Wheat. - Salinity condition (Non-saline) is a excellent match for Wheat. Management Considerations - Review crop-specific agronomic requirements before selecting Wheat.							
9	Green Gram	Pulse	Highly Suitable	94 / 100	34	30	30
Positive Factors - Soil texture (Loamy) is a good match for Green Gram. - Soil reaction (Neutral) is a excellent match for Green Gram. - Salinity condition (Non-saline) is a excellent match for Green Gram. Management Considerations - Review crop-specific agronomic requirements before selecting Green Gram.							
10	Rice	Cereal	Highly Suitable	94 / 100	34	30	30
Positive Factors - Soil texture (Loamy) is a good match for Rice. - Soil reaction (Neutral) is a excellent match for Rice. - Salinity condition (Non-saline) is a excellent match for Rice.							

Rank	Crop	Category	Suitability	Score	Texture	Reaction	Salinity
Management Considerations Review crop-specific agronomic requirements before selecting Rice.							

Soil Management Plan

Recommended nutrient, organic matter, soil reaction, salinity, and general management actions.

S-001 - Management Plan

Overall Fertility: **Moderate / Good**

Nutrient Management

- No major nutrient limitation was identified from the current laboratory results.
- Maintain balanced nutrient management and periodically monitor soil fertility through soil testing.

Organic Matter Management

- Organic Carbon is classified as Medium. Continue practices that maintain soil organic matter and protect soil structure.

Soil Reaction Management

- Soil reaction is generally favorable for a wide range of crops.
- Maintain current soil management practices and periodically monitor soil pH.

Salinity Management

- No significant salinity concern was identified from the current electrical conductivity result.
- Maintain appropriate irrigation and drainage practices.

Overall Management

- Overall soil fertility is classified as Moderate / Good.

- Maintain balanced nutrient management and continue periodic soil testing.

General Management

- Management decisions should consider the laboratory results together with crop requirements, irrigation conditions, soil texture, and local agronomic guidance.
- Periodic soil testing is recommended to monitor changes in soil fertility, reaction, and salinity.