6/1/2020

Rajesh Shashi Kumar Logout



Computational Approaches

■ LIST ALL VIDEOS

√ 3.6 Flows I: Unit test » Take unit 3 test

Δ Download Exam PDF

Nonlinear Dynamics: Mathematical and

Supplementary Materials

HOME ABOUT EXPLORE COURSES SUPPORT

Resume Course Unenroll

My Progress

← Prev Next →

Important things to remember when taking tests:

Lead instructor: Liz Bradley

Lectures

- Tests auto-save your answers! Don't worry if you close the page or walk away from the computer, all of your selections will be remembered when you come back.
- When you are finished, click the "Submit" button at the bottom of the test. Be careful: submitting tests cannot be undone.

Forum FAQ

Instructions

■ WATCH CURRENT VIDEO

You may use any course materials, websites, books, computer programs, calculators, etc. for this test. Just don't ask another person for the answers or share your answers with other people. Be aware that simply typing the question text into google is unlikely to get you directly to the right answer; you're going to have to read what you find there in order to extract that answer, and the course videos are probably a faster way to do that.

"Experts" notes clarify situations that haven't been covered in this course, but that may introduce subtleties into the exam answers. Do not worry about them unless you understand the terms and issues in those notes.

If you have questions about this test, please email us at nonlinear@complexityexplorer.org rather than posting on the forum.

Question

What is the solution to the ODE $\dfrac{d}{dt}x(t)=x(t)$ if the initial condition x(t=0)=1 ?

$$\bigcirc$$
 A. $x(t)$

$$\checkmark$$
 B. $x(t) = e^t$

$$\bigcirc$$
 C. $x(t) = t + 1$

$$\bigcirc$$
 D. $x(t) = t$

$$\bigcirc$$
 E. $x(t) = e^t + 1$

Question 2

Which of these ODEs models the damped pendulum?

$$\bigcirc \text{ A. } ml\theta'' + mg\sin\theta = 0$$

$$ightharpoonup
ightharpoonup
m B. \ ml\theta'' + mg \sin \theta + \beta l\theta' = 0$$

$$\bigcirc \mathsf{C.} \, ml\theta' + mg\sin\theta + \beta l\theta' = 0$$

$$\bigcirc$$
 D. $ml\theta'' + mg + \beta l\theta' = 0$

Question 3

What does it mean if there exists no analytic solution to an ODE? $\label{eq:continuous} % \begin{center} \be$

- A. That ODE is linear.
- B. That ODE is for sure chaotic.
- ★ C. That ODE could be (but might not be) nonlinear.
 - O. You can find the solution to that ODE with paper and pencil.

Question 4

Why are computers such an important tool in the study of nonlinear dynamics?

- A. Because you have to solve chaotic ODEs numerically.
 - B. Because they speed up calculations.
 - O. Because they help us generate nice plots.
 - igcup D. Because they let us look things up on the web.

Question 5
Which one of these statements most accurately and completely specifies the relationship between nonlinearity and chaos?
○ A. Nonlinearity = → chaos
✓ ○ B. Chaos = → nonlinearity
○ C. Chaos ←=→ nonlinearity
Question 6
Which one of these statements most accurately and completely specifies the relationship between nonintegrability and chaos?
○ A. Nonintegrability =→ chaos
○ B. Chaos =→ nonintegrability
✓ © C. Chaos ←=→ nonintegrability
,
Question 7
This ODE is nonlinear:
x' = x
O True
✓ © False
Question 8 This ODE is nonlinear:
$x' = \sin x$
○ True
X ⊚ False
Question 9
This ODE is nonlinear:
x' = 37x
○ True
√ © False
Question 10
This ODE is nonlinear:
$x'' + x^2 = 0$
√ ⊙ True
○ False
Question 11
What are the state variables of the pendulum?
The angular velocity and the angular position of the bob.
The mass of the bob and the distance between the bob and the anchor point.
The angular position of the bob and the coefficient of friction that is acting on the bob as it moves.
Question 12 How many state variables does the double pendulum have?
O 0
O 1
O 2
⋄ ⊙ 4
O An infinite number
Question 13
How many fixed points does the double pendulum have?
One, and it's stable.

You got 11 out of 13 questions correct
✓ ○ An infinite number of both.
Four, three of which are unstable.