

Patent Document Report

Document Name: MID101312US - Draft (1).docx

Date: 10 Sep 2026

Claims: 20 | Pages: 16

TABLE OF CONTENTS

I.	Claims Hierarchy	
II.	Claim Errors and Warnings	
III.	Antecedents Errors/Warnings	
IV.	Claim Terms and Words Having No or Limited Support in the Specification	not analysed
V.	Inconsistent Part Names and Numbers	not analysed
VI.	Inconsistent Part Numbers in Figures	not analysed
VII.	Inconsistent Acronyms	not analysed
VIII.	Document Language Warnings	not analysed


SUMMARY OF FINDINGS

	Section	Result
I.	Claims Hierarchy	✓ No errors found
II.	Claim Errors and Warnings	✓ No errors found
III.	Antecedents Errors/Warnings	⚠ 12 warnings found
IV.	Claim Terms and Words Having No or Limited Support in the Specification	Not analysed
V.	Inconsistent Part Names and Numbers	Not analysed
VI.	Inconsistent Part Numbers in Figures	Not analysed
VII.	Inconsistent Acronyms	Not analysed
VIII.	Document Language Warnings	Not analysed

I. Claims Hierarchy¹

✓ No errors found for this section.

The claim set contains **20** claims: **3** independent (1, 9, 15) and **17** dependent.



Independent claim	Claim type	Dependent claims	Claims in tree
1	Apparatus/device	2-8	8
9	Apparatus/device	10-14	6
15	Apparatus/device	16-20	6

Claim type color legend: **Method/process**; **Apparatus/device**; **Composition**; **Article of manufacture**; **112(6)**; **Product by process**; **Jepson**

Status indicator legend: **[O]**="Original"; **[PP]**="Previously Presented"; **[CA]**="Currently Amended"; **[N]**="New"; **[X]**="Cancelled"; **[W]**="Withdrawn"; **[WA]**="Withdrawn and Amended"; **[NE]**="Not Entered"

¹ Graphical claim trees only: the type of each claim is indicated by its colour. Independent claims are grey inside. Claims with invalid parent numbers are dotted. If present, status indicators will be provided in brackets next to the claim numbers.

II. Claim Errors and Warnings²

✓ No errors found for this section.

² Fix suggestions/detailed explanations are not repeated for the same types of issues to preserve space.

III. Antecedents Errors/Warnings

⚠ 12 warnings found.

- Limiting preamble: 11 in claims 1, 9, 15
- Singular/plural mismatch: 1 in claim 5

Claim	Error/Warning
1. A base assembly^{1} of a cleaning appliance^{2} to extract a waste solution^{3} from a surface^{4}, the base assembly comprises: a primary suction conduit at a first portion of the base assembly, wherein the primary suction conduit is coupled to a primary suction nozzle and forms a first airpath from the primary suction nozzle to a main housing of the cleaning appliance; a secondary suction conduit at a second portion of the base assembly, wherein the secondary suction conduit is coupled to a secondary suction nozzle and forms a second airpath from the secondary suction nozzle to the main housing of the cleaning appliance; wherein the primary suction conduit is adjacent to the secondary suction conduit; and wherein the base assembly creates an even suction pressure across a width of a surface level.	{1} Limiting preamble?: "a base assembly." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. Suggested fix: Confirm this is intended to limit the claim. If it is only the intended use or field, consider whether the body should recite it; if it is a claim element, introduce it in the body instead. {2} Limiting preamble?: "a cleaning appliance." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {3} Limiting preamble?: "a waste solution." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {4} Limiting preamble?: "a surface." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02.
5. The base assembly of the cleaning appliance to extract the waste solution from the surface of claim 1, wherein the main housing of the cleaning appliance comprises a recovery tank, and the primary suction conduit^{1} forms the first airpath from the primary suction nozzle to the recovery tank of the main housing.	{1} Singular/plural mismatch?: "the primary suction conduit." Found the same term in singular and plural forms. Suggested fix: Make the number consistent, or tie the reference to the set it comes from (for example "a suction conduit of the plurality of suction conduits").
9. A base assembly^{1} of a cleaning device^{2} to extract a waste solution^{3} from a carpet^{4}, the base assembly comprises: a plurality of suction conduits to create an even suction pressure, wherein:	{1} Limiting preamble?: "a base assembly." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {2} Limiting preamble?: "a cleaning device." Terms in the preamble may be

Claim	Error/Warning
a primary suction conduit of the plurality of suction conduits is positioned at a first portion of the base assembly, wherein the primary suction conduit forms a first airpath, a secondary suction conduit of the plurality of suction conduits is positioned at a second portion of the base assembly, wherein the secondary suction conduit forms a second airpath, and wherein the primary suction conduit and the secondary suction conduit are symmetrical; and wherein the base assembly creates the even suction pressure across a width of a carpet level.	given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {3} Limiting preamble?: "a waste solution." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {4} Limiting preamble?: "a carpet." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02.
15. A base assembly^{1} of a carpet extraction vacuum^{2} to create an even suction pressure^{3}, the base assembly comprises: a primary suction conduit at a first portion of the base assembly that forms a first airpath from a primary suction nozzle to a main housing of the carpet extraction vacuum; a secondary suction conduit at a second portion of the base assembly that forms a second airpath from a secondary suction nozzle to the main housing of the carpet extraction vacuum; wherein the primary suction conduit is adjacent to the secondary suction conduit; and wherein the base assembly creates the even suction pressure across a width of a surface level.	{1} Limiting preamble?: "a base assembly." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {2} Limiting preamble?: "a carpet extraction vacuum." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02. {3} Limiting preamble?: "an even suction pressure." Terms in the preamble may be given patentable weight if re-used in the claim body. See, e.g., MPEP 2111.02.

IV. **Claim Terms and Words Having No or Limited Support in the Specification**

This section analyses the specification and is not included in this report.

V. **Inconsistent Part Names and Numbers**

This section analyses the specification and is not included in this report.

VI. **Inconsistent Part Numbers in Figures**

This section analyses the specification and is not included in this report.

VII. **Inconsistent Acronyms**

This section analyses the specification and is not included in this report.

VIII. **Document Language Warnings**

This section analyses the specification and is not included in this report.