STEP 1: Add the doctype declaration. <!DOCTYPE html>

STEP 3: In the html tag, add:

- <head> tag
- . <body> tag

STEP 4: CREATE STYLE.CSS FILE

Change the font family of the <body> "Avenir Next"

STEP 5: Copy the tags below and paste them inside of the <head> element.

```
<!-- Set the character encoding to "utf-8" --> 
<meta charset="">
```

```
<!-- Set the title to "YOUR NAME" --> <title></title>
```

```
<!-- Link "stylesheet.css" to index.html --> 
k rel="stylesheet" href="">
```

Set the character encoding to

utf-8

STEP 5:

In html file

```
<!-- Add a <div> tag with the "header" class -->
```

In css file

```
/* Change header's background-color to #f7f2b4, and height to 90px */
```

```
<div class="header-logo">YOUR NAME </div>
```

<!-- Add a <div> tag with the "header-list" class -->

```
<div class="header-list">
    ul>
     About
     Lessons
     Contact us
    </div>
IN css file
/* Use the list-style property to remove dots from tags */
/* Change the float property to left */
/* Change header-logo's font-size to 36px, and float property to left */
```

STEP 7: In css file

```
list-style: none;
 float: left;
 /* Change the top & bottom padding to 33px, and left & right padding to 20px */
And
.header-logo {
 float: left;
 font-size: 36px;
 /* Change the top & bottom padding to 20px, and left & right padding to 40px */
```

STEP 8:

IN HTML FILE

```
<div class="footer">
   <!-- Add a <div> tag with the "footer-logo" class -->
  <div class="footer-logo">
    YOUR NAME
   </div>
  <!-- Add a <div> tag with the "footer-list" class -->
```

```
<div class="footer-list">
   ADD inside list
   About
   Jobs
   Contact us
</div>
```

Step 9:

```
/* Add CSS for tags within header-list */
.header-list li{
  float: left;
  padding: 33px 20px;
}
AND
```

```
li {
    list-style: none;
}
```

STEP 10:

```
.footer {
    /* Change the background-color to #2f5167 */

    /* Change the color to #fff */

    /* Change the height to 120px */

    /* Change the padding for all sides to 40px */

}

/* Change footer-logo's font-size and float property */

.footer-logo{
}
```

CVRCE

```
/* Change footer-list's float property */

.footer-list{
}
/* Add CSS for  tags within footer-list */
.footer-list li{
  padding-bottom:20px;
}
```

STEP 11:

```
<div class="main">
  <!-- Add a <div> tag with the "copy-container" class -->
  <div class="copy-container">
  <h1>HELLO WORLD
  <span>.
  <h1>
  <h2>Let's learn to code</h2>
  </div>

<!-- Add a <div> tag with the "contents" class -->
  <div class="contents">

  </div>

<!-- Add a <div> tag with the "contact-form" class -->
  <div class="contact-form">

  </div>

</div>

</div>
</div>
```

IN SIDE CSS FILE

```
.main {
    /* Remove CSS for background-color */

    /* Remove CSS for height */
```

```
/* Change the top & bottom padding to 100px, and left & right padding to 80px */

/* Change the font-size of <h1> tags within copy-container TO 140PX*/
.copy-container h1{

/* Change the font-size of <h2> tags within copy-container TO 60PX */
.copy-container h2{

/* Change the color of <span> tags within copy-container TO #ff4a4a */
.copy-container span{
}
```

STEP 12:

```
<div class="contents">
  <!-- Add a <h3> tag OF Lessons -->
  <!-- Add a <div> tag with the "contents-item" class -->
  <div class="">
  Add img tag using
  "https://s3-ap-northeast-
1.amazonaws.com/progate/shared/images/lesson/html/study/html.svg">

  ADD A P WITH THE HTML & CSS
  </div>

<!-- Add a <div> tag with the "contents-item" class -->
  <div class="">
```

```
Add a img tag with src https://s3-ap-northeast-
1.amazonaws.com/progate/shared/images/lesson/html/study/php.svg
   Add a p tag PHP
    </div>
    <!-- Add a <div> tag with the "contents-item" class -->
     <div class="contents-item">
         Add img tage with src https://s3-ap-northeast-
1.amazonaws.com/progate/shared/images/lesson/html/study/ruby.svg
    Add p tag Ruby
    </div>
    <!-- Add a <div> tag with the "contents-item" class -->
     <div class="contents-item">
         Add img tag with src https://s3-ap-northeast-
1.amazonaws.com/progate/shared/images/lesson/html/study/swift.svg
   Add p tag for Swift
    </div>
   </div>
```

Step 13:

```
/* Change the height of contents to 500px */
.contents{
    height:500px;
}
/* Change the border-bottom property of section-title of 2px solid #dee7ec;*/
.section-title{
}
/* Change contents-item's float property to left */
.contents-item{
}
```

STEP 14:

```
.contents {
height: 500px;
/* Change the margin-top property to 100px */
.section-title {
border-bottom: 2px solid #dee7ec;
/* Change the font-size to 28px */
/* Change the padding-bottom property to 15px */
/* Change the margin-bottom property to 50px */
contents-item {
float: left;
/* Change the margin-right property to 40px */
* Change the font-size and margin-top of  tags within contents-item
  font-size-24px margin-top-30px */
.contents-item p {
```

STEP 15:

```
<div class="contact-form">
    <!-- Add a <h3> tag with the "section-title" class -->
    <h3 class="section-title">Contact us</h3>

<!-- Add three <p> tags below -->
    Email (Required)
    Message (Required)
    * Required fields must be filled.
</div>
```

```
/* Change contact-form's padding-top property to 100px */
.contact-form{
}
```

STEP 16

```
<div class="contact-form">
    <h3 class="section-title">Contact us</h3>
    Email (Required)
    <!-- Add an <input> tag -->
    Message (Required)
    <!-- Add a <textarea> tag -->
    * Required fields must be filled
    <!-- Add an <input> tag with class name contact-submit -->
   </div>
* Add CSS for <input> and <textarea> tags
 width:400px;
 margin-top:10px;
 margin-bottom:30px;
 padding:20px;
 font-size:18px;
 border:1px solid #dee7ec;
input,textarea{
/* Add CSS for contact-submit background-color: #dee7ec and text color: 889eab */
.contact-submit{
```

