

Home Assignments

- 1) From the Groq and Openairouter
--List down the Multimodels

Frontier models

GPT-5.4, GPT-5.4 Pro, GPT-5.4 Mini, GPT-5.4 Nano, GPT-5 Mini, GPT-5 Nano, GPT-5, GPT-4.1

OpenAI Frontier Image Models

GPT-5.4 Image, GPT-5.4 Image Pro, GPT-5.4 Image Mini, GPT-5.4 Image nano,
chatgpt-image-latest, GPT-4o mini TTS

OpenAI Audio & Speech Models

GPT-4o-Transcribe, GPT-4o-Mini-Transcribe, and GPT-4o-Mini TTS

Video –For video generation
Sora 2 , Sora 2 Pro (deprecated)

Coding –For software engineering tasks
GPT-5 Codex

- GPT-5.3 Codex
- GPT-5.2 Codex
- GPT-5.1 Codex
- GPT-5.1 Codex Max
- GPT-5.1 Codex mini

Deep Research –For deep research tasks

- o3-deep-research
- o4-mini-deep-research

Groq Multimodal Models

Reasoning

- GPT OSS 120B
- GPT OSS 20B
- Qwen 3 32B

Function Calling / Tool Use

- GPT OSS 120B

- GPT OSS 20B
- Llama 4 Scout
- Qwen 3 32B

Text to Speech

- Orpheus English
- Orpheus Arabic Saudi

Speech to Text

- Whisper Large v3
- Whisper Large v3 Turbo

Text to Text

- GPT OSS 120B
- GPT OSS 20B
- Llama 4 Scout
- Llama 3.3 70B

Vision

- Llama 4 Scout

Multilingual

- GPT OSS 120B
- GPT OSS 20B
- Llama 4 Scout
- Llama 3.3 70B
- Whisper Large v3

2) Take 3 models from each service provider

<https://openrouter.ai/models>

Context window, Input output token cost

Qwen: Qwen3.6 Plus Preview

Context window- 1M

Input token cost- \$0

Output token cost-\$0

Qwen: Qwen3.5-9B

Context window- 256K

Input token cost- \$0.5

Output token cost-\$0.15

Qwen: Qwen3.5-35B-A3B

Context window- 262.1K
Input token cost- \$0.25
Output token cost-\$1

Google:

Gemini 3.1 Flash Lite Preview

Context window- 1.05M
Input token cost- \$0.065
Output token cost-\$0.26

Gemini 3.1 Pro Preview

Context window- 1.05M
Input token cost- \$2
Output token cost-\$12

OpenAI

OpenAI: GPT-5.3-Codex
Context window- 400k
Input token cost- \$1.75
Output token cost-\$14

OpenAI: GPT Audio Mini

Context window- 128K
Input token cost- \$0.60
Output token cost-\$2.40

3) use the Tokenizer with different prompt and see how the tokens are generated

<https://platform.openai.com/tokenizer>

model, and the total count of tokens in that piece of text.

GPT-5.x & O1/3

GPT-4 & GPT-3.5 (legacy)

GPT-3 (legacy)

How to use javascript in playwright?

Clear

Show example

Tokens

Characters

7

36

[5299, 316, 1199, 79013, 306, 147128, 30]

GPT-5.x & O1/3

GPT-4 & GPT-3.5 (legacy)

GPT-3 (legacy)

How to convert selenium java scripts into javascripts?

Clear

Show example

Tokens

11

Characters

54

[5299, 316, 8452, 75548, 1557, 39468, 1511, 441, 10870, 15099, 30]

GPT-5.x & O1/3

GPT-4 & GPT-3.5 (legacy)

GPT-3 (legacy)

In short, OpenAI's audio and speech models cover transcription, synthesis, and interactive voice agents, giving developers flexible tools for building apps ranging from meeting transcription to voice-driven assistants.

Clear

Show example

Tokens

36

Characters

219

[644, 2875, 11, 5377, 15836, 753, 7855, 323, 8982, 4211, 3504, 46940, 11, 39975, 11, 323, 21416, 7899, 13307, 11, 7231, 13707, 19303, 7526, 369, 4857, 10721, 24950, 505, 6574, 46940, 311, 7899, 32505, 57619, 627]

