### $SMARTINDONASIA\_API\_SmokeTest$

### **Execution Environment**

Host name Rajesh. Veeranna - VSPLBLRLT0060. visionetsystems.com

OS Windows 7 64bit

Katalon version 6.3.3.11

Browser

Summary

ID Test Suites/SMARTINDONASIA\_API\_SmokeTest

Description

Total 4

Passed 0 Failed 4
Error 0 Incomplete 0

Start 2019-09-09 16:54:03 End 2019-09-09 16:55:32

Elapsed 1m - 29.532s

#	ID	Description	Status
1	Test Cases/aValidateMobileNumberTest		FAILED
2	Test Cases/bValidate_OTPTest		FAILED
3	Test Cases/clnsertTripDetailsTest		FAILED
4	Test Cases/dUpdateTripDetails		FAILED

### aValidateMobileNumberTest

### Information

ID Test Cases/aValidateMobileNumberTest

Description

Tag

Start 2019-09-09 16:54:03 End 2019-09-09 16:54:27

Elapsed 24.094s Status FAILED

#### **Details**

# Description Elapsed Status

### aValidateMobileNumberTest

# Description	Elapsed	Status
1 response = sendRequestAndVerify(findTestObject("avalidate_mobile_number"))	23.421s	FAILED
Unable to send request and verify the response (Root cause: java.net.ConnectException:		
Connection timed out: connect		
at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest		
(RestfulClient.java:91)		
$at\ com. kms. katalon. core. webservice. common. Restful Client. send (Restful Client.)$		
java:59)		
at com.kms.katalon.core.webservice.keyword.builtin.		
SendRequestAndVerifyKeyword\$_sendRequestAndVerify_closure1.doCall		
(SendRequestAndVerifyKeyword.groovy:47)		
at com.kms.katalon.core.webservice.keyword.builtin.		
SendRequestAndVerifyKeyword\$_sendRequestAndVerify_closure1.call		
(SendRequestAndVerifyKeyword.groovy)		
at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
(KeywordMain.groovy:68)		
at com.kms.katalon.core.webservice.keyword.builtin.		
SendRequestAndVerifyKeyword.sendRequestAndVerify(SendRequestAndVerifyKeyword.		
groovy:43) at com.kms.katalon.core.webservice.keyword.builtin.		
SendRequestAndVerifyKeyword.execute(SendRequestAndVerifyKeyword.groovy:38)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:56)		
at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.		
sendRequestAndVerify(WSBuiltInKeywords.groovy:65)		
at com.kms.katalon.core.webservice.keyword.		
WSBuiltInKeywords\$sendRequestAndVerify.call(Unknown Source)		
at aValidateMobileNumberTest.run(aValidateMobileNumberTest:16)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
157)		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1568028239476.run(TempTestSuite1568028239476.groovy:35)		

### bValidate\_OTPTest

### Information

ID Test Cases/bValidate\_OTPTest

Description

Tag

Start 2019-09-09 16:54:27 End 2019-09-09 16:54:49

Elapsed 21.718s
Status FAILED

#### **Details**

# Description Elapsed Status

## bValidate\_OTPTest

#	Description	Elapsed	Status
		•	
1	sendRequestAndVerify(findTestObject("bvalidate_OTP", ["uniqueToken":uniquetoken, "userId":userid]))	21.303s	FAILED
	Unable to send request and verify the response (Root cause: java.net.ConnectException: Connection timed out: connect		
	at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest		
	(RestfulClient.java:91)		
	at com.kms.katalon.core.webservice.common.RestfulClient.send(RestfulClient.		
	java:59)		
	at com.kms.katalon.core.webservice.keyword.builtin. SendRequestAndVerifyKeyword\$_sendRequestAndVerify_closure1.doCall		
	(SendRequestAndVerifyKeyword.groovy:47)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword\$_sendRequestAndVerify_closure1.call		
	(SendRequestAndVerifyKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword		
	(KeywordMain.groovy:68)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword.sendRequestAndVerify(SendRequestAndVerifyKeyword.		
	groovy:43)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword.execute(SendRequestAndVerifyKeyword.groovy:38) at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.		
	sendRequestAndVerify(WSBuiltInKeywords.groovy:65)		
	at com.kms.katalon.core.webservice.keyword.		
	WSBuiltInKeywords\$sendRequestAndVerify.call(Unknown Source)		
	at bValidate_OTPTest.run(bValidate_OTPTest:16)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
	java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
	java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	$at\ com. kms. katalon. core. main. Test Case Main. start Test Suite (Test Case Main. java: test Case Main. j$		
	157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
	Source)		
	at TempTestSuite1568028239476.run(TempTestSuite1568028239476.groovy:35)		

## clnsert Trip Details Test

### Information

ID Test Cases/clnsertTripDetailsTest

Description

Tag

Start 2019-09-09 16:54:49 End 2019-09-09 16:55:11

Elapsed 21.571s
Status FAILED

#### **Details**

# Description Elapsed Status

# clnsert Trip Details Test

#	Description	Elapsed	Status
1	sendRequestAndVerify(findTestObject("bvalidate_OTP", ["uniqueToken":uniquetoken, "userId":userid]))	21.168s	FAILED
	Unable to send request and verify the response (Root cause: java.net.ConnectException: Connection timed out: connect		
	at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest (RestfulClient.java:91)		
	at com.kms.katalon.core.webservice.common.RestfulClient.send(RestfulClient.java:59)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword\$_sendRequestAndVerify_closure1.doCall (SendRequestAndVerifyKeyword.groovy:47)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword\$_sendRequestAndVerify_closure1.call		
	(SendRequestAndVerifyKeyword.groovy)		
	at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword.sendRequestAndVerify(SendRequestAndVerifyKeyword.		
	groovy:43)		
	at com.kms.katalon.core.webservice.keyword.builtin.		
	SendRequestAndVerifyKeyword.execute(SendRequestAndVerifyKeyword.groovy:38)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:56)		
	at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.		
	sendRequestAndVerify(WSBuiltInKeywords.groovy:65)		
	at com.kms.katalon.core.webservice.keyword.		
	WSBuiltInKeywords\$sendRequestAndVerify.call(Unknown Source)		
	at clnsertTripDetailsTest.run(clnsertTripDetailsTest:17)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	$at\ com. kms. katalon. core. main. Script Engine. run Script As Raw Text (Script Engine.$		
	java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:337)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
	java:328)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:299)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
	java:233)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
	(TestSuiteExecutor.java:169)		
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
	(TestSuiteExecutor.java:142)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
	91)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)		
	at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)		
	at TempTestSuite1568028239476.run(TempTestSuite1568028239476.groovy:35)		

## dUpdate Trip Details

### Information

ID Test Cases/dUpdateTripDetails

Description

Tag

Start 2019-09-09 16:55:11 End 2019-09-09 16:55:32

Elapsed 21.602s Status FAILED

#### **Details**

#	Description	Elapsed	Status
1	file1 = new java.io.File(D:\InsertTripDetails_ID.txt)	0.002s	PASSED
2	triPID = file1.readLines()	0.036s	PASSED
3	println(">" + triPID)	0.006s	PASSED

# dUpdateTripDetails

sendRequest(findTestObject("bvalidate_OTP", ["uniqueToken":uniquetoken, "userId": userid]))  Unable to send request (Root cause: java.net.ConnectException: Connection timed out: connect	21.198s	FAILED
connect     at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest (RestfulClient.java:91)     at com.kms.katalon.core.webservice.common.RestfulClient.send(RestfulClient. java:59)     at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42)     at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)     at com.kms.katalon.core.webservice.keywordMain.runKeyword (KeywordMain.groovy:68)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
(RestfulClient.java:91)     at com.kms.katalon.core.webservice.common.RestfulClient.send(RestfulClient.java:59)     at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42)     at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
at com.kms.katalon.core.webservice.common.RestfulClient.send(RestfulClient.java:59) at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42) at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy) at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  sendRequest(SendRequestKeyword.groovy:38) at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42)     at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
SendRequestKeyword\$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42)     at com.kms.katalon.core.webservice.keyword.builtin.  SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
SendRequestKeyword\$_sendRequest_closure1.call(SendRequestKeyword.groovy)     at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword  (KeywordMain.groovy:68)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword.  execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.  executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
(KeywordMain.groovy:68)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
sendRequest(SendRequestKeyword.groovy:38)     at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)     at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
executeKeywordForPlatform(KeywordExecutor.groovy:56) at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest		
(WSBuiltInKeywords.groovy:40)		
at com.kms.katalon.core.webservice.keyword.		
WSBuiltInKeywords\$sendRequest\$0.call(Unknown Source)		
at dUpdateTripDetails.run(dUpdateTripDetails:23)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:337)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:328)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:307) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:299)		
at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:233)		
at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase		
(TestSuiteExecutor.java:169) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSuiteExecutor.java:142)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
91) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown		
Source)		
at TempTestSuite1568028239476.run(TempTestSuite1568028239476.groovy:35)		