# SMARTINDONASIA_API_SmokeTest

## Execution Environment

| | |
|---|---|
| Host name | Rajesh.Veeranna - VSPLBLRLT0060.visionetsystems.com |
| OS | Windows 7 64bit |
| Katalon version | 6.3.3.11 |
| Browser | |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/SMARTINDONASIA_API_SmokeTest | | |
| Description | | | |
| Total | 3 | | |
| Passed | 3 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-09-04 18:30:47 | End | 2019-09-04 18:30:57 |
| Elapsed | 9.951s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/aValidateMobileNumberTest | | PASSED |
| 2 | Test Cases/bValidate_OTPTest | | PASSED |
| 3 | Test Cases/cInsertTripDetailsTest (MI) | | PASSED |

# aValidateMobileNumberTest

## Information

| | |
|---|---|
| ID | Test Cases/aValidateMobileNumberTest |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-09-04 18:30:47 | End | 2019-09-04 18:30:52 |
| Elapsed | 4.174s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | response = sendRequestAndVerify(findTestObject("avalidate_mobile_number"))<br><br>Send request and verify the response successfully | 3.705s | PASSED |
| 2 | slurper = new groovy.json.JsonSlurper() | 0.006s | PASSED |
| 3 | result = slurper.parseText(response.getResponseText()) | 0.040s | PASSED |
| 4 | println("**************************************") | 0.000s | PASSED |
| 5 | println("THIS IS THE RESPONSE FROM VALIDATEMOBILENUMBER TEST CASE = " + result) | 0.000s | PASSED |
| 6 | println("**************************************") | 0.000s | PASSED |
| 7 | value = uniqueTokenCode | 0.000s | PASSED |

# aValidateMobileNumberTest

| # | Description | Elapsed | Status |
|---|---|---|---|
| 8 | println(value) | 0.020s | PASSED |
| 9 | uniquetoken = value | 0.000s | PASSED |
| 10 | println("****************************************") | 0.000s | PASSED |
| 11 | println("UNIQ TOKEN ID IS GENARATED  = " + uniquetoken) | 0.010s | PASSED |
| 12 | println("****************************************") | 0.000s | PASSED |

# bValidate_OTPTest

## Information

| | |
|---|---|
| ID | Test Cases/bValidate_OTPTest |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-09-04 18:30:52 | End | 2019-09-04 18:30:55 |
| Elapsed | 3.171s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("bvalidate_OTP", ["uniqueToken":uniquetoken, "userId":userid]))<br><br>Send request successfully | 1.578s | PASSED |
| 2 | response1 = sendRequestAndVerify(findTestObject("avalidate_mobile_number"))<br><br>Send request and verify the response successfully | 1.234s | PASSED |
| 3 | slurper1 = new groovy.json.JsonSlurper() | 0.000s | PASSED |
| 4 | result1 = slurper1.parseText(response1.getResponseText()) | 0.000s | PASSED |
| 5 | println("**************************************") | 0.010s | PASSED |
| 6 | println("THIS IS THE RESPONSE FROM VALIDATEOTP TEST CASE = " + result1) | 0.000s | PASSED |
| 7 | println("**************************************") | 0.000s | PASSED |

# bValidate_OTPTest

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 8 | value1 = userId | 0.000s | PASSED |
| 9 | userid = value1 | 0.000s | PASSED |
| 10 | println("*****************************************") | 0.000s | PASSED |
| 11 | println("THE USER ID IS GENARATED  = " + userid) | 0.010s | PASSED |
| 12 | println("*****************************************") | 0.000s | PASSED |

# cInsertTripDetailsTest (MI)

## Information

| | |
|---|---|
| ID | Test Cases/cInsertTripDetailsTest (MI) |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-09-04 18:30:55 | End | 2019-09-04 18:30:57 |
| Elapsed | 2.272s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("bvalidate_OTP", ["uniqueToken":uniquetoken, "userId":userid]))<br><br>Send request successfully | 0.914s | PASSED |
| 2 | triPID = toString().toUpperCase() | 0.011s | PASSED |
| 3 | println(triPID) | 0.001s | PASSED |
| 4 | now = new java.util.Date() | 0.007s | PASSED |
| 5 | tiMe = now.format("dd:MM:YYYY-HH:mm:ss +5:30") | 0.014s | PASSED |
| 6 | println(tiMe) | 0.001s | PASSED |

# cInsertTripDetailsTest (MI)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 7 | resp2 = sendRequest(findTestObject("insert_trip_detail", ["uniqueToken":uniquetoken, "userId":userid, "tripid":triPID, "startriptime":tiMe, "startripLocality":startripLocality]))<br><br>Send request successfully | 0.945s | PASSED |
| 8 | slurper2 = new groovy.json.JsonSlurper() | 0.000s | PASSED |
| 9 | result2 = slurper2.parseText(resp2.getResponseText()) | 0.010s | PASSED |
| 10 | println("*************************************") | 0.000s | PASSED |
| 11 | println("THIS IS THE RESPONSE FROM INSERT TRIP DETAILS  TEST CASE = " + result2) | 0.000s | PASSED |
| 12 | println("*************************************") | 0.000s | PASSED |
| 13 | toString().split(triPID, 0) | 0.010s | PASSED |
| 14 | value2 = toString().substring(25, 61) | 0.010s | PASSED |
| 15 | println(value2) | 0.010s | PASSED |

# cInsertTripDetailsTest (MI)

| # | Description | Elapsed | Status |
|---|---|---|---|
| 16 | println("THE TRIP iD IS  = " + value2) | 0.000s | PASSED |