# SMARTINDONASIA_API_SmokeTest

## Execution Environment

| | |
|---|---|
| Host name | Rajesh.Veeranna - VSPLBLRLT0060.visionetsystems.com |
| OS | Windows 7 64bit |
| Katalon version | 6.3.3.11 |
| Browser | |

## Summary

| | |
|---|---|
| ID | Test Suites/SMARTINDONASIA_API_SmokeTest |
| Description | |

| | | | |
|---|---|---|---|
| Total | 2 | | |
| Passed | 1 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-09-23 16:52:16 | End | 2019-09-23 16:52:23 |
| Elapsed | 6.823s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/a.ValidateMobileNumber_Test | | PASSED |
| 2 | Test Cases/aValidate_OTPTest | | FAILED |

# a.ValidateMobileNumber_Test

## Information

| | |
|---|---|
| ID | Test Cases/a.ValidateMobileNumber_Test |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-09-23 16:52:16 | End | 2019-09-23 16:52:20 |
| Elapsed | 3.451s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("aValidate Mobile Number", ["protocal":Endpoint]))<br><br>Send request successfully | 1.860s | PASSED |
| 2 | response = sendRequestAndVerify(findTestObject("aValidate Mobile Number", ["protocal":Endpoint]))<br><br>Send request and verify the response successfully | 0.993s | PASSED |
| 3 | slurper = new groovy.json.JsonSlurper() | 0.011s | PASSED |
| 4 | result = slurper.parseText(response.getResponseText()) | 0.023s | PASSED |
| 5 | println("***************************************") | 0.008s | PASSED |
| 6 | println("THIS IS THE RESPONSE FROM VALIDATEMOBILENUMBER TEST CASE = " + result) | 0.005s | PASSED |

# a.ValidateMobileNumber_Test

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | println("****************************************") | 0.002s | PASSED |
| 8 | value = uniqueTokenCode | 0.019s | PASSED |
| 9 | println(value) | 0.002s | PASSED |
| 10 | uniquetoken = value | 0.002s | PASSED |
| 11 | println("****************************************") | 0.006s | PASSED |
| 12 | println("UNIQ TOKEN ID IS GENARATED  = " + uniquetoken) | 0.004s | PASSED |
| 13 | println("****************************************") | 0.001s | PASSED |

# aValidate_OTPTest

## Information

| | |
|---|---|
| ID | Test Cases/aValidate_OTPTest |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-09-23 16:52:20 | End | 2019-09-23 16:52:23 |
| Elapsed | 3.038s | | |
| Status | FAILED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# aValidate_OTPTest

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("aValidate Mobile Number", ["uniqueToken":uniquetoken, "userId":userid])) | 2.671s | FAILED |

Unable to send request (Root cause: java.net.UnknownHostException: ${protocal}
        at com.kms.katalon.core.webservice.common.RestfulClient.sendRequest (RestfulClient.java:91)
        at com.kms.katalon.core.webservice.common.RestfulClient.send(RestfulClient. java:59)
        at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword$_sendRequest_closure1.doCall(SendRequestKeyword.groovy:42)
        at com.kms.katalon.core.webservice.keyword.builtin. SendRequestKeyword$_sendRequest_closure1.call(SendRequestKeyword.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword (KeywordMain.groovy:68)
        at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. sendRequest(SendRequestKeyword.groovy:38)
        at com.kms.katalon.core.webservice.keyword.builtin.SendRequestKeyword. execute(SendRequestKeyword.groovy:33)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:56)
        at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords.sendRequest (WSBuiltInKeywords.groovy:40)
        at com.kms.katalon.core.webservice.keyword.WSBuiltInKeywords$sendRequest. call(Unknown Source)
        at aValidate_OTPTest.run(aValidate_OTPTest:16)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:337)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:328)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:307)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:299)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:233)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestCaseMainPhase (TestSuiteExecutor.java:169)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:142)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 91)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 157)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1569237733626.run(TempTestSuite1569237733626.groovy:35)
)