# SMARTINDONASIA_API_SmokeTest2

## Execution Environment

| | |
|---|---|
| Host name | Rajesh.Veeranna - VSPLBLRLT0060.visionetsystems.com |
| OS | Windows 7 64bit |
| Katalon version | 6.3.3.11 |
| Browser | |

## Summary

| | |
|---|---|
| ID | Test Suites/SMARTINDONASIA_API_SmokeTest2 |
| Description | |

| | | | |
|---|---|---|---|
| Total | 3 | | |
| Passed | 3 | Failed | 0 |
| Error | 0 | Incomplete | 0 |
| Start | 2019-09-25 19:02:30 | End | 2019-09-25 19:02:36 |
| Elapsed | 5.719s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/a.ValidateMobileNumber_Test | | PASSED |
| 2 | Test Cases/aValidate_OTPTest | | PASSED |
| 3 | Test Cases/z6MobileTracking_Test--ND | | PASSED |

# a.ValidateMobileNumber_Test

## Information

ID      Test Cases/a.ValidateMobileNumber_Test

Description

Tag

Start      2019-09-25 19:02:31      End      2019-09-25 19:02:34

Elapsed      3.586s

Status      PASSED

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("aValidate Mobile Number", ["protocal":Endpoint]))<br><br>Send request successfully | 1.842s | PASSED |
| 2 | response = sendRequestAndVerify(findTestObject("aValidate Mobile Number", ["protocal":Endpoint]))<br><br>Send request and verify the response successfully | 1.210s | PASSED |
| 3 | slurper = new groovy.json.JsonSlurper() | 0.010s | PASSED |
| 4 | result = slurper.parseText(response.getResponseText()) | 0.021s | PASSED |
| 5 | println("****************************************") | 0.009s | PASSED |
| 6 | println("THIS IS THE RESPONSE FROM VALIDATEMOBILENUMBER TEST CASE = " + result) | 0.003s | PASSED |

# a.ValidateMobileNumber_Test

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | println("*****************************************") | 0.001s | PASSED |
| 8 | value = uniqueTokenCode | 0.008s | PASSED |
| 9 | println(value) | 0.001s | PASSED |
| 10 | uniquetoken = value | 0.001s | PASSED |
| 11 | println("*****************************************") | 0.002s | PASSED |
| 12 | println("UNIQ TOKEN ID IS GENARATED  = " + uniquetoken) | 0.002s | PASSED |
| 13 | println("*****************************************") | 0.001s | PASSED |

# aValidate_OTPTest

## Information

ID Test Cases/aValidate_OTPTest

Description

Tag

Start 2019-09-25 19:02:34 End 2019-09-25 19:02:35

Elapsed 0.993s

Status PASSED

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("aValidate OTP", ["uniqueToken":uniquetoken, "userId":userid]))<br><br>Send request successfully | 0.338s | PASSED |
| 2 | response1 = sendRequest(findTestObject("aValidate Mobile Number"))<br><br>Send request successfully | 0.336s | PASSED |
| 3 | slurper1 = new groovy.json.JsonSlurper() | 0.001s | PASSED |
| 4 | result1 = slurper1.parseText(responseBodyContent) | 0.001s | PASSED |
| 5 | println("**************************************") | 0.002s | PASSED |
| 6 | println("THIS IS THE RESPONSE FROM VALIDATEOTP TEST CASE = " + result1) | 0.001s | PASSED |
| 7 | println("**************************************") | 0.001s | PASSED |

# aValidate_OTPTest

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 8 | value1 = userId | 0.001s | PASSED |
| 9 | userid = value1 | 0.001s | PASSED |
| 10 | println("****************************************") | 0.000s | PASSED |
| 11 | println("THE USER ID IS GENARATED  = " + userid) | 0.001s | PASSED |
| 12 | println("****************************************") | 0.002s | PASSED |

# z6MobileTracking_Test--ND

## Information

| | |
|---|---|
| ID | Test Cases/z6MobileTracking_Test--ND |
| Description | |
| Tag | |

| | | | |
|---|---|---|---|
| Start | 2019-09-25 19:02:35 | End | 2019-09-25 19:02:36 |
| Elapsed | 0.744s | | |
| Status | PASSED | | |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | sendRequest(findTestObject("z1Mobile Tracking---ND", ["uniqueToken":uniquetoken, "userId":userid, "createdDatE":createdDatE[0], "ctiD":ctiD[0], "submittedDatE":submittedDatE[0]]))<br><br>Send request successfully | 0.206s | PASSED |
| 2 | responsey = sendRequest(findTestObject("z1Mobile Tracking---ND", ["uniqueToken":uniquetoken, "userId":userid, "createdDatE":createdDatE[0], "ctiD":ctiD[0], "submittedDatE":submittedDatE[0]]))<br><br>Send request successfully | 0.192s | PASSED |
| 3 | slurperz = new groovy.json.JsonSlurper() | 0.000s | PASSED |
| 4 | resultz = slurperz.parseText(responsey.getResponseText()) | 0.000s | PASSED |
| 5 | println("***************************************") | 0.000s | PASSED |
| 6 | println("THIS IS THE RESPONSE FROM MOBILE APP VERSION TEST CASE = " + resultz) | 0.000s | PASSED |

# z6MobileTracking_Test--ND

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|
| 7 | println("****************************************") | 0.010s | PASSED |