



The screenshot shows the MedPlus software interface. At the top, there's a menu bar with 'File', 'Home', and 'View'. Below it is a toolbar with various icons for editing and drawing. The main window displays a list of medications on the left and a form for adding a new medication on the right. The list includes 'folic acid 0.8 mg-vit B comp with C-zinc-vitamin D3 2,000 u...' and 'folic acid 1 mg tablet || vitamins - Folic Acid and Derivative...'. The form shows 'Dose: 0.8-2,000', 'Med Unit: mg-unit', 'Dosage Form: tablet', and 'Frequency: DAILY'. Red annotations highlight the medication list and the form fields.


in medication filed **ane** dropDownm lo im select 4th one folic acid 0.8

manam select cheskuna dropDown lo ye ye fileds vuntayo vatini
matram manam patch cheskovachu


P.T.O


[illegible]








Example:2





Behaviour subject





Data:

1

```
(5) [(-), (-), (-), (-), (-)]
0: {testLoinc: '101', testName: 'Body Fluid LDH', testPanelName: 'Body F
1: {testLoinc: '102', testName: 'Body Fluid LDH', testPanelName: 'Body F
2: {testLoinc: '103', testName: 'Body Fluid LDH', testPanelName: 'Body F
3: {testLoinc: '104', testName: 'Abs Eos Manual', testPanelName: 'Abs Eo
4: {testLoinc: '105', testName: 'Abs Eos Manual', testPanelName: 'Abs Eo
```

groupOf arrays so use map or forEach now u will get inside to it again inside u have object so use ele.resultData again inside that u have array's so use ele.resultData.forEach

2

```
this.data.map((ele,i)=>{})
ele.resultData.forEach((ele,i)=>{})
```

multiple arrays so we use forEach to loop

3

```
filterData:any;
dataneded:any=[]
requiredData():void{
  this.filterData=this.allData.map((ele,i)=>{
    ele.resultData.forEach((data)=>{
      if(data){
        this.dataneded.push(data)
      }
    })
  })
  console.log(this.dataneded,'filtered data')
}
```

4

```
(8) [(-), (-), (-), (-), (-), (-), (-), (-)]
0: {
  labName: "vijaya"
  labTestDate: "2025-07-04T18:32:00"
  observationDateTime: "07/04/25 6:37:00 PM"
  patientResultId: 301
  result: "good"
  specimen: "Body fluid, unsp"
  treatmentId: 201
  [[Prototype]]: Object
  1: {patientResultId: 302, labTestDate: '2025-07-05T19
  2: {patientResultId: 303, labTestDate: '2025-07-05T18
```

P.T.O

finding result = 'ok'

```
category: "Chemistry"
isPanel: false
resultsData: Array(3)
0: {
  labName: "vijaya"
  labTestDate: "2025-07-05T18:32:00"
  observationDateTime: "07/04/25 7:34:00 PM"
  patientResultId: 303
  result: "ok"
  specimen: "Body fluid, unsp"
  treatmentId: 202
  [[Prototype]]: Object
  1: {patientResultId: 304, labTestDate: '2025-07-05T19:
  2: {patientResultId: 305, labTestDate: '2025-07-05T19:
  length: 3
  [[Prototype]]: Array(0)
  testLoinc: "102"
```

result==='ok' vuna objects matrame vastai mana dantlo total 3 vuani

total 3 vunai "ok" ani

```
filterData:any;
dataneded:any=[] empty []
requiredData():void{
  this.filterData=this.allData.map((ele,i)=>{
    ele.resultData.forEach((data)=>{
      if(data?.result==='ok'){
        this.dataneded.push(data)
      }
    })
  })
  console.log(this.dataneded,'filtered data')
}
```

Map and forEach

The screenshot displays a web browser window with the URL `jsplayground.dev`. The page contains JavaScript code and a console output area. The code defines an array `data` and demonstrates the use of `forEach` and `map` methods.

```
1 const data = [
2   { patientResultItemsId: 61, patientResultId: 53, testDesc: "Body Fluid LDH" },
3   { patientResultItemsId: 62, patientResultId: 54, testDesc: "Body Fluid LDH" },
4   { patientResultItemsId: 65, patientResultId: 55, testDesc: "Abs Eos Manual" }
5 ];
6 console.log(data);
7 //forEach will not create new Array -> return is not required for forEach
8
9 const forEachData = data.forEach((ele, index) => {
10   console.log(ele.patientResultId);
11 });
12 //map will create new Array -> return is required for map
13
14 const mapData = data.map((ele, index) => {
15   return ele.testDesc;
16 });
17 console.log(mapData);
```


The console output shows the following results:

- Line 6: `[3] [Object, Object, Object]` (expanding to show the three objects in the `data` array)
- Line 10: `53`, `54`, `55` (the `patientResultId` values from the `forEach` loop)
- Line 17: `[3] ["Body Fluid LDH", "Body Fluid LDH", "Abs Eos Manual"]` (the `testDesc` values from the `map` method)


Below the browser window, a Paint application is open, showing a diagram with red boxes and arrows. The diagram highlights the following code elements:

- `forEach and map()` (circled in red)
- `console.log(data)` (boxed in red)
- `forEach()` (boxed in red)
- `map()` (boxed in red)

Arrows point from these boxes to the corresponding console output, illustrating the flow of data and the results of the methods.



Example :2



Some()

JavaScript

```
1 const data = [
2   {
3     category: "Chemistry",
4     isPanel: false,
5     resultsData: [
6       { patientResultItemsId: 1, patientName: "ramesh", testDesc: "Body Fluid" },
7       { patientResultItemsId: 2, patientName: "suresh", testDesc: "Body Fluid" },
8       { patientResultItemsId: 3, patientName: "somes", testDesc: "Abs Eos" }
9     ]
10  };
11 ];
12 const res = data.map(ele => {
13   return {
14     ...ele,
15     isRameshPresent: ele.resultsData.some(item => item.patientName === 'ramesh'),
16     isRajeshPresent: ele.resultsData.some(item => item.patientName === 'rajesh')
17   };
18 });
19 console.log(res);
```

some() : returns boolean value
It checks if atLeast one element in the array SATISFY (a condition).
If(satisfy) then returns TRUE : else False

variableName anyName u can give

isRameshPresent: true
isRajeshPresent: false

P.T.O. Activate Windows

JavaScript

```
1 const data = [
2   { patientResultItemsId: 61, patientName: "ramesh", testDesc: "Body Fluid" },
3   { patientResultItemsId: 62, patientName: "suresh", testDesc: "Body Fluid" },
4   { patientResultItemsId: 65, patientName: "somes", testDesc: "Abs Eos" }
5 ];
6 console.log(data);
7
8 const hasRamesh = data.some(ele => ele.patientName === "ramesh");
9 const hasRajesh = data.some(ele => ele.patientName === "rajesh");
10
11 console.log('is Ramesh present', hasRamesh);
12 console.log('is Rajesh present', hasRajesh);
13
```

is Ramesh present true
is Rajesh present false

Go to Settings to activate Windows.
Activate Windows

isEvery():

every(): if every element satisfy then only it returns TRUE else FALSE

```
1 const data = [
2   {
3     category: "Chemistry",
4     isPanel: false,
5     resultsData: [
6       { patientResultItemsId: 1, patientName: "ramesh", testDesc: "Body Fluid" },
7       { patientResultItemsId: 2, patientName: "suresh", testDesc: "Body Fluid" },
8       { patientResultItemsId: 3, patientName: "somesesh", testDesc: "Abs Eos" }
9     ]
10  };
11 ];
12 const res = data.map(ele => {
13   return {
14     ...ele,
15     isRameshPresent: ele.resultsData.every(item => item.patientName === 'ramesh'),
16     // isRajeshPresent: ele.resultsData.some(item => item.patientName === 'rajesh')
17   };
18 });
19 console.log(res);
```

(1) [Object]
0: Object
 category: "Chemistry"
 isPanel: false
 resultsData: (3) [Object, Object, Object]
 0: Object
 patientResultItemsId: 1
 patientName: "ramesh"
 testDesc: "Body Fluid"
 1: Object
 2: Object
 isRameshPresent: false

NGRX Rsk helpline

#Angular NgRx #00 Agenda || #RSKHelpline

Agenda

1. Introduction to NgRx State Management
2. Understanding Redux Pattern Structure
3. How to store State, Actions and Reducers
4. Implementing Counter Application WITHOUT NgRx
5. Implementing Counter Application WITH NgRx
6. Refactoring Store State using Async Pipe for selecting observable state data.
7. Passing Custom Data using Props in Actions
8. Disadvantages of NOT using Create Selectors for selecting the store data in NgRx
9. Using CreateFeatureSelector and createSelector for getting the store data
10. Implementing Routing for the State Management.

1:04 / 5:57

Agenda



11. Install Redux Chrome Extension and NgRx Store dev tools for debugging Angular NgRx Application
12. Combining all the different modules of the state into a Single AppState.
13. Implement the AppState in Angular NgRx Application by combining all the Feature States.
14. Getting Async Data from NgRx Store using createSelector and Display it in a table.
15. Create Reactive Form for adding Post and apply validations using Child Routing.
16. Adding Posts into the NgRx State submitted by the Form.
17. Props in NgRx Selectors – Sending Arguments to the state selectors for Updating Post.

Activate Windows
Go to Settings to activate Windows.



#Angular NgRx #00 Agenda || #RSKHelpline

Agenda



18. Update Post in NgRx store immutable with actions in Angular NgRx.
19. Delete Post in the NgRx Store State.
20. Implement Lazy Loading for the routes in Angular NgRx Application.
21. Lazy load the NgRx State using Feature Store Module.
22. Design Auth Login Module.
23. NgRx Effects Library Introduction – Manage HTTP Calls with Effects.
24. How to define the NgRx Effect file
25. Adding Auth Feature State for the Auth Module
26. Implementing our First Effects file in Angular NgRx Application
27. Save the User Token Data from Login
28. Implement Shared Loading Spinner Component in NgRx Shared State

Go to Settings to activate Windows.



2:48 / 5:57



Agenda

29. Implement Error Handling in NgRx Effects and showing Error Message when API Fails.
30. Navigating the page using routes with effects
31. Create Signup Form and NgRx Actions
32. Adding Signup Effects to make API Call and Saving the user token in NgRx State.
33. Implement Auto Login Functionality in the NgRx State.
34. Implement Auto Logout Functionality in the NgRx State.
35. Getting Posts data from Backend HTTP API Call by using Posts Effects
36. Adding Post data by making HTTP Post API call by using Effects
37. Update and Delete Posts Data with NgRx State Management.

3:28 / 5:57

Agenda

38. Implement Auth User Token for HTTP API calls using HTTP Interceptors
39. Access NgRx State in CanActive Route Guard for protecting Routes
40. Fixing the logout bug to prevent multiple HTTP Calls.
41. Introducing to NgRx Router Store
42. Implementing Custom Serializer in NgRx Router to store only minimal data in Router State
43. Use Router State Params in the selectors to get single post data
44. Using NgRx Store in the Effects to get the post Data
45. Introduction to NgRx Entity
46. Implementing CRUD Operations for posts with NgRx Entity Adapter Methods.

4:10 / 5:57

Agenda

47. NgRx Entity Selector Adapter methods
48. Remove Unwanted HTTP Calls
49. NgRx Entity Configuration sort comparer
50. Introduction to NgRx Data – Simplify Entity Store, Effects and Actions
51. Setup New Project for NgRx data
52. Create a service class for the NgRx Data by Extending EntityCollectionServiceBase Class.
53. Create a Default Data Service to override the methods to make custom HTTP Calls
54. Get the data from the Store using Entities \$ method with NgRx data without HTTP Call

Activate Windows

Go to Settings to activate Windows.

4:47 / 5:57

Agenda

55. Implement the Add Post Form using NgRx Data
56. Update Post Details using NgRx Data with Custom Update Service Entity
57. Delete Post Data using NgRx Data – Understanding Optimistic and Pessimistic Update and Delete
58. Show the Single Post Details using NgRx Data
59. Use NgRx Data in the Lazy loaded modules
60. Conclusion and Discussions.



RSK Helpline



Activate Windows

Go to Settings to activate Windows.

5:29 / 5:57

#Angular #NgRx in Telugu #01 Introduction to NgRx || #RSKHelpline

What is NgRx?

$$\text{RxJS} + \text{Redux} = \text{NgRx}$$

RxJS: for handling Observables
Redux is basically a global state management library taken from **REACT**.

NgRx (Reactive State for Angular)

- NgRx is a framework for building reactive applications in Angular.
- NgRx provides libraries for:
 - Managing global and local state.
 - Isolation of side effects to promote a cleaner component architecture.
 - Entity collection management.
 - Integration with the Angular Router.
 - Developer tooling that enhances developer experience when building many different types of applications.

Slide 9 of 17 | English (United States) | 2:57 / 25:28

Slide 11 of 17 | English (United States) | 10:02 AM 3/4/2021

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

Why NgRx?

- To develop any large-scale complex Angular Application, We must follow and maintain a good structure.
- Very much **care** should be taken with respect to Component Interaction(Reactive State).
- NgRx Plays vital role in the management of State and Interaction with Application(Interaction among components) with corresponding state.

Click to add notes

Slide 12 of 17 English (United States) Notes Comments 10:03 AM 3/4/2021

Activate Windows
Go to Settings to activate Windows.

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

NgRx (Reactive State for Angular)

- "State" term includes both the **state of UI** and the **state of variables in your code**.
- In Angular or other modern JS frameworks, each component has its own state and a component has no idea about the other components' states unless we make enable the data flow between components. We use **@Input** and **@Output** decorators to pass information between parent and child components

Click to add notes

Slide 13 of 17 English (United States) Notes Comments 10:06 AM 3/4/2021

Activate Windows
Go to Settings to activate Windows.

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

State Management

- We should mention about Redux at this point.

There are three core principles in Redux architecture;

1. **Single Store:** state of the application should be stored in a single "store". Store is the only responsible in providing data to components. **Data flows between component and Store instead of component-to-component.**
2. **Read-only state:** state should be read-only or immutable. To change the state, new action should be emitted.
3. **Pure function reducers:** Reducers take the current state and an action and return next state. Reducers should not take any other parameters outside the function.

Click to add notes

Activate Windows
Go to Settings to activate Windows.

Slide 14 of 17 English (United States)

Type here to search

Notes Comments

10:09 AM 3/4/2021

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

#Angular #NgRx in Telugu #01 Introduction to NgRx || #RSKHelpline

Click to add notes

Activate Windows
Go to Settings to activate Windows.

Slide 15 of 17 English (United States)

Type here to search

Notes Comments

18:39 / 25:28

100%

3/4/2021

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Format Tell me what you want to do

Thumbnails

- Another important point of Redux is that all data in the application flows only one-way, in other words data flow is **unidirectional**.
- Data flow in an application can be seen from the figure below.
- 1. Component dispatches an action
- 2. Reducer(The reducer is the core element in the store and it is the responsible for changing the state) in the store takes the action and produces a new state
- 3. New state pass to the component from Store.

Click to add notes

Activate Windows. Go to Settings to activate Windows.

Slide 16 of 17 English (United States)

Type here to search

Notes Comments

10:17 AM 3/4/2021

#Angular #NgRx in Telugu #02 Redux Pattern || #RSKHelpline

What is Redux?

- **REDUX** is a reactive state management library developed by **Facebook** and used for developing JavaScript Applications.

Click to add notes

Slide 18 of 24 English (United States)

0:47 / 13:23

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

Thumbnails



We need to keep different parts of UI are in Sync. That means, If any change occurs in one part of UI, the same thing must immediately update and reflect the changes in other parts of UI.

Click to add notes

Activate Windows
Go to Settings to activate Windows.

Slide 20 of 24 English (United States)

Type here to search

Notes Comments

6:00 PM 3/5/2021

NgRx.pptx - PowerPoint


#Angular #NgRx in Telugu #02 Redux Pattern || #RSKHelpline

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

Thumbnails

State Management Solutions

- Facebook encounters this issue in 2014, and came with **FLUX** architecture pattern.
- Redux is inspired by FLUX, and become popular due to its simplicity.



Click to add notes

Activate Windows

Slide 21 of 24 English (United States)

Type here to search

Notes Comments

5:28 / 13:23

100%

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

State Management Solutions

How/ Why / When / Where



Click to add notes

Activate Windows
Go to Settings to activate Windows.

Slide 22 of 24 English (United States)

Type here to search

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Format Tell me what you want to do

The **REDUX** pattern allows us to know:

- What is the status of my application at this time?
- What value does a variable have?
- Who changed that variable or some other variable?
- How did the information change, at what time and other information related to the status of the application?

Click to add notes

Activate Windows
Go to Settings to activate Windows.

Slide 23 of 24 English (United States)

Type here to search

Notes Comments

6:05 PM 3/5/2021



#Angular #NgRx in Telugu #03 Store Actions Reducer in NgRx || #RSKHelpline

#03 State, Actions, Reducers In NgRx

Angular NgRx In Telugu

so state lo manaki key's anevi unique vundali and manam change ceyali ante values ni change cheskovachu gani keys ni change cheskolemu

```
1 const state = {
2   user: {
3     email: 'rskhelpline@gmail.com',
4     password: '1234'
5   },
6   products: [
7     {
8       id: 1,
9       title: "Product-1",
10      description: 'P1 Description'
11    },
12    {
13      id: 2,
14      title: "Product-2",
15      description: 'P2 Description'
16    }
17  ]
18 }
```



#Angular #NgRx in Telugu #04 Change Detection Strategy in Angular || #RSKHelpline

www.youtube.com - To exit full screen, press Esc

Change Detection Strategy

Change Detection Process :

Generally Angular Identifies the data changes in the component and update the specific view of the component with latest updated values. This process is known as "**Change Detection Process**"

Angular runs this Change Detection Process automatically when some changes happened in the component.

Ex: Data may change.....

1. Events like mouse click, keyUp, KeyDown....
2. Http requests like http.post()
3. Timers like setTimeout(), setInterval()

Slide 34 of 34 English (United States) 0:36 / 32:06

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do


Change Detection Strategy

- For any data changes, change detection process starts with the root component and then goes through to the child components until it reaches the last child component.

Slide 27 of 34 English (United States) 7:06 AM 3/7/2021

NgRx.pptx - PowerPoint

Change Detection Strategy



```
graph TD; AppComponent[App Component] --> Component1[Component-1]; AppComponent --> Component2[Component-2]; Component1 --> Component3[Component-3]; Component1 --> Component4[Component-4]; Component2 --> Component5[Component-5]; Component2 --> Component6[Component-6]; Component3 --> Component7[Component-7]; Component3 --> Component10[Component-10]; Component4 --> Component8[Component-8]; Component6 --> Component9[Component-9]; Component6 --> Component11[Component-11]; Component6 --> Component12[Component-12];
```

Click to add notes


Slide 28 of 34 English (United States)

7:06 AM 3/7/2021

Activate Windows
Go to Settings to activate Windows.

Change Detection Strategy

- Even for the single property change, the change detector traverse through whole component tree which cause performance issues when application has hundreds and thousands of components.



```
graph TD; AppComponent[App Component] --> Component1[Component-1]; AppComponent --> Component2[Component-2]; Component1 --> Component3[Component-3]; Component1 --> Component4[Component-4]; Component2 --> Component5[Component-5]; Component2 --> Component6[Component-6]; Component3 --> Component7[Component-7]; Component3 --> Component10[Component-10]; Component4 --> Component8[Component-8]; Component6 --> Component9[Component-9]; Component6 --> Component11[Component-11]; Component6 --> Component12[Component-12];
```

- This process can be controlled by setting the change detection strategy and we can instruct the angular; when change detection should run for the component and it's children.

Click to add notes

Slide 29 of 34 English (United States)

7:07 AM 3/7/2021

Activate Windows
Go to Settings to activate Windows.

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

Types of Change Detection Strategy

Two types of Change Detection Strategies:

- ChangeDetectionStrategy.Default
- ChangeDetectionStrategy.OnPush

Click to add notes

Slide 30 of 34 English (United States)

Activate Windows
Go to Settings to activate Windows.

7:08 AM 3/7/2021

Change Detection Strategy

- **Default:**
Angular makes no assumptions and checks every time something is changed even the component doesn't depend on changed value. This is called as "**Dirty Checking**"
- **OnPush:**
Instruct the angular to run the change detection when change in the input reference, some events triggered by itself(component) or one of its children.
This can be set by component decorator at component level.

```
@Component({  
  changeDetection: ChangeDetectionStrategy.OnPush  
})
```

Click to add notes

Slide 31 of 34 English (United States)

Activate Windows
Go to Settings to activate Windows.

7:09 AM 3/7/2021

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

ChangeDetectorRef

- Every time there is a change in the app, Angular will perform `ChangeDetectorRef` on all the components.

Methods:

`markForCheck():`
When a view uses the `OnPush (checkOnce)` change detection strategy, explicitly marks the view as changed so that it can be checked again.

`detach():`
Detaches this view from the change-detection tree. A detached view is not checked until it is reattached. Use in combination with `detectChanges()` to implement local change detection checks.

Slide 32 of 34 English (United States) Notes Comments 7:25 AM 3/7/2021

Click to add notes

Activate Windows
Go to Settings to activate Windows.

NgRx.pptx - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

ChangeDetectorRef

`detectChanges():`
Checks this view and its children.

`reattach():`
Re-attaches the previously detached view to the change detection tree.

Slide 33 of 34 English (United States) Notes Comments 7:25 AM 3/7/2021

Click to add notes

Activate Windows
Go to Settings to activate Windows.

#Angular #NgRx in Telugu #06 Counter App With NgRx Store II #RSKHelpline

Installing @ngrx/store

```
npm install @ngrx/store --save
```

Click to add notes

1:17 / 19:14

Explorer: COUNTERAPP > counter-actions, counter-display, counter-parent, Store > counterState.ts

```
src > app > Store > TS counterState.ts > @ngrx/store > Counter
```

```
1 export const initialState = {  
2   Counter: 0  
3 }
```



redux pattern lo manaki 3 steps vuntai



1. create state
2. write Actions and
3. define Reducer


Activate Windows
Go to Settings to activate Windows

Type here to search


Result 14:53 15-07-2025







Local storage



demo.html U x TS demo.ts U

```
my-angular-app > src > app > Components > demo > demo.html > ...  
14  
15  
16 <button class="btn btn-danger" (click)="localStorage()">LocalStorage</button>  
17 <button class="btn btn-primary" (click)="getData()">getDataFromStorage</button>
```

48
49 let data={id:1,'name':'localStorage'}
50
51 localStorage.setItem('rajesh',JSON.stringify(data))
52 }
53
54 getData(){
55 let data=localStorage.getItem('rajesh')
56 alert(data)
57 }

names must be same

setItem() is used to setData into LocalStorage
getItem() is used to getData form LocalStorage

P.T.O to see op

localhost:4940 says
{"id":1,"name":"localStorage"}
OK

LocalStorage getDataFromStorage

Application

Storage


Local storage
http://localhost:4940

http://localhost:4940

Origin http://localhost:4940

Key	Value
rajesh	{"id":1,"name":"localStorage"}

P.T.O to see about parse()



Array code:

```

[
  {
    "testLoinc": "101",
    "testName": "Body Fluid LDH",
    "testPanelName": "Body Fluid LDH",
    "category": "Chemistry",
    "isPanel": false,
    "resultsData": [
      {
        "patientResultId": 301,
        "labTestDate": "2025-07-04T18:32:00",
        "result": "good",
        "specimen": "Body fluid, unsp",
        "observationDateTime": "07/04/25 6:37:00 PM",
        "labName": "vijaya",
        "treatmentId": 201
      },
      {
        "patientResultId": 302,
        "labTestDate": "2025-07-05T19:37:00",
        "result": "good",
        "specimen": "rammki fluid",
        "observationDateTime": "07/04/25 7:39:00 PM",
        "labName": "rajii",
        "treatmentId": 202
      }
    ]
  },
  {
    "testLoinc": "102",
    "testName": "Body Fluid LDH",
    "testPanelName": "Body Fluid LDH",
    "category": "Chemistry",
    "isPanel": false,
    "resultsData": [

```

```

{
  "patientResultId": 303,
  "labTestDate": "2025-07-05T18:32:00",
  "result": "ok",
  "specimen": "Body fluid, unsp",
  "observationDateTime": "07/04/25 7:34:00 PM",
  "labName": "vijaya",
  "treatmentId": 202
},
{
  "patientResultId": 304,
  "labTestDate": "2025-07-05T19:37:00",
  "result": "bad",
  "specimen": "redmi",
  "observationDateTime": "07/04/25 7:39:00 PM",
  "labName": "loke",
  "treatmentId": 203
},
{
  "patientResultId": 305,
  "labTestDate": "2025-07-05T19:37:00",
  "result": "ugly",
  "specimen": "mukesh fluid",
  "observationDateTime": "07/04/25 7:39:00 PM",
  "labName": "mukiii",
  "treatmentId": 203
}
]
},
{
  "testLoinc": "103",
  "testName": "Body Fluid LDH",
  "testPanelName": "Body Fluid LDH",
  "category": "Chemistry",
  "isPanel": false,
  "resultsData": [
    {
      "patientResultId": 306,
      "labTestDate": "2025-07-06T18:32:00",
      "result": "ok",
      "specimen": "Body fluid, unsp",
      "observationDateTime": "07/04/25 7:36:00 PM",
      "labName": "vijaya",
      "treatmentId": 203
    }
  ]
},
{
  "testLoinc": "104",
  "testName": "Abs Eos Manual",
  "testPanelName": "Abs Eos Manual",
  "category": null,
  "isPanel": false,
  "resultsData": [
    {
      "patientResultId": 307,
      "labTestDate": "2025-07-04T19:37:00",

```

```

    "result": "ok",
    "specimen": "Amniotic fluid",
    "observationDateTime": "07/04/25 7:39:00 PM",
    "labName": "Mahi",
    "treatmentId": 204
  }
],
{
  "testLoinc": "105",
  "testName": "Abs Eos Manual",
  "testPanelName": "Abs Eos Manual",
  "category": null,
  "isPanel": false,
  "resultsData": [
    {
      "patientResultId": 308,
      "labTestDate": "2025-07-05T19:37:00",
      "result": "not good",
      "specimen": "Amniotic fluid",
      "observationDateTime": "07/04/25 7:39:00 PM",
      "labName": "Mahi",
      "treatmentId": 205
    }
  ]
}
]

```

LifeCycleHooks by RskHelpline

#Angular10 in Telugu #59 Component Life Cycle Hooks in #Angular10 in Telugu || RSK Helpline

Component 8 Lifecycle hooks

1. ngOnChanges()
2. ngOnInit()
3. ngDoCheck()
4. ngAfterContentInit()
5. ngAfterContentChecked()
6. ngAfterViewInit()
7. ngAfterViewChecked()
8. ngOnDestroy()

Slide 213 of 214 English (United States) 2:31 / 55:09

Angular 10 - PowerPoint

File Home Insert Design Transitions Animations Slide Show Review View Help Tell me what you want to do

Why?

- Some data might be change while we do some operations .
- We want to Some data be load while the component is created.
- If component get changes, other components should get that latest updated information.

Slide 214 of 225 English (United States)

Notes Comments

6:15 AM 11/16/2020

Activate Windows Go to Settings to activate Windows.

File Home View

Clipboard Image Tools Shapes

Color 1 Color 2 Colors Edit colors Edit with Paint 3D

1. ngOnChanges()

edi ngOnInit() kante mude e hook call avtundi page load avvagane 1st load ayye hook ede dini tarvte ngOnInit() call avtundi
note: input lo edina changes ainpuudu edi call avtundi

- Angular calls the **ngOnChanges()** method of a component or directive **whenever it detects changes to the input properties.**
- It is called first time before **ngOnInit()**.

Note: If your component has no inputs or you use it without providing any inputs, the framework will not call ngOnChanges().

623, 124px 1366 x 768px 100% 10:20 17-07-2025


2. ngOnInit()

- Called once, after the first ngOnChanges() method.
- It is used to initialize data in the component.
- Added to every component by default by Angular CLI.
- It is called only ONCE.

3. ngDoCheck()

edi ngOnChanges() tarvate call avtundi and konni koni sarlu ngOnChanges() anedi changes ni identify ceyadu at that time manam explicit ga changes ni find ceyali danikosame e ngDoCheck() ni use chestam

- Called immediately after ngOnChanges().
- To monitor changes that occur where, ngOnChanges() won't catch them.
- You can implement your own change check.
- That means, You can use ngDoCheck() hook to detect and act upon changes that Angular doesn't catch on its own.




8. ngOnDestroy()


- Used to cleanup any unnecessary code when a component is removed from DOM.
- Mostly it used to unsubscribe from things like services.
- Called only once just before component is removed from the DOM.



Commonly Most used hooks are:

- ngOnChanges()
- ngOnInit()
- ngAfterViewInit()
- ngOnDestroy()



Example for ngOnChanges()





Falcon images

MyAngularApp x JavaScript Array Methods - x @ng-select/ng-select - npm x Rajesh Inquiry Clarification x Falcon x + -

Not secure 192.168.20.107/#/Home/Patient/add-patient?patientId=0&moduleId=28&pageId=28&moduleMnemonic=PAT&pageMnemonic=AddPa&sideBarMn...

FALCON

Anjan, Reddy (Licensed/Prescriber)

Home +

Patient -

Patients

Create Visit

Patient Merge

Add Patient

Customization +

Dashboard +

Reports +

Messages +

Pharmacy +

Settings +

Diet Orders +

Room Controller +

Charge Master +

Support +

V: 5.0.0

Home / Add Patient

Search By None Search

Select Location Chirala

Print + Phar... Export

Patient Other Info Parent Insurance Uploads Payment Expired-Info

Prefix Last Name* First Name* Middle Name Suffix

Preferred Name Date of Birth* Age SSN

Marital Status *

Gender* Other Decline Gender Decline GI Gender Identity* Genderqueer, neither exclusively male nor ... Decline SO Sexual Orientation* Bisexual

Cell Number E-Mail Driving License No

Education Primary Physician Referral Source hayan.haymayaa test

Current Or Temporary Address Information

Living From Living To

Address Use* Current Or Temporary Address1* Address2

City* State* Country* Country is required Activate Windows Go to Settings to activate Windows.

Zip* County/Parish Code

Retirement Date Basic Occupation Occupation Industry

Tax ID Patient Employer Employment Self

Home Phone Information

Phone Number Type* Home Phone Telcom Use Code Telcom Equip Type

Home Phone* Ext Country Codes Fax

Give Phone Instructions Local Contact

Other Information

Decline Race Race* Granual Races Multiple Births Birth Order

Decline Ethnicity Ethnicity* Granual Ethnicity Tribal: Yes No

Decline PL Preferred Language* Language Proficiency Private: Yes No

Clear Save

Type here to search

33°C Mostly cloudy 17:18 16-07-2025

MyAngularApp | JavaScript Array Methods | @ng-select/ng-select - npm | Rajesh Inquiry Clarification | Falcon

192.168.20.107/#/Home/Dashboard/ersections/medications?moduleMnemonic=PD&pageMnemonic=CM&filterIndex=100&locationId=1&patientId...

FALCON

Anjan, Reddy (Licensed/Prescriber)

LICENSED/PREScriBER

Home

Patient

Customization

Dashboard

Emergency Dashboard

Out Patient Dashboard

In Patient Dashboard

Nurse Dashboard

Reports

Messages

Pharmacy

Settings

Diet Orders

Room Controller

Charge Master

Support

PATIENT

John, M70

Gender: DOB: Code: Room: NA Attn Pty: Allergies:

MRN: 777215 (ER) Visit: 105483 Admit: 07/16/2025 Isolation: Height: Weight: BMI: AI-Chat CDS DSI

Present Medications

None

Medication* Dose Med Unit Units per Dose Dosage Fo...

Frequency* Route Source

Prescriber Duration Start date Stop date

Note

Status: true StartDate: 07/16/2025 13:20:00 Prescription By: Anjan, Reddy

Discontinue

33°C Mostly cloudy 17:20 16-07-2025

MyAngularApp | JavaScript Array Methods | @ng-select/ng-select - npm | Rajesh Inquiry Clarification | Falcon

192.168.20.107/#/Home/Dashboard/ersections/ordersets?moduleMnemonic=PD&pageMnemonic=CPOE&filterIndex=100&locationId=1&patientId...

FALCON

Anjan, Reddy (Licensed/Prescriber)

LICENSED/PREScriBER

Home

Patient

Customization

Dashboard

Emergency Dashboard

Out Patient Dashboard

In Patient Dashboard

Nurse Dashboard

Reports

Messages

Pharmacy

Settings

Diet Orders

Room Controller

Charge Master

Support

PATIENT

John, M70

Gender: DOB: Code: Room: NA Attn Pty: Allergies:

MRN: 777215 (ER) Visit: 105483 Admit: 07/16/2025 Isolation: Height: Weight: BMI: AI-Chat CDS DSI

CPOE

Existing Orders Assign Orders HLT

Existing Orders (0) Unsigned Orders (3) Add Non-Formulary Order Add New Order Complete Pending Cancel Future Complete Cancel Ensign

Select Operator Less Than Order Date 07/16/2025 Search order

#Order Id	Order	Category Name	Frequency	Priority	Consultant Name	Ordered By	Order Date	Del...
90068	ACEPHEN 120 MG SUPPOSITORY	Medications	DAILY		Anjan, Reddy	Anjan, Reddy	07/16/2025	
90069	ACETYLCOSTEINE 20% VIAL (NOT FOR INJ)	Medications	DAILY		Anjan, Reddy	Anjan, Reddy	07/16/2025	
90070	acetylcysteine 500 mg-AA 5-multivitamin-folic	Medications	QID		Anjan, Reddy	Anjan, Reddy	07/16/2025	

Activate Windows Go to Settings to activate Windows

33°C Mostly cloudy 17:21 16-07-2025

MyAngularApp | JavaScript Array Methods | @ng-select/ng-select - npm | Rajesh Inquiry Clarification | Falcon

192.168.20.107/#/Home/Dashboard/ersections/ordersets?moduleMnemonic=PD&pageMnemonic=CPOE&filterIndex=100&locationId=1&patientId=...

FALCON

Anjan, Reddy (Licensed/Prescriber)

Home / Emergency Dashboard / John, M70

Search | Select Location Chirala | A- A+ | (1 of 25)

John, M70 | Gender: | DOB: | Code: | Room: NA | Attn Ptry: | Allergies: | MRN: 777215 (ER) | Visit: 105483 | Admit: 07/16/2025 | Isolation: | Height: | Weight: | BMI: | AI-Chat | CDS | DSI | (1 of 25)

LICENSEDPRESCRIBER

Home | Patient | Customization | Dashboard | Emergency Dashboard | Out Patient Dashboard | In Patient Dashboard | Nurse Dashboard | Reports | Messages | Pharmacy | Settings | Diet Orders | Room Controller | Charge Master | Support

PATIENT

V: 5.0.0

Type here to search

Orders

Medications | Laboratory | Radiology | Blood Bank | Patient care | ADT Orders | Nursing Orders | Others

Category* Medications

Medication Activities ()

Drug name* | Dose 1 | Med Unit

Dosage Form | Route* oral (...) | Freq... Conti... | Sele... All D... | Units... 1 | PRN | Priority

Provider Comments

Start Date* 07/16/2025 17:21 | First Dose Now | Duration 30 | Duration Type Days | Provider Anjan, Reddy | Order Type Electronic | Indication

Clear Save

33°C Mostly cloudy | 17:21 16-07-2025

MyAngularApp | JavaScript Array Methods | @ng-select/ng-select - npm | Rajesh Inquiry Clarification | Falcon

192.168.20.107/#/Home/Dashboard/ersections/history?moduleMnemonic=PD&pageMnemonic=HX&filterIndex=100&locationId=1&patientId=777...

FALCON

Anjan, Reddy (Licensed/Prescriber)

Home / Emergency Dashboard / John, M70

Search | Select Location Chirala | A- A+ | (1 of 25)

John, M70 | Gender: | DOB: | Code: | Room: NA | Attn Ptry: | Allergies: | MRN: 777215 (ER) | Visit: 105483 | Admit: 07/16/2025 | Isolation: | Height: | Weight: | BMI: | AI-Chat | CDS | DSI | (1 of 25)

LICENSEDPRESCRIBER

Home | Patient | Customization | Dashboard | Emergency Dashboard | Out Patient Dashboard | In Patient Dashboard | Nurse Dashboard | Reports | Messages | Pharmacy | Settings | Diet Orders | Room Controller | Charge Master | Support

PATIENT

V: 5.0.0

Type here to search

History

History | Social Psychological Behavioral | Social Determinants of Health | Screening Assessment

History: HPI | PMH | PSH | FH | SH-S | SH-AL | SH-D | PM | Save

Menstrual History

None | Last Menstrual Period Date | Postmenopausal | Save

Sex Observation

Decline SexObservation | Sex Observation* | Save

Home Medications

None

Medicine Name* | Dose | Med Unit | Dosage Form* | Frequency* | Route | Source | Prescriber | Duration | Start date* 07/16/2025 | Stop date 07/16/2025

Activate Windows | Go to Settings to activate Windows

33°C Mostly cloudy | 17:22 16-07-2025

MyAngularApp | JavaScript Array Methods | @ng-select/ng-select - npm | Rajesh Inquiry Clarification | Falcon

192.168.20.107/#/Home/Dashboard/ersections/allergies/allergies?moduleMnemonic=PD&pageMnemonic=Ag&filterIndex=100&locationId=1&pati...

FALCON

Anjan, Reddy (Licensed/Prescriber)

LICENSED/PRESCRIBER

Home +

Patient +

Customization +

Dashboard -

Emergency Dashboard

Out Patient Dashboard

In Patient Dashboard

Nurse Dashboard

Reports +

Messages +

Pharmacy +

Settings +

Diet Orders +

Room Controller +

Charge Master +

Support +

PATIENT

John, M70 Gender: DOB: Code: Room: NA Attn Phy: Allergies: MRN: 777215 (ER) Visit: 108483 Admit: 07/16/2025 Isolation: Height: Weight: BMI: AI-Chat CDS DSI (1 of 25)

ER Temp... Radiolo... Vitals History Allergi... Medical... CPOE 3 In/Out PHE Problem... ROS Notes Nurse O... Actions Admit D... MAR Nurse T... Summary Surgery Lab Res Chart Primary... Disposi... Dis Ins... Dis Tri... Dis Med Dis Vit Dischar... Procedu... Care Pl... Admit T... Implant... Immuniz... Results... Med Ord... Audit L... Convers... Clinica... CCDA Assesme... Patient Cancer... Flowshs... Compare...

Allergies

Allergy* Bar-Test Category Environment Verification Status Refuted Conditional Status Active Severity* Unknown

Reaction* Intolerance Type Intolerance Allergy CriticalityCodeStatus Type Year Choose Year

☐ No Known Allergies ☐ No Known Food Allergies ☐ No Known Drug Allergies ☐ Unable to Obtain

Clear Save

Patient Allergies All (0) Active (0) Inactive (0) Review

Allergy Category ConditionalStatus Severity Reaction Date Actions

Activate Windows Go to Settings to activate Windows.

V: 5.0.0 Type here to search 33°C Mostly cloudy 17:23 16-07-2025

MyAngularApp | JavaScript Array Methods | @ng-select/ng-select - npm | Rajesh Inquiry Clarification | Falcon

192.168.20.107/#/Home/Dashboard/ersections/problems/problems?moduleMnemonic=PD&pageMnemonic=AP&filterIndex=7...&locationId=1&patientId=7...

FALCON

Anjan, Reddy (Licensed/Prescriber)

LICENSED/PRESCRIBER

Home +

Patient +

Customization +

Dashboard -

Emergency Dashboard

Out Patient Dashboard

In Patient Dashboard

Nurse Dashboard

Reports +

Messages +

Pharmacy +

Settings +

Diet Orders +

Room Controller +

Charge Master +

Support +

PATIENT

John, M70 Gender: DOB: Code: Room: NA Attn Phy: Allergies: MRN: 777215 (ER) Visit: 108483 Admit: 07/16/2025 Isolation: Height: Weight: BMI: AI-Chat CDS DSI (1 of 25)

ER Temp... Radiolo... Vitals History Allergi... Medical... CPOE 3 In/Out PHE Problem... ROS Notes Nurse O... Actions Admit D... MAR Nurse T... Summary Surgery Lab Res Chart Primary... Disposi... Dis Ins... Dis Tri... Dis Med Dis Vit Dischar... Procedu... Care Pl... Admit T... Implant... Immuniz... Results... Med Ord... Audit L... Convers... Clinica... CCDA Assesme... Patient Cancer... Flowshs... Compare...

Problems

Problems Past Medical History Review Cancer Registries

ResourceType* Problem Code Type* ICD Code Problem * Onset Date 07/16/2025 17:23

Diagnosed Date 07/16/2025 17:23 Diagnosed Type Problem Type * Diagnosis x Clinical Status * Active x Verification Status Confirmed x Severity Managed By Anjan.Reddy x

☐ On Hospitalization ☐ Is Primary

Description Clear Save

☐ No Known Problems

Existing Problems Search Problem

Problem Code Type EDU Problem Type Verification Status Managed By Actions

Activate Windows Go to Settings to activate Windows.

V: 5.0.0 Type here to search 33°C Mostly cloudy 17:23 16-07-2025

MyAngularApp x JavaScript Array Methods x @ng-select/ng-select - npm x Rajesh Inquiry Clarification x Falcon x

Not secure 192.168.20.107/#/Home/Dashboard/ersections/summary?moduleMnemonic=PD&pageMnemonic=SUMM&filterIndex=100&locationId=1&patientId=108483

FALCON

Anjan, Reddy (Licensed/Prescriber)

LICENSED/PREScriBER

Home +

Patient +

Customization +

Dashboard -

Emergency Dashboard

Out Patient Dashboard

In Patient Dashboard

Nurse Dashboard

Reports +

Messages +

Pharmacy +

Settings +

Diet Orders +

Room Controller +

Charge Master +

Support +

PATIENT -

V: 5.0.0

John, M70 Gender: DOB: Code: Room: NA Attn Phy: Allergies: MRN: 777215 (ER) Visit: 108483 Admit: 07/16/2025 Isolation: Height: Weight: BMI: AI-Chat CDS DSI (1 of 25)

Summary

Isolation: Code Status: Admit Date: 07/16/2025 13:09 Primary Physician: Anjan, Reddy
ESI Level: Critical Condition: Last Visit: 07/16/2025 13:09 Attending Physician:

Chief Complaint:

Vitals

Last updated:

Temperature

N/A

Pulse

N/A

Resp

N/A

O2Sat

N/A

BP

N/A / N/A

Height

N/A

Allergies

No Allergies Found...

Laboratories

No Laboratories Found...

Radiology

No Radiology Found...

Problems

No Problems Found...

Medications

acetylcysteine 500 mg-AA 500-
5-multivit-mins-folic acid 0.5
0.5 mg oral packet 108483
QID

Activate Windows
Go to Settings to activate Windows.

16-07-2025

MyAngularApp x JavaScript Array Methods x @ng-select/ng-select - npm x Rajesh Inquiry Clarification x Falcon x

Not secure 192.168.20.107/#/Home/Dashboard/ersections/immunization?moduleMnemonic=PD&pageMnemonic=IMM&filterIndex=100&locationId=1&patientId=108483

FALCON

Anjan, Reddy (Licensed/Prescriber)

LICENSED/PREScriBER

Home +

Patient +

Customization +

Dashboard +

Reports +

Messages +

Pharmacy -

View Drugs

Add Drugs

Verify Order

Drug Management

Settings +

Diet Orders +

Room Controller +

Charge Master +

Support +

PATIENT -

V: 5.0.0

Alexander, Kolby Gender: M DOB: 10/25/2001 Code: Room: NA Attn Phy: Allergies: MRN: 16034 (ER) Visit: 108423 Admit: 07/03/2025 Isolation: Height: Weight: BMI: AI-Chat CDS DSI (24 of 25)

Immunization

Patient Vaccination Information

☒ ALL ☐ New Record ☐ Historical ☐ Refused ☐ Deleted

Gen HL7 HL7 Transmit ACK Add Immunization

Activate Windows
Go to Settings to activate Windows.

16-07-2025

