| Easy Medium Hard Topics Arrays | | 5 Questions each Day | |
|---|--|---|-----------------------|
| Medium Hard Topics Arrays | Ideal Time: 15-20 mins Ideal Time: 40-60 mins (based on Qs) 88 Qs Question (375) Maximum and Minimum Element in an Array. Reverse the Array. Maximum-Subarray. | | |
| Topics Arrays | Question (375) Maximum and Minimum Element in an Array. Reverse the Array. Maximum-Subarray. | | |
| Arrays Arrays Arrays Arrays Arrays Arrays Arrays Arrays Arrays | Maximum and Minimum Element in an Array Reverse the Array Maximum-Subarray | | |
| Arrays Arrays Arrays Arrays Arrays Arrays Arrays Arrays Arrays | Reverse the Array Maximum-Subarray | Companies | Remarks |
| Arrays Arrays Arrays Arrays Arrays Arrays | Maximum-Subarray | ABCO Accolite Amazon Cisco Hike Microsoft Snapdeal VMWare Google Adobe | |
| Arrays Arrays Arrays Arrays Arrays | · | Infosys Moonfrog Labs Microsoft + Facebook Interview Qs | use Kadane's Algorit |
| Arrays Arrays Arrays | | Amazon Interview Qs | |
| Arrays Arrays | | Amazon Interview Qs | |
| Arrays | Search in Rotated Sorted Array Next Permutation | Microsoft Google Adobe Amazon D-E-Shaw Flipkart Hike Intuit MakeMyTrip P Uber + Goldman Sachs + Adobe Interview Qs | |
| Arrays | | Amazon D-E-Shaw Directi Flipkart Goldman Sachs Intuit MakeMyTrip Microsof | |
| - | | Amazon Interview Qs | |
| Arrays Arrays | Kth-Largest Element in an Array Trapping Rain Water | Amazon Microsoft Walmart Adobe Samsung Interview Qs | use auxiliary array |
| Arrays | 11 5 | Microsoft + Facebook Interview Qs | use auxiliary array |
| Arrays | Maximum Product Subarray | Amazon D-E-Shaw Microsoft Morgan Stanley OYO Rooms Google | |
| Arrays | Find Minimum in Rotated Sorted Array | Adobe Amazon Microsoft Morgan Stanley Samsung Snapdeal Times Internet | |
| Arrays Arrays | Find Pair with Sum in Sorted & Rotated Array 3Sum | Microsoft + Google + Apple Interview Qs Adobe Amazon Microsoft Morgan Stanley Samsung Snapdeal Times Internet | |
| Arrays | | Flipkart + Dunzo Interview Qs | use 2 pointer appro |
| Arrays | Given Sum Pair | Infosys + Amazon + Flipkart Interview Qs | |
| Arrays | Kth - Smallest Element Merge Overlanning Intervals | ABCO Accolite Amazon Cisco Hike Microsoft Snapdeal VMWare Google Adobe | |
| Arrays Arrays | | Google Interview Qs Amazon | |
| Arrays | | Barclays Interview Qs | |
| Arrays | | Amazon Spandasi Missasaft | |
| Arrays Arrays | Subarray Sum Divisible K Print all Possible Combinations of r Elements in a Given Array of Size n | Snapdeal Microsoft Amazon | |
| Arrays | | Microsoft | |
| | | | |
| Strings | Valid Palindrome | Amazon Cisco D-E-Shaw Facebook FactSet Morgan Stanley Paytm Zoho | |
| Strings | Valid Anagram | Nagarro Media.net Directi Google Adobe Flipkart | |
| Strings | | Google Interview Qs | use Stacks (if possib |
| Strings Strings | Remove Consecutive Characters Longest Common Prefix | Samsung + Adobe Adobe + Grofers + Dunzo Interview Qs | |
| Strings | | Adobe | |
| Strings | | Ola + Amdocs IQ | |
| Strings | Longest Substring without Repeating Characters Longest Repeating Character Replacement | Morgan Stanley + Amazon IQ Amazon Google | |
| Strings Strings | | Samsung + Adobe + Amazon Interview Qs | |
| Strings | | Microsoft + Google + Samsung + Visa IQ | |
| Strings | | Microsoft IQ | |
| Strings Strings | | Adobe + Goldman Sachs + Uber Myntra Interview Qs | |
| Strings | | Microsoft + Amazon IQ | |
| Strings | Wildcard String Matching | Microsoft + Amazon + Ola IQ | |
| Strings | | Flipkart + Swiggy IQ | |
| Strings Strings | Rabin-Karp Algorithm for Pattern Searching Transform One String to Another using Minimum Number of Given Operation | Microsoft Directi | |
| Strings | Minimum Window Substring | Amazon Google MakeMyTrip Streamoid Technologies Microsoft Media.net At | |
| Strings | | Amdocs | Dunamina Dunama |
| Strings | Word Wrap | Microsoft | use Dynaming Progran |
| 20.4 | The second of th | A | |
| 2D Arrays 2D Arrays | Zigzag (or diagonal) Traversal of Matrix Set Matrix Zeroes | Amazon Amazon Microsoft | |
| 2D Arrays | | Flipkart + Apple + Societe Generale IQ | |
| 2D Arrays | Rotate Image | Microsoft Paytm Samsung Adobe | |
| 2D Arrays | | Google + Ola + Goldman Sachs IQ | Dand about DEC |
| 2D Arrays 2D Arrays | Find the Number of Islands Set 1 (Using DFS) Given a Matrix of 'O' and 'X', Replace 'O' with 'X' if Surrounded by 'X' | Microsoft + Uber + Apple + Amazon IQ Google | Read about DFS |
| 2D Arrays | Find a Common Element in all Rows of a Given Row-Wise Sorted Matrix | MAQ Software Microsoft VMWare | |
| 2D Arrays | Create a Matrix with Alternating Rectangles of O and X | MAQ VMWare | |
| 2D Arrays | Maximum Size Rectangle of all 1s | Amazon Microsoft | |
| | | | |
| earching & Sorting earching & Sorting | | Samsung Samsung+ Morgan Stanley+ Snapdeal + EPAM Systems | |
| earching & Sorting | find common elements three sorted arrays | MAQ Software Microsoft VMWare | |
| earching & Sorting | Searching in an array where adjacent differ by at most k | TCS Amazon | |
| earching & Sorting | | TCS | |
| earching & Sorting earching & Sorting | Piar with given difference majority element | Amazon Visa Amazon+ Google | |
| earching & Sorting | count triplets with sum smaller that a given value | Amazon SAP Labs | |
| earching & Sorting | Maximum Sum Subsequence with no adjacent elements | Amazon FactSet Oxigen Wallet OYO Rooms Paytm Walmart Yahoo Adobe Flip | |
| earching & Sorting earching & Sorting | Merge Sorted Arrays using O(1) Space Inversion of Array | Amdocs Brocade Goldman Sachs Juniper Networks Linkedin Microsoft Quikr Adobe Amazon BankBazaar Flipkart Microsoft Myntra MakeMyTrip | |
| earching & Sorting | Find Duplicates in O(n) Time and O(1) Extra Space | Amazon D-E-Shaw Flipkart Paytm Qualcomm Zoho | |
| earching & Sorting | Radix Sort | Amazon+ Microsoft | |
| earching & Sorting | Product of Array Elements Equal | Accolite Amazon D-E-Shaw Intuit Morgan Stanley Opera Microsoft Flipkart | |
| earching & Sorting earching & Sorting | Make all Array Elements Equal Check if Reversing a Sub Array Make the Array Sorted | Amazon Amazon | |
| earching & Sorting | Find Four Elements that Sum to a Given Value | Adobe Amazon Google Microsoft OYO Rooms | |
| earching & Sorting | Median of Two Sorted Array with Different Size | Amazon Samsung Microsoft Google | |
| earching & Sorting earching & Sorting | Median of Stream of Integers Running Integers Print Subarrays with 0 Sum | Amazon + Google Paytm Adobe | |
| earching & Sorting | · | Adobe | |
| earching & Sorting | Allocate Minimum number of Pages | Google Infosys Codenation Amazon Microsoft | |
| earching & Sorting | Minimum Swaps to Sort | Amazon + Google | |
| | | | |
| Backtracking | | Microsoft Amazon | |
| Backtracking Backtracking | | Adobe Amazon Microsoft Microsoft | |
| Backtracking Backtracking | | Microsoft Microsoft | |
| Backtracking | | Accolite Amazon Amdocs D-E-Shaw MAQ Software Twitter Visa Microsoft | |
| Backtracking Backtracking | | Amazon Directi Flipkart MakeMyTrip MAQ Software Microsoft Ola Cabs Oracle Amazon + Adobe + Accolite + Traveloka | |

| Backtracking Backtracking Backtracking | Knight Tour | IBM | |
|--|--|--|-----------|
| | Knight Tour Soduke | | |
| | Soduko | Amazon + Adobe + Accolite + Traveloka | |
| Backtracking | Remove Invalid Parentheses | Uber | |
| Backtracking | Word Break Problem using Backtracking | | |
| Backtracking | Print all Palindromic Partitions of a String | Facebook Amazon Microsoft | |
| Backtracking | Find Shortest Safe Route in a Path with Landmines | Facebook Amazon Microsoft | |
| Backtracking | Partition of Set into K Subsets with Equal Sum | Amazon | |
| | · | Amazon | |
| Backtracking | Backtracking set-7 hamiltonian cycle | | |
| Backtracking | <u>tug-of-war</u> | Google | |
| Backtracking | Maximum Possible Number by doing at most K swaps | Amazon + Adobe + Accolite + Traveloka | |
| Backtracking | Backtracking set-8 solving cryptarithmetic puzzles | Goldman Sachs | |
| Backtracking | Find paths from corner cell to middle cell in maze | Meta | |
| Backtracking | Arithmetic Expressions | Flipkart | |
| 240101 4011118 | THE INTERIOR EMPTOSIONS | Therence | |
| | | | |
| Linked List | Doverso Linked List | Sprinklr | |
| | Reverse Linked List | · | |
| Linked List | Linked List Cycle | Accolite Amazon D-E-Shaw Hike Lybrate Mahindra Comviva MakeMyTrip MAC | |
| Linked List | Merge Two Sorted Lists | Accolite Amazon Belzabar Brocade FactSet Flipkart MakeMyTrip Microsoft OA | |
| Linked List | Delete without Head node | Amazon Goldman Sachs Kritikal Solutions Microsoft Samsung Visa | |
| Linked List | Remove duplicates from an unsorted linked list | Amazon Intuit | |
| Linked List | Sort a linked list of 0s-1s-or-2s | Microsoft Amazon MakeMyTrip | |
| Linked List | Multiply two numbers represented linked lists | Amazon | |
| Linked List | Remove nth node from end of list | Accolite Adobe Amazon Citicorp Epic Systems FactSet Hike MAQ Software Mo | |
| | | Amazon Microsoft OYO Rooms Intuit | |
| Linked List | Reorder List | | |
| Linked List | Detect and remove loop in a linked list | Accolite Amazon D-E-Shaw Hike Lybrate Mahindra Comviva MakeMyTrip MAC | |
| Linked List | Write a Function to get the Intersection Point of two Linked Lists | Amazon | |
| Linked List | Flatten a linked list with next and child pointers | Google | |
| Linked List | Linked list in zig-zag fashion | Micorsoft | |
| Linked List | Reverse a doubly linked list | Walmart | |
| Linked List | Delete nodes which have a greater value on right side | Amazon | |
| | | | |
| Linked List | Segregate even and odd Elements in a Linked List | Walmart | |
| Linked List | Point to next higher value node in a linked list with an Arbitrary Pointer | GeekyAnts | |
| Linked List | Rearrange a given linked list in place | Ola Uber | |
| Linked List | Sort Biotonic Doubly Linked Lists | Morgan Stanley | |
| Linked List | Merge K Sorted Lists | Microsoft+ Ola+ eBay | |
| Linked List | Merge sort for linked list | | Important |
| Linked List | Quicksort on singly-linked list | | |
| | | • | Important |
| Linked List | Sum of two linked lists | Accolite Amazon Flipkart MakeMyTrip Microsoft Morgan Stanley Qualcomm S | |
| Linked List | Flattening a linked list | 24*7 Innovation Labs Amazon Drishti-Soft Flipkart Goldman Sachs Microsoft | |
| Linked List | Clone a linked list with next and random Pointer | Triology | |
| Linked List | Subtract two numbers represented as linked lists | Amazon Goldman Sachs | |
| | | | |
| | | | |
| Sharks 9 Overves | Insulance at two stands in on Assess | 24*7 Innovenien Leha Missacoft Compung Counded | |
| Stacks & Queues | Implement two stacks in an Array | 24*7 Innovation Labs Microsoft Samsung Snapdeal | |
| Stacks & Queues | Evaluation of Postfix Expression | Amazon + Google + Facebook | |
| Stacks & Queues | Implement Stack using Queues | Facebook | |
| Stacks & Queues | Queue Reversal | Amazon + Morgain Stanley | |
| Stacks & Queues | Implement Stack Queue using Deque | Microsoft +Atlassian | |
| Stacks & Queues | Reverse first k elements of queue | Microsoft + Amdocs | |
| | | | |
| Stacks & Queues | Design Stack with Middle Operation | MaQ Software | |
| Stacks & Queues | Infix to Postfix | Amazon + Samsung + Paytm + Vmware inc | |
| Stacks & Queues | Design and Implement Special stack | Amazon Google Microsoft Visa Goldman Sachs | |
| Stacks & Queues | Longest Valid String | Google Microsoft | |
| Stacks & Queues | Find if an expression has duplicate parenthesis or not | Flipkart Oracle OYO Rooms Snapdeal Walmart Yatra.com Microsoft Google | |
| | Stack permutations check if an array is stack permutation of other | Visa | |
| Stacks & Queues | | | |
| Stacks & Queues | Count natural numbers whose permutation greater number | Amazon | |
| Stacks & Queues | Sort a stack using Recursion | Amazon Goldman Sachs IBM Intuit Kuliza Yahoo Microsoft | |
| Stacks & Queues | Queue based approach for first non repeating character in a stream | Microsoft Flipkart | |
| Stacks & Queues | The Celebrity Problem | Google + Visa + Apple | |
| Stacks & Queues | Next larger Element | Visa | |
| | Distance of nearest cell | Flipkar + Facebook | |
| Stacks & Queues | | · | |
| Stacks & Queues | Rotten-oranges | Facebook | |
| Stacks & Queues | Next smaller element | Codenation | |
| Stacks & Queues | <u>Circular-tour</u> | Codenation Flipkart | |
| Stacks & Queues | Efficiently implement k-stacks single array | Flipkart | |
| Stacks & Queues | The celebrity problem | Google + Visa + Apple | |
| | Iterative tower of hanoi | Microsoft Flipkart | |
| | iterative tower of handr | · | |
| Stacks & Queues | Find the maying up of minimums for every window size in a given array | | |
| Stacks & Queues Stacks & Queues | Find the maximum of minimums for every window size in a given array | Amazon Microsoft Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues | Iru cache implementation | Microsoft + Uber + Alibaba | |
| Stacks & Queues Stacks & Queues | | · | |
| Stacks & Queues Stacks & Queues Stacks & Queues | Iru cache implementation | Microsoft + Uber + Alibaba | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues | Iru cache implementation Find a tour that visits all stations | Microsoft + Uber + Alibaba Uber | |
| Stacks & Queues Stacks & Queues Stacks & Queues | Iru cache implementation | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues | Iru cache implementation Find a tour that visits all stations | Microsoft + Uber + Alibaba Uber | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy Greedy Greedy Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy Greedy Greedy Greedy Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy Greedy Greedy Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy Greedy Greedy Greedy Greedy Greedy Greedy Greedy Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Google Amazon Maccafe Google Amazon | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Google | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Google Amazon Flipkart Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Amazon Microsoft Google Amazon Flipkart Flipkart | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft | |
| Stacks & Queues Stacks & Queues Stacks & Queues Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Maccafe | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Maccafe Samsung Amazon Microsoft Maccafe Maccafe Amazon Cadence India CouponDunia D-E-Shaw FactSet FreeCharge MakeMy | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Maccafe Amazon Microsoft Maccafe Amazon Hicrosoft Maccafe Maccafe Amazon Microsoft | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Amazon Cadence India CouponDunia D-E-Shaw FactSet FreeCharge MakeMy Amazon + Microsoft + Facebook | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Maccafe Amazon Microsoft Maccafe Amazon Hicrosoft Maccafe Maccafe Amazon Microsoft | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Amazon Microsoft Maccafe Amazon Flipkart Samsung Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Hicrosoft + Facebook Amazon + Microsoft + Facebook Amazon Hike | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Binary Tree Level Order Traversal | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Amazon Microsoft Maccafe Amazon Hipkart Samsung Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Microsoft | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Level Order Traversal Left View of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft Amazon Microsoft Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Samsung Amazon Microsoft Maccafe Amazon Microsoft Amazon Microsoft Maccafe Samsung Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Hicrosoft + Facebook Amazon + Microsoft + Facebook Amazon Hike Accolite Adobe Amazon Cisco D-E-Shaw Flipkart Microsoft + Adobe + Cisco Networking Academy | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Right View of Binary Tree Right View of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Amazon Flipkart Samsung Amazon Microsoft Maccafe Amazon Microsoft Amazon Hicrosoft + Facebook Amazon + Microsoft + Facebook Amazon Hike Accolite Adobe Amazon Cisco D-E-Shaw Flipkart Microsoft + Adobe + Cisco Networking Academy Amdocs | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array, paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Binary Tree Level Order Traversal Left View of Binary Tree Right View of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Google Amazon Hicrosoft Amazon Hicrosoft Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Hicrosoft Amazon Hicrosoft + Facebook Amazon + Microsoft + Facebook Amazon Hike Accolite Adobe Amazon Cisco D-E-Shaw Flipkart Microsoft + Adobe + Cisco Networking Academy Amdocs Amazon Cisco FactSet Hike Snapdeal Walmart Microsoft Flipkart | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Cost to cut a board into squares Maximum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Right View of Binary Tree Right View of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Amazon Flipkart Samsung Amazon Microsoft Maccafe Amazon Microsoft Amazon Hicrosoft + Facebook Amazon + Microsoft + Facebook Amazon Hike Accolite Adobe Amazon Cisco D-E-Shaw Flipkart Microsoft + Adobe + Cisco Networking Academy Amdocs | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array, paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Binary Tree Level Order Traversal Left View of Binary Tree Right View of Binary Tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Google Amazon Hicrosoft Amazon Hicrosoft Amazon Microsoft Maccafe Amazon Microsoft Maccafe Amazon Hicrosoft Amazon Hicrosoft + Facebook Amazon + Microsoft + Facebook Amazon Hike Accolite Adobe Amazon Cisco D-E-Shaw Flipkart Microsoft + Adobe + Cisco Networking Academy Amdocs Amazon Cisco FactSet Hike Snapdeal Walmart Microsoft Flipkart | |
| Stacks & Queues Greedy | Iru cache implementation Find a tour that visits all stations Activity selection problem greedy algo Greedy algorithm to find minimum number of coins Minimum sum two numbers formed digits array-2 Minimum sum absolute difference pairs two arrays Find maximum height pyramid from the given array of objects Minimum cost for acquiring all coins with k extra coins allowed with every coin Find maximum equal sum of every three stacks Job sequencing problem Greedy algorithm egyptian fraction Fractional knapsack problem Maximum length chain of pairs Find smallest number with given number of digits and digit sum Maximize sum of consecutive differences circular-array paper-cut minimum number squares Lexicographically smallest array-k consecutive swaps Problems-CHOCOLA Find minimum time to finish all jobs with given constraints Job sequencing using disjoint set union Rearrange characters string such that no two adjacent are same Minimum edges to reverse to make path from a source to a destination Minimize Cash Flow among a given set of friends who have borrowed money from each other Minimum Depth of Binary Tree Reverse Level Order Traversal Subtree of Another Tree Invert Binary Tree Binary Tree Level Order Traversal Left View of Binary Tree Right View of Binary Tree Fraversal Create a mirror tree from the given binary tree | Microsoft + Uber + Alibaba Uber Facebook Morgan Stanley Flipkart Accolite Amazon Morgan Stanley Oracle Paytm Samsung Snapdeal Synopsys Google Amazon Flipkart Amazon Microsoft Amazon Flipkart Microsoft + Acolite Microsoft Amazon Microsoft MAQ Software OYO Rooms Maccafe Google Amazon Flipkart Samsung Amazon Microsoft Maccafe Maccafe Amazon Hicrosoft Amazon Hicrosoft Amazon Flipkart Maccafe Amazon Hicrosoft Maccafe Amazon + Microsoft + Facebook Amazon + Microsoft + Facebook Amazon Hike Accolite Adobe Amazon Cisco D-E-Shaw Flipkart Microsoft + Adobe + Cisco Networking Academy Amdocs Amazon Cisco FactSet Hike Snapdeal Walmart Microsoft Flipkart Accolite Adobe Amazon Belzabar EBay Goldman Sachs Microsoft Morgan Sta | |

| Binary Trees | Check if Tree is Isomorphic | Amazon Microsoft |
|----------------------------|--|--|
| Binary Trees | Same Tree | Amazon Microsoft Flipkart |
| Binary Trees | Construct Binary Tree from Preorder and Inorder Traversal | Accolite Amazon Microsoft |
| Binary Trees | Height of Binary Tree | Amazon Cadence India CouponDunia D-E-Shaw FactSet FreeCharge MakeMy |
| Binary Trees | <u>Diameter of a Binary Tree</u> | Amazon Microsoft OYO Rooms |
| Binary Trees | Top View of Binary Tree | Microsoft + Adobe + Expedia Group |
| Binary Trees | Bottom View of Binary Tree | DE Shaw India |
| Binary Trees | Diagonal Traversal of Binary Tree | Amazon Microsoft |
| Binary Trees | Boundary Traversal of binary tree | Accolite Amazon FactSet Hike Kritikal Solutions |
| Binary Trees | Construct Binary Tree from String with Brackets | Microsoft Morgan Stanley OYO Rooms Payu Samsung Snapdeal Flipkart |
| Binary Trees | Minimum swap required to convert binary tree to binary search tree | Adobe Amazon |
| Binary Trees | <u>Duplicate subtree in Binary Tree</u> | Google |
| Binary Trees | Check if a given graph is tree or not | Microsoft Amazon |
| Binary Trees | Lowest Common Ancestor in a Binary Tree | Accolite Amazon American Express Cisco Expedia Flipkart MakeMyTrip Micro |
| Binary Trees | Min distance between two given nodes of a Binary Tree | Amazon Linkedin MakeMyTrip Ola Cabs Qualcomm Samsung |
| Binary Trees | <u>Duplicate Subtrees</u> | Ola |
| Binary Trees | Kth ancestor of a node in binary tree | Josh Technology Group |
| Binary Trees | Binary Tree Maximum Path Sum | Samsung + Facebook |
| Binary Trees | Serialize and Deserialize Binary Tree | Flipkart InMobi Linkedin MAQ Software Microsoft Paytm Quikr Yahoo |
| Binary Trees | Binary Tree to DLL | Accolite Amazon Goldman Sachs Microsoft Morgan Stanley Salesforce Snapd |
| Binary Trees | Print all k-sum paths in a binary tree | Accolite Amazon Goldman Sachs |
| _ | | |
| | | |
| Binary Search Trees | Lowest Common Ancestor of a Binary Search Tree | Accolite Amazon Flipkart MAQ Software Microsoft Samsung Synopsys |
| Binary Search Trees | Binary Search Tree Set 1 (Search and Insertion) | Accolite Amazon Microsoft Paytm Samsung |
| Binary Search Trees | Minimum element in BST | Microsoft |
| Binary Search Trees | Predecessor and Successor | Google + Adobe + Goladman Sachs + Direct |
| Binary Search Trees | Check whether BST contains Dead End | Walmart |
| Binary Search Trees | Binary Tree to BST | HSBC |
| Binary Search Trees | Kth largest element in BST | Accolite Amazon Samsung SAP Labs Microsoft |
| Binary Search Trees | Validate Binary Search Tree | OYO Rooms Qualcomm Samsung Snapdeal VMWare Walmart Wooker Amazo |
| Binary Search Trees | Kth Smallest Element in a BST | Accolite Amazon Google |
| Binary Search Trees | Delete Node in a BST | Adobe Barclays |
| Binary Search Trees | Flatten BST to sorted list | Microsoft |
| Binary Search Trees | Preorder to Postorder | Amazon Linkedin Flipkart |
| Binary Search Trees | Count BST nodes that lie in a given range | D-E-Shaw Google |
| Binary Search Trees | Populate Inorder Successor for all Nodes | Sap labs |
| Binary Search Trees | Convert Normal BST to Balanced BST | Paytm |
| Binary Search Trees | Merge two BSTs | DE Shaw India |
| Binary Search Trees | Given n appointments, find all conflicting appointments | Samsung |
| Binary Search Trees | Replace every element | Samsung |
| Binary Search Trees | Construct BST from given preorder traversal | Adobe Morgan Stanley Microsoft |
| Binary Search Trees | Find median of BST in O(n) time and O(1) space | Amazon |
| Binary Search Trees | Largest BST in a Binary Tree | Amazon D-E-Shaw Samsung Microsoft Flipkart Important |
| | | |
| | | |
| Heaps & Hashing | Choose k array elements such that difference of maximum and minimum is minimized | |
| Heaps & Hashing | Heap Sort | Adobe |
| Heaps & Hashing | Top K Frequent Elements | Amazon Microsoft |
| Heaps & Hashing | k largest elements in an array | Amazon Microsoft Walmart Adobe |
| Heaps & Hashing | Next Greater Element | Amazon + Microsoft + Flipkart + Adobe |
| Heaps & Hashing | K'th Smallest/Largest Element in Unsorted Array | ABCO Accolite Amazon Cisco Hike Microsoft Snapdeal VMWare Google Adob€ |
| Heaps & Hashing | Find the maximum repeating number in O(n) time and O(1) extra space | Accolite Amazon |
| Heaps & Hashing | K-th smallest element after removing some integers from natural numbers | ABCO Accolite Amazon Cisco Hike Microsoft Snapdeal VMWare Google Adobe |
| Heaps & Hashing | Find k closest elements to a given value | Amazon OYO Rooms |
| Heaps & Hashing | K'th largest element in a stream | Amazon Cisco Hike OYO Rooms Walmart Microsoft Flipkart |
| Heaps & Hashing | Connect Ropes | Amazoon + Oyo + Goldman Sachs |
| Heaps & Hashing | Cuckoo Hashing | Amaxon |
| Heaps & Hashing | Itinerary from a List of Tickets | Microsoft + Ola + eBay |
| Heaps & Hashing | Largest Subarray with 0 Sum | Amazon MakeMyTrip Microsoft |
| Heaps & Hashing | Count distinct elements in every window of size k | Accolite Amazon Microsoft |
| Heaps & Hashing | Group Shifted Strings | Oracle |
| Heaps & Hashing | Merge K Sorted lists | Microsoft + Ola + eBay |
| Heaps & Hashing | Find Median from Data Stream | Adobe Amazon Apple Belzabar D-E-Shaw Facebook Flipkart Google Intuit Mic |
| Heaps & Hashing | Sliding Window Maximum | Amazon Directi Flipkart Microsoft Google |
| Heaps & Hashing | Find the smallest positive number | Accolite Amazon Samsung Snapdeal |
| Heaps & Hashing | Find Surpasser Count of each element in array | Amazon Morgan Stanley Ola Cabs SAP Labs |
| Heaps & Hashing | Tournament Tree and Binary Heap | Amazon Ola Cabs Samsung Synopsys Walmart Microsoft |
| Heaps & Hashing | Check for palindrome | Amazon Cisco D-E-Shaw Facebook FactSet Morgan Stanley Paytm Zoho |
| Heaps & Hashing | Length of the largest subarray with contiguous elements | Amazon Intuit Microsoft |
| Heaps & Hashing | Palindrome Substring Queries | Amazon Morgan Stanley Ola Cabs SAP Labs |
| Heaps & Hashing | Subarray distinct elements | Microsoft + Ola + eBay |
| Heaps & Hashing | Find the recurring function | MAQ Software |
| Heaps & Hashing | K maximum sum combinations from two arrays | Amazon |
| | | |
| | | |
| Graphs | BFS | Samsung + Delhivery + SAP Labs |
| Graphs | DFS | Samsung + Intuit + Goldman Sachs |
| Graphs | Flood Fill Algorithm | Google + Adobe + Apple |
| Graphs | Number of Triangles | IBM |
| Graphs | Detect cycle in a graph | Lenksart |
| Graphs | Detect cycle in an undirected graph | Samsung Share Bire at 1 |
| Graphs | Rat in a Maze Problem | Sharechat + Directi |
| Graphs | Steps by Knight | Samsung |
| Graphs | Clone graph | Google + MAQ Software + Apple + Facebook |
| Graphs | Number of Operations to Make Network Connected | Samsung |
| Graphs | Dijkstra's shortest path algorithm | Amazon |
| Graphs | Topological Sort | Amazon + Google + Flipkart + Oyo + Fipkart + Samsung |
| Graphs | Oliver and the Game | Sharechat + Directi |
| Graphs | Minimum time taken by each job to be completed given by a Directed Acyclic Graph | Amazon |
| Graphs | Find whether it is possible to finish all tasks or not from given dependencies | Directi + Sharechat |
| Graphs | Find the number of islands | Razorpay |
| Graphs | Prim's Algo | Visa |
| Graphs | Negative Weighted Cycle | Amazon |
| Graphs | Floyd Warshall | Google + Uber |
| Graphs | Graph Coloring | Morgan Stanley |
| Graphs | Snakes and Ladders | Goldman Sachs +Makemytrip |
| Graphs | Kosaraju's Theorem | Paytm |
| Graphs | Journey to moon | Lenksart + Payload |
| Graphs | Vertex Cover | Intuit |
| Graphs | M Coloring Problem | Uber |
| Graphs | Cheapest Flights Within K Stops | Uber + Paypal |
| Graphs | Find if there is a path of more than k length from a source | Cisco + Intuit |
| Graphs | Bellman Ford | Sharechat + Directi |
| · | | Adiana and Elizabanh |
| Graphs | Bipartitie Graph | Microsoft Flipkart |
| | | Microsoft Hipkart Microsoft |
| Graphs Graphs Graphs | Bipartitie Graph Word-Ladder Allen Dictionary | · |

| | ruskals MST | Amazon Cisco Samsung | Important |
|--|--|--|-----------|
| | otal number spanning trees graph | Amazon Cisco Samsung Microsoft Flipkart | |
| | ravelling Salesman | Google + Microsoft + Opera | Important |
| - | • | | important |
| | ind longest path directed acyclic graph | Google | |
| · · · · · · · · · · · · · · · · · · · | wo Clique Problem | Microsoft | |
| Graphs <u>M</u> | <u>Minimise the cash flow</u> | Intuit + Uber | |
| Graphs C | hinese postman | Intuit | |
| | Vater jug | Intuit + Uber | |
| | | | |
| Graphs <u>V</u> | Vater Jug 2 | MakeMyTrip MAQ Software | |
| | | | |
| | | | |
| Tries <u>C</u> | Construct a trie from scratch | Accolite Amazon D-E-Shaw FactSet Microsoft | |
| Tries P | rint unique rows in a given boolean matrix | Amazon Zoho | |
| | Vord Break Problem (Trie solution) | Amazon Google Hike IBM MAQ Software Microsoft Walmart Zoho | |
| | | | |
| | siven a sequence of words, print all anagrams together | Amazon D-E-Shaw Goldman Sachs Morgan Stanley Snapdeal Microsoft | |
| Tries | ind shortest unique prefix for every word in a given list | Microsoft Google | |
| Tries <u>Ir</u> | mplement a Phone Directory | Amazon + Microsoft + Snapdeal | |
| | | | |
| | | | |
| DP K | napsack with Duplicate Items | Amazon | |
| _ | BT counter | Microsoft | |
| | | | |
| | leach a given score | Samsung | |
| DP <u>N</u> | Maximum difference of zeros and ones in binary string | Ola | |
| DP C | limbing Stairs | Intuit | |
| DP P | Permutation Coefficient | Amazon | |
| | | | |
| | ongest Repeating Subsequence | Google + Amazon | |
| DP P | airs with specific difference | Ola | |
| DP L | ongest subsequence-1 | Amazon | |
| | ioin Change | Microsoft+ Samsung + Barclays + Apple + Adobe | |
| | IS | Amazon + Google + Facebook + Fidelity International | |
| | | | |
| | ongest Common Subsequence | Siemens + Amazon + Google | |
| <u>V</u> | <u>Vord Break</u> | Amazon + Google + Microsoft + Walmart + Apple + IBM | |
| DP | Combination Sum IV | Adobe Amazon Microsoft | |
| | House Robber | Apple + Uber | |
| | | • • • | |
| | <u>Ioue Robber 2</u> | Arrays Dynamic Programming | |
| DP D | Decode Ways | Adobe + Uber | |
| DP | Inique Paths | Google + Microsoft | |
| | umps Game | Facebook Amazon Microsoft Google | |
| | • | | |
| | <u>(napsack Problem</u> | Amazon Directi Flipkart GreyOrange Microsoft Mobicip Morgan Stanley Oracl | |
| DP n | <u>Cr</u> | Google | |
| DP C | atalan Number | Amazon + Google | |
| DP E | dit Distance | Google + Goldman Sachs + Citrix | |
| | | | |
| | <u>ubset Sum</u> | Amazon + Google | |
| DP G | <u>fold mine</u> | Samsung | |
| DP A | ssembly Line Scheduling | Goldman Sachs | |
| DP M | Maximize The Cut Segments | Amazon OYO Rooms Microsoft | |
| | Aaximum sum increasing subsequence | | |
| | | Amazon Morgan Stanley Microsoft | |
| DP C | ount all subsequences having product less than K | Goldman Sachs | |
| DP M | Maximum sum increasing subsequence | Amazon Morgan Stanley Microsoft | |
| DP E | gg dropping puzzle | Amazon D-E-Shaw Goldman Sachs Google Hike MakeMyTrip MAQ Software N | |
| | Max length chain | Amazon Microsoft | |
| | • | | |
| | argest Square in Matrix | Amazon Samsung | |
| DP <u>№</u> | Maximum Path Sum | Amazon + Microsoft + Oyo + Directi | |
| DP | Minimum Number of Jumps | Adobe Amazon Housing.com Moonfrog Labs Walmart Microsoft Google Flipk | |
| | /inimum removals from array to make max – min <= K | Amazon | |
| | · · · · · · · · · · · · · · · · · · · | | |
| | ongest Common Substring | Webarch Club | |
| DP <u>P</u> | artition Equal Subset Sum | Amazon + Accolite + Traveloca + Adobe | |
| DP | ongest Palindromic Subsequnce | Amazon Google | |
| | ount Palindromic Subsequences | Myntra | |
| | · · · · · · · · · · · · · · · · · · · | - | |
| | ongest Palindromic Substring | Amazon + Microsoft + Samsung + Visa | |
| | ongest Alternating Sequence | Ola | |
| <u>V</u> | Veighted Job Scheduling | Intuit | |
| | oin Game | Salesforce | |
| | ioin Game Winner | Ola | |
| | | | |
| | Optimal Strategy for a game | Google + IBM | |
| | <u>Vord Wrap</u> | Microsoft | |
| DP <u>M</u> | Mobile numeric keypad | Amazon Microsoft | |
| | Maximum Length of Pair Chain | Amazon Microsoft | |
| | | | |
| DD. | Matrix Chain Multiplication | Walmart + Flipkart | |
| | Maximum profit by buying and selling a share at most twice | Accolite Amazon Microsoft | |
| DP M | | | |
| DP M | Optimal BST | Google | |
| DP DP C | | Amazon MakeMyTrip Microsoft | |
| DP M DP Q DP L | Optimal BST argest Submatrix with sum 0 | Amazon MakeMyTrip Microsoft | |
| DP M DP Q DP L | Optimal BST | - | |
| DP M DP Q DP L | Optimal BST argest Submatrix with sum 0 | Amazon MakeMyTrip Microsoft | |
| DP M DP C DP L DP L | Optimal BST argest Submatrix with sum 0 argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart | |
| DP M DP C DP L DP L Bit Manipulation C | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's count set bits in an integer | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple | |
| DP M DP C DP L DP L Bit Manipulation C Bit Manipulation E | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer and the two non-repeating elements in an array of repeating elements | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung | |
| DP M DP C DP L DP L Bit Manipulation C Bit Manipulation E | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's count set bits in an integer | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple | |
| DP M DP C DP L DP L Bit Manipulation G Bit Manipulation E Bit Manipulation P | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements program to find whether a no is power of two | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe | |
| DP M DP C DP L DP L DP L Bit Manipulation E Bit Manipulation E Bit Manipulation E Bit Manipulation E | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements program to find whether a no is power of two ind position of the only set bit | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft | |
| DP M DP C DP L DP L DP L DP L Bit Manipulation E Bit Manipulation P Bit Manipulation E Bit Manipulation E Bit Manipulation E Bit Manipulation E | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements program to find whether a no is power of two ind position of the only set bit count number of bits to be flipped to convert A to B | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software | |
| DP M DP C DP L DP L DP L DP L Bit Manipulation E Bit Manipulation P Bit Manipulation E Bit Manipulation E Bit Manipulation E Bit Manipulation E | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements program to find whether a no is power of two ind position of the only set bit | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft | |
| DP DP DP DP DP DP DP Bit Manipulation C Bit Manipulation C Bit Manipulation C | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements program to find whether a no is power of two ind position of the only set bit count number of bits to be flipped to convert A to B | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software | |
| DP D | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Count set bits in an integer ind the two non-repeating elements in an array of repeating elements corgram to find whether a no is power of two ind position of the only set bit count number of bits to be flipped to convert A to B count total set bits in all numbers from 1 to n copy set bits in a range | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook | |
| DP D | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements in a power of two ind position of the only set bit is in all numbers from 1 to n in a range in a range in a range in a number without using *, / and pow(). | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon | |
| DP D | argest Submatrix with sum 0 argest Area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements forgram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n forpy set bits in a range falculate square of a number without using *, / and pow() foivide two integers without using multiplication, division and mod operator | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft | |
| DP D | Optimal BST argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Sount set bits in an integer ind the two non-repeating elements in an array of repeating elements in a power of two ind position of the only set bit is in all numbers from 1 to n in a range in a range in a range in a number without using *, / and pow(). | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon | |
| DP D | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements forgram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n forpy set bits in a range falculate square of a number without using *, / and pow() foivide two integers without using multiplication, division and mod operator | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft | |
| DP D | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements forgram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n forpy set bits in a range falculate square of a number without using *, / and pow() foivide two integers without using multiplication, division and mod operator | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft | |
| DP DP DP DP DP L Bit Manipulation | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's Count set bits in an integer ind the two non-repeating elements in an array of repeating elements trogram to find whether a no is power of two ind position of the only set bit count number of bits to be flipped to convert A to B count total set bits in all numbers from 1 to n copy set bits in a range calculate square of a number without using *, / and pow() bivide two integers without using multiplication, division and mod operator. cower Set | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft | |
| DP D | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's count set bits in an integer ind the two non-repeating elements in an array of repeating elements irrogram to find whether a no is power of two ind position of the only set bit count number of bits to be flipped to convert A to B count total set bits in all numbers from 1 to n copy set bits in a range calculate square of a number without using *, / and pow() bivide two integers without using multiplication, division and mod operator cower Set | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft Google + Adobe + Paytm | |
| DP DP DP DP DP DP L Bit Manipulation | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements frogram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n fopy set bits in a range falculate square of a number without using *, / and pow() foivide two integers without using multiplication, division and mod operator flower Set lange Sum Query - Immutable flange Minimum Query | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft Google + Adobe + Paytm Google Interview Qs | |
| DP DP DP DP DP DP L Bit Manipulation | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's count set bits in an integer ind the two non-repeating elements in an array of repeating elements irrogram to find whether a no is power of two ind position of the only set bit count number of bits to be flipped to convert A to B count total set bits in all numbers from 1 to n copy set bits in a range calculate square of a number without using *, / and pow() bivide two integers without using multiplication, division and mod operator cower Set | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft Google + Adobe + Paytm | |
| DP D | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements frogram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n fopy set bits in a range falculate square of a number without using *, / and pow() foivide two integers without using multiplication, division and mod operator flower Set flange Sum Query - Immutable flange Sum Query - Mutable flange Sum Query - Mutable | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft Google + Adobe + Paytm Google Interview Qs Alibaba | |
| DP D | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements frogram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n fopy set bits in a range falculate square of a number without using *, / and pow() fixing two integers without using multiplication, division and mod operator flower Set flange Sum Query - Immutable flange Sum Query - Mutable flange Som Query - Mutable | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft Google + Adobe + Paytm Google Interview Qs Alibaba Samsung + Accolite | |
| DP D | argest Submatrix with sum 0 argest area rectangular sub-matrix with equal number of 1's and 0's fount set bits in an integer ind the two non-repeating elements in an array of repeating elements frogram to find whether a no is power of two ind position of the only set bit fount number of bits to be flipped to convert A to B fount total set bits in all numbers from 1 to n fopy set bits in a range falculate square of a number without using *, / and pow() foivide two integers without using multiplication, division and mod operator flower Set flange Sum Query - Immutable flange Sum Query - Mutable flange Sum Query - Mutable | Amazon MakeMyTrip Microsoft Amazon Directi Intuit MakeMyTrip Microsoft Samsung Google Flipkart Adobe Apple Accolite Amazon FactSet Google MakeMyTrip Microsoft Qualcomm Samsung Adobe Microsoft Maq Software Microsoft Facebook Amazon Microsoft Google + Adobe + Paytm Google Interview Qs Alibaba | |