

Bulk Registration / Price Update – Complete Flow Report

Carelix Care CRM | Admin Panel → Sidebar → "Bulk Price / Reg" | Code analysis date: 30 Sep 2026

Short summary (TL;DR)

- Ye page ek **"Bulk Pricing Rule"** banata hai. Rule `bulk_pricing_rules` table me save hota hai aur (agar "Apply To" = *All* ya *Old* hai) to **turant** ek job chal kar existing prices ko DB me directly badal deta hai.
- Kaunsi table badlegi ye **Pricing Type** decide karta hai: Vendor → `vendor_service_prices`, Freelancer → `job_request_service_prices`, Website General → `location_services`, Doctor Payout / Website Doctor → `location_doctor_consultation_prices` + `doctor_requests`.
- **Temporary** change me purana price `original_*` columns me backup hota hai, aur scheduler (har minute) end date ke baad purana price wapas daal deta hai.
- Code me kuch **serious bugs** hain: Freelancer option crash karta hai, "Current City Only" asal me **saari cities** par lagta hai, "New Registrations Only" kuch bhi nahi karta, temporary price start date se pehle hi turant lag jata hai, aur Doctor Payout ka location price revert nahi hota. Details Section 10 me hain.

1. Feature kahan hai aur kaun use kar sakta hai

Cheez	Detail
Sidebar menu	"Bulk Price / Reg" (Doctor / Vendor section ke andar)
Page title	Bulk Registration / Price Update → "Bulk Price Increase / Decrease"
Routes (Admin)	<code>GET /bulk-registration</code> (page), <code>POST /bulk-registration</code> (rule save), <code>GET /bulk-registration/cities-by-tier</code> (tier ki cities AJAX)
Routes (SubAdmin)	Same 3 routes, <code>SubAdminBulkRegistrationController</code> se. Logic bilkul same hai.
Permission	<code>view_bulk_registration</code> (Users → Manage permissions me "Bulk Registration"). Bina permission ke page 403 dega.
Main files	<code>app/Http/Controllers/Admin/BulkRegistrationController.php</code> <code>resources/views/admin/bulk_registration/index.blade.php</code> <code>app/Models/BulkPricingRule.php</code> <code>app/Jobs/ApplyBulkPricingRuleJob.php</code> (asli price change yahan hota hai) <code>app/Console/Commands/RevertTemporaryPricingCommand.php</code> (temporary revert) <code>app/Console/Kernel.php</code> (scheduler, har minute)

2. Form ke fields – har option ka matlab

Field	Options	Kya karta hai
Pricing Type (required)	Doctor Payout Only, Vendor, Freelancer, Website – General Services, Website – Doctor Consultations	Decide karta hai kiska price aur kaunsi table badlegi. Isi se Service dropdown aur Mode dropdown ke options bhi badalte hain.
Service	"All Services" ya ek service	Doctor types ke liye <code>doctor_consultation_services</code> ki list, baaki ke liye <code>services</code> ki list. Khali = sab services.
Sub Service	"All Sub Services" ya ek sub-service	Selected service ke sub-services. Khali = sab.

Mode / Duty Type	Doctor: Online, Home Visit, Clinic Vendor/Freelancer/Website General: 12 Hours, 24 Hours, Both, One-time	Kaunsa price column badlega. Khali = sab modes. "Both" = 12hr + 24hr (One-time nahi).
Change Type (required)	Normal, Increase Fixed, Increase %, Decrease Fixed, Decrease %	Price kaise calculate hoga (formulas Section 5 me).
Value (required)	Number (decimal allowed)	Amount (₹) ya percentage. "Normal" me ye seedha naya price ban jata hai.
Apply To (required)	All Existing + New, New Registrations Only, Old Registrations Only	"New" / "Old" choose karne par ek date-range popup khulta hai (registration dates). Asal behaviour Section 7 me dekho.
City Filter	Current City Only, All Cities, Tier 1, Tier 2, Tier 3	Tier choose karne par "Select Specific Cities" multi-select aata hai (AJAX se tier ki cities). Khali chhodo to poori tier.
Time Period (required)	Permanent, Temporary	Temporary par From/To date-time popup khulta hai. End date ke baad auto revert hota hai.
Buttons	Apply Bulk Update, Cancel	"Apply" form submit karta hai. "Cancel" ka koi action nahi hai (kuch nahi karta).

Page ke neeche **"Active Bulk Pricing Rules"** table hai jisme `status = 1` wale saare rules dikhte hain. **Kisi rule ko edit, delete ya band karne ka koi button nahi hai.**

3. Pura flow – step by step

Step 1 – Page open: Controller `index()` saari `services` (sub-services ke saath), saari `doctor_consultation_services` aur saare active rules (`status=1`) load karta hai.



Step 2 – Admin form bharta hai: JavaScript Pricing Type ke hisaab se Service list aur Mode list badalta hai. Apply To (New/Old) aur Temporary par date popup se hidden fields bharte hain. Tier choose karne par cities AJAX se aati hain.



Step 3 – Submit (POST): Controller `store()` validation karta hai (pricing_type fixed list me hona chahiye; value numeric; dates valid date).



Step 4 – DB me rule save: `bulk_pricing_rules` me ek naya row, `status = 1` . (Details Section 4.)



Step 5 – Job dispatch: Agar `apply_to = all` ya `old` → `ApplyBulkPricingRuleJob` dispatch. Agar `new` → job nahi chalta, sirf rule save hota hai.
`.env` me `QUEUE_CONNECTION=sync` hai, isliye job **isi request ke andar turant** chalta hai (queue worker ki zarurat nahi). Bahut data ho to page slow / timeout ho sakta hai, aur job fail hua to admin ko error page dikhega (rule phir bhi save ho chuka hota hai).



Step 6 – Job prices badalta hai: Pricing Type ke hisaab se sahi table me har matching row ka price formula se naya calculate karke save. Temporary ho to purana price `original_*` column me backup.



Step 7 – Success message: "Bulk pricing rule has been created successfully!" aur rule neeche table me dikhne lagta hai.



Step 8 – (Sirf Temporary) Auto revert: Scheduler har minute `pricing:revert-temporary` chalata hai. Jin temporary rules ka `time_period_end_date <= now` hai, unke liye `original_*` se purana price wapas daalta hai, `original_*` ko NULL karta hai, aur rule ko `status = 0` kar deta hai (table se gayab).

Dhyan do: ye tabhi chalega jab server par cron `php artisan schedule:run` (har minute) ya `php artisan schedule:work` chal raha ho. Sirf `php artisan serve` se revert kabhi nahi hoga.

4. Database me kya save hota hai

4.1 Table: `bulk_pricing_rules` (har submit par 1 naya row)

Column	Type	Kya value aati hai
id	bigint	Rule ID (logs me "Bulk Pricing Rule #id" isi ka hai)
pricing_type	string	doctor_payout / vendor / freelancer / website_general / website_doctor
service_id	bigint, null	Selected service ki ID (doctor types me doctor_consultation_services ki ID). NULL = All
sub_service_id	bigint, null	Selected sub-service ki ID. NULL = All
mode_type	string, null	12_hours / 24_hours / both / one_time / Online / Home Visit / Clinic. NULL = All
change_type	string	normal / increase_fixed / increase_percent / decrease_fixed / decrease_percent
value	decimal(10,2)	Amount ya %
apply_to	string	all / new / old
apply_from_date, apply_to_date	datetime, null	Registration date range (sirf New/Old choose karne par). Save hota hai par kahin use nahi hota.
city_filter	string (default "current")	current / all / tier_1 / tier_2 / tier_3
selected_cities	json, null	Selected city (location) IDs ka array, jaise <code>["3","7"]</code>
time_period	string	permanent / temporary
time_period_start_date, time_period_end_date	datetime, null	Temporary period. End date revert ke liye use hota hai; start date sirf portal display ke liye.
status	boolean	1 = active (create par hamesha 1). Temporary revert hone par 0. Permanent rule hamesha 1 hi rehta hai.
created_at / updated_at	timestamp	Auto

Note: Kisne rule banaya (admin user ID) ye save **nahi** hota.

4.2 Doosri tables jo job ke through badalti hain

Table	Columns jo badalte hain	Kab
<code>vendor_service_prices</code>	price_12hr, price_24hr, price_onetime, original_price_*	Pricing Type = Vendor. Row na ho to naya row create hota hai (per vendor + service + sub-service).

job_request_service_prices	price_12hr, price_24hr, price_onetime, original_price_*	Pricing Type = Freelancer (abhi crash hota hai – Section 10).
location_services	price_12hr, price_24hr, price_onetime, original_price_*	Pricing Type = Website General (location ke default prices).
location_doctor_consultation_prices	doctor_max_price (Payout), website_price (Website Doctor), original_website_price, original_doctor_max_price	Doctor Payout / Website Doctor.
doctor_requests	online_charges, home_visit_charges, clinic_consultation_charges (Payout) website_customer_fee_online / _home_visit / _clinic (Website Doctor) original_* columns consultation_pricing (JSON: doctor_price / website_price per sub-service per mode)	Sirf Approved doctors.
doctor_request_price_logs	Naya row: doctor_request_id, mode, old_amount, new_amount, note ("Updated via Bulk Pricing Rule #X"), updated_by = 1	Har doctor ke har badle hue price par ek log (sirf apply ke time; revert ka log nahi banta).

5. Price calculation – formulas

Change Type	Formula	Example (current ₹1000, value 10)
Normal	naya = value (minimum 0)	₹10 (value 1200 ho to ₹1200) – current price ignore , sab rows par same price
Increase Fixed	naya = current + value	₹1010
Increase %	naya = current + current × value/100	₹1100
Decrease Fixed	naya = current – value (minimum 0)	₹990
Decrease %	naya = current – current × value/100 (minimum 0)	₹900

- Agar current price **NULL** (set hi nahi) hai to us column ko skip kiya jata hai. **Exception:** Vendor/Freelancer me "Normal" ho to NULL price bhi value se set ho jata hai.
- Result round nahi hota (jaise $1000 + 7.5\% = 1075.00$; $999 \times 1.1 = 1098.9$).
- Value negative dalne par validation nahi rokta: "Increase Fixed –100" asal me ₹100 kam kar dega.
- Decrease me price 0 se neeche nahi jaata. Increase Fixed par koi upper limit nahi.

6. Pricing Type ke hisaab se – kya badalta hai aur kahan effect padta hai

6.1 Vendor

Point	Detail
Kinke price	Sirf <code>vendors.status = 'active'</code> wale vendors. Har vendor ki services (<code>vendor_services</code> JSON ya purana <code>service_city_shifts</code>) aur har sub-service + service-level (sub_id 0).
Base price kaunsa	<code>VendorServiceSync::resolvePrice</code> : pehle vendor ka apna override (<code>vendor_service_prices</code>), na ho to JSON override, na ho to location default (<code>location_services</code> , provider_type = vendor).
Kahan save	<code>vendor_service_prices</code> (firstOrNew). Matlab jin vendors ka pehle override nahi tha, unka ab naya override row ban jata hai – ab ye vendor location default ke future changes se alag ho jayega.
City filter	current / all / khali → saare vendors . Tier → vendor ka <code>location_id</code> ya <code>service_city_shifts</code> me koi city match ho.
Temporary	<code>original_price_*</code> me purana price (agar pehle se backup nahi hai tabhi). Naye row me original = NULL.
Permanent	<code>original_price_*</code> ko NULL kar deta hai (koi pending temporary backup bhi mit jaata hai).
Effect kahan dikhta hai	Vendor portal → Services pricing "Current price" column; Vendor API (<code>current_price</code>); Admin vendor detail; Vendor price change request (current price yahi se leta hai).

6.2 Freelancer

Point	Detail
Design	Vendor jaisa hi – <code>job_requests.status = 'active'</code> wale freelancers, save <code>job_request_service_prices</code> me.
Asal me	Job App\Services\FreelancerServiceSync class call karta hai jo project me exist hi nahi karti (sirf JobRequestFreelancerServiceSync hai, aur usme blocksForFreelancer method bhi nahi hai). Result: Freelancer + All/Old choose karke submit karne par "Class not found" error. Rule DB me save ho chuka hota hai aur "Active" dikhta hai, lekin koi price nahi badalta.
Effect	Freelancer portal me sirf "Temporary price" badge dikh sakta hai (agar temporary aur city match ho), actual price same rehta hai.

6.3 Website – General Services

Point	Detail
Kahan save	<code>location_services</code> table – ye har location ke default prices hain (Admin → Locations me jo set karte ho).
Important	Query <code>provider_type</code> filter nahi karti, isliye vendor aur freelancer dono ke location default prices badal jaate hain.
City filter	Tier → sirf un <code>location_id</code> ke rows. current / all → saari locations .
Temporary / Permanent	Temporary me price badla ho to <code>original_price_*</code> me backup. Permanent me <code>original_*</code> clear nahi hota.

Effect kahan dikhta hai	- Vendor/Freelancer registration page par location select karne par jo prices dikhte hain (<code>RegisterController::locationProviderServices</code>). - Jin vendors/freelancers ka apna override nahi hai, unka effective "current price" bhi badal jaata hai (resolvePrice location default par fallback karta hai). - Admin → Locations edit page par dikhne wale prices.
-------------------------	--

6.4 Doctor Payout Only

Point	Detail
Part A – Location	<code>location_doctor_consultation_prices.doctor_max_price</code> (doctor ka max allowed charge per location/service/sub-service/mode) badalta hai. Temporary hone par bhi iska backup nahi banta aur revert bhi nahi hota – ye change permanent ho jata hai.
Part B – Har doctor	Sirf <code>approval_status = 'Approved'</code> doctors. Service choose kiya ho to <code>job_title = service ka naam</code> wale doctors. City: tier ho to doctor ka <code>city</code> ya <code>location</code> naam match.
Columns	<code>online_charges</code> , <code>home_visit_charges</code> , <code>clinic_consultation_charges</code> (mode ke hisaab se; khali mode = teeno) + <code>consultation_pricing</code> JSON me har sub-service ka <code>doctor_price</code> .
Sub-service filter	JSON rows par lagta hai, lekin upar ke 3 main columns par nahi – ek sub-service choose karne par bhi doctor ke main charges badal jaate hain.
Log	Har change par <code>doctor_request_price_logs</code> me entry.
Effect kahan dikhta hai	Doctor ka payout / consultation charges; public consultation website API (<code>PublicConsultationWebsiteController</code> ye columns bhejta hai); Admin doctor request detail; doctor registration page par max price lock (<code>doctor_max_price</code>).

6.5 Website – Doctor Consultations

Point	Detail
Part A – Location	<code>location_doctor_consultation_prices.website_price</code> (customer ko dikhne wali fee). Temporary me <code>original_website_price</code> aur <code>original_doctor_max_price</code> me backup.
Part B – Har doctor	Approved doctors ke <code>website_customer_fee_online</code> , <code>website_customer_fee_home_visit</code> , <code>website_customer_fee_clinic</code> + JSON me <code>website_price</code> . Temporary me <code>original_*</code> backup. Filters Doctor Payout jaise hi.
Effect kahan dikhta hai	Website par customer ko dikhne wali consultation fee; doctor portal ka "Temporary price" badge; admin doctor detail. Logs <code>doctor_request_price_logs</code> me.

7. Conditions – kis option par kya hota hai

7.1 Apply To

Option	Code me kya hota hai	Asal result
All Existing + New	Rule save + job turant chalta hai	Saare existing records ka price badalta hai. "New" registrations ke liye koi alag logic nahi – naye log bas location default (jo Website General se badla ho) dekhenge.

Old Registrations Only	Rule save + job turant chalta hai	"All" jaisa hi. Popup me di gayi registration date range ignore hoti hai – saare active/approved records badalte hain, sirf purane nahi.
New Registrations Only	Sirf rule save, job nahi	Koi price nahi badalta. Registration flow me koi bhi code <code>bulk_pricing_rules</code> ko nahi padhta, isliye naye registrations par bhi ye rule apply nahi hota. Sirf "Active rules" table me dikhta hai (aur temporary ho to portal badge).

7.2 City Filter

Option	Asal result
Current City Only (default)	Code me "current city" ka koi concept nahi hai – ise "All" ki tarah treat kiya jata hai. Default option chhod diya to change saari cities me lagega.
All Cities	Saari cities.
Tier 1 / 2 / 3 (cities khali)	<code>locations.tier</code> = "Tier 1/2/3" wali saari cities.
Tier + specific cities	Sirf selected cities (IDs). Doctors ke liye in cities ke naam se doctor ka city/location match hota hai.

7.3 Mode / Duty Type

Option	Kaunse columns
Khali (Select option)	Sab: 12hr + 24hr + One-time (ya doctors me Online + Home Visit + Clinic)
12 Hours / 24 Hours / One-time	Sirf wahi ek column
Both	12hr + 24hr (One-time nahi)
Online / Home Visit / Clinic	online / home_visit / clinic_visit (doctor columns + location consultation_mode)

7.4 Time Period

Option	Asal result
Permanent	Price hamesha ke liye badal jaata hai. Rule <code>status=1</code> rehta hai aur table me hamesha dikhta hai. Vendor/Freelancer me pending temporary backup mit jaata hai.
Temporary	- Price submit karte hi turant badal jaata hai – Start date ka wait nahi hota (start date sirf portal badge me "future/active" dikhane ke liye hai). - Purana price original_* me backup (Doctor Payout ka location price chhod kar). - End date nikalne par (scheduler chal raha ho to) purana price wapas aata hai aur rule inactive hota hai. - Temporary choose kiya par dates nahi di (popup cancel) to end_date NULL → kabhi revert nahi hoga.

8. Temporary price ka auto-revert – detail

Pricing Type	Revert kya karta hai
Vendor	<code>vendor_service_prices</code> ke jin rows me <code>original_price_*</code> NULL nahi hai, wahan <code>price = original</code> , <code>original = NULL</code> . Filter sirf service / sub-service (city ya mode nahi).
Freelancer	Same, <code>job_request_service_prices</code> par.
Website General	<code>location_services</code> par same (service / sub-service filter).
Website Doctor	location table ka <code>website_price + doctor_max_price</code> , doctors ke <code>website_customer_fee_*</code> aur JSON <code>website_price</code> wapas.
Doctor Payout	Doctors ke online/home/clinic charges aur JSON <code>doctor_price</code> wapas. location <code>doctor_max_price</code> wapas nahi hota.

Revert "backup column" par chalta hai, formula par nahi. Matlab revert ye nahi dekhta ki kaunse rule ne price badla tha – jis bhi row me `original_*` bhara hai use restore kar deta hai. Isliye agar ek hi type ke **do temporary rules overlap** karein to pehla rule khatam hote hi doosre rule ke rows bhi (service match hua to) revert ho sakte hain. Doctor/location tables me doosra temporary rule pehle ke backup ko overwrite bhi kar deta hai, to revert "pehle se badhe hue" price par wapas jaata hai.

9. Portal par "Temporary price" badge

Vendor, Freelancer aur Doctor portal ke "Services pricing" section me ek **Temporary price** column hai jo active temporary rules padhta hai:

- Vendor portal → sirf `pricing_type = vendor` rules. Freelancer portal → `freelancer`. Doctor portal → sirf `website_doctor` (Doctor Payout temporary rules doctor ko badge me nahi dikhte).
- Badge sirf tab dikhta hai jab rule me start date ho. Green = active period, red = future.
- City matching sirf "All" aur "Tier 1" ke liye sahi hai. **"Current" (default), Tier 2, Tier 3 aur selected cities par badge nahi dikhta** (code city naam ko "current"/"tier_2" string se compare karta hai).
- Vendor/Freelancer badge me **rule ki value** dikhti hai (jaise "+₹100" rule me badge "₹100.00" dikhayega, naya total price nahi). "Current price" column me backup wala purana price dikhaya jata hai.

10. Bugs / Risks jo code me mile

#	Severity	Problem	Effect
1	High	Freelancer: <code>FreelancerServiceSync</code> class exist nahi karti	Freelancer bulk update par error page; rule save ho jaata hai par price nahi badalta; rule "Active" dikhta rehta hai.
2	High	"Current City Only" = All cities	Default option par galti se poore India ke prices badal sakte hain.
3	High	Temporary rule start date ignore karta hai	Future ke liye plan kiya increase aaj hi lag jaata hai.
4	High	Doctor Payout temporary: location <code>doctor_max_price</code> ka backup/revert nahi	Temporary change location level par permanent ho jaata hai.
5	Medium	"New Registrations Only" ka koi implementation nahi	Rule save hota hai par kahin apply nahi hota.
6	Medium	"Old" me registration date range ignore	Old = All; saare records badalte hain.
7	Medium	Website General <code>provider_type</code> filter nahi karta	Vendor aur Freelancer dono ke location defaults ek saath badalte hain.
8	Medium	Doctor sub-service choose karne par bhi main 3 columns badalte hain	Doctor ke saare consultations ka charge badal jaata hai.
9	Medium	Admin → Locations edit save karne par location doctor prices delete + recreate hote hain (location_services bhi sync hota hai)	Temporary backup (original_*) mit jaata hai; revert nahi hoga, ya location edit karne par temporary price hi naya base ban jaata hai.
10	Medium	Overlapping temporary rules	Galat revert / backup overwrite (Section 8).
11	Medium	Revert ke liye scheduler (cron) zaroori	Cron nahi to temporary price hamesha ke liye reh jaata hai.
12	Medium	Vendor rule har vendor ka override row bana deta hai	Us vendor par location default ke future changes (Website General / Locations page) ka asar band ho jaata hai.
13	Low	Rule edit / delete / disable ka option nahi; Cancel button kaam nahi karta	Galat rule ulta karne ke liye opposite rule banana padega.
14	Low	Validation weak: change_type koi bhi string, negative value, end < start, temporary bina dates	Unexpected results (jaise unknown change_type par kuch nahi badalta, par rule save).
15	Low	Job sync chalta hai (QUEUE_CONNECTION=sync)	Bade data par request timeout; beech me fail hua to aadhe records badle, aadhe nahi.
16	Low	Audit: rule kisne banaya save nahi; doctor logs me updated_by hamesha 1; revert ka log nahi	Tracking mushkil.
17	Low	Portal badge city matching aur displayed value	Badge galat/missing dikh sakta hai (Section 9).

11. Example scenarios

Example A – Vendor, 24hr ICU Nurse, +₹100, 7 din (temporary), Tier 1

1. Rule save: pricing_type=vendor, service=ICU Nurse, mode=24_hours, change=increase_fixed, value=100, city=tier_1, temporary, 1 Oct – 8 Oct.
2. Job turant: Tier 1 cities wale har active vendor jiske paas ICU Nurse hai – 24hr price ₹1500 → ₹1600
`vendor_service_prices` me, original_price_24hr = 1500. (12hr / one-time same rehte hain.)
3. Agar submit 28 Sep ko kiya to price 28 Sep se hi ₹1600 (start date ka wait nahi).
4. 8 Oct ke baad scheduler: price_24hr = 1500, original = NULL, rule status=0.

Example B – Website General, All services, +10%, Permanent, city default chhoda

1. City "Current City Only" = sab cities. Saari locations ke `location_services` rows (vendor + freelancer dono) ke 12hr, 24hr, one-time prices 10% badh jaate hain.
2. Registration page par naye prices dikhte hain; bina override wale vendors/freelancers ka current price bhi 10% badha dikhta hai.
3. Kabhi revert nahi – ulta karne ke liye "Decrease by 9.0909%" rule banana padega (10% kam karne se exact purana price nahi aayega: 1000 → 1100 → 990).

Example C – Website Doctor, General Physician, Online, Normal ₹499, Permanent

1. Saari locations ke GP online rows me `website_price = 499`.
2. Saare approved GP doctors ka `website_customer_fee_online = 499` aur JSON me har sub-service ka online `website_price = 499` (jahan pehle koi value thi).
3. Har doctor ke har change ka log `doctor_request_price_logs` me.

Example D – "New Registrations Only"

Kuch bhi setting ho – rule save hota hai, table me dikhta hai, lekin koi price nahi badalta aur naye registrations par bhi apply nahi hota.

12. Quick reference – "Maine X badla to kahan asar hoga?"

Pricing Type	DB	Screen / jagah
Vendor	vendor_service_prices	Vendor portal pricing, Vendor API, admin vendor view, vendor price-change request ka "current price"
Freelancer	(job_request_service_prices – abhi crash)	Freelancer portal (badge sirf)
Website General	location_services (vendor + freelancer)	Registration page prices, Admin Locations, bina override wale vendors/freelancers ka current price
Doctor Payout	location_doctor_consultation_prices.doctor_max_price, doctor_requests charges + JSON doctor_price, price logs	Doctor charges/payout, doctor registration max-price lock, public consultation API, admin doctor detail
Website Doctor	location_doctor_consultation_prices.website_price, doctor_requests website_customer_fee_* + JSON website_price, price logs	Website consultation fee (customer), doctor portal temporary badge, admin doctor detail