```
CREATE TABLE TableName
(
 ColumnName01 DATATYPE(Size)
 CONSTRAINT ConstraintName CONSTRAINT_TYPE, --COLUMN Level OR In-Line
Style
                .
                .
                .
                .
                .
 ColumnName0N DATATYPE(Size),
 CONSTRAINT ConstraintName CONSTRAINT_TYPE(ColumnName) --TABLE Level OR
Out-of-Line Style
)

SQL> cl scr

SQL> CREATE TABLE SampleNN01
  2  (
  3   SampID NUMBER(2)
  4   CONSTRAINT SampleNN01_SampID_NN NOT NULL,
  5   SampName VARCHAR2(15)
  6   CONSTRAINT SampleNN01_SampName_NN NOT NULL,
  7   SampDate DATE
  8  );

Table created.

SQL> DESC SampleNN01
 Name                                                        Null?
Type
 ------------------------------------------------------------ ------
-- ---------------------------------------
 SAMPID                                                      NOT
NULL NUMBER(2)
 SAMPNAME                                                    NOT
NULL VARCHAR2(15)
 SAMPDATE
DATE

SQL> INSERT INTO SampleNN01
  2  VALUES(1, 'SAMPLE01', SYSDATE);

1 row created.

SQL> INSERT INTO SampleNN01
  2  VALUES(NULL, 'SAMPLE02', SYSDATE);
```

SkyEss Techno Solutions Pvt. Ltd.
Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038
Ph No. +9140 23710047, 64640047, Mobile: 9985798869
Contact For Courses And Training in
Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix
Follow Me: https://www.facebook.com/satishkumar.yellanki
Know you can register online for particular course (http://skyess.info/contact-form/)

```
VALUES(NULL, 'SAMPLE02', SYSDATE)
        *
ERROR at line 2:
ORA-01400: cannot insert NULL into ("SCOTT"."SAMPLENN01"."SAMPID")


SQL> INSERT INTO SampleNN01
  2  VALUES(2, NULL, SYSDATE);
VALUES(2, NULL, SYSDATE)
            *
ERROR at line 2:
ORA-01400: cannot insert NULL into ("SCOTT"."SAMPLENN01"."SAMPNAME")


SQL> INSERT INTO SampleNN01
  2  VALUES(2, 'SAMPLE02', SYSDATE);

1 row created.

SQL> INSERT INTO SampleNN01
  2  VALUES(3, 'SAMPLE03', NULL);

1 row created.

SQL> SEWLECT * FROM SampleNN01;
SP2-0734: unknown command beginning "SEWLECT * ..." - rest of line
ignored.
SQL> SELECT * FROM SampleNN01;

    SAMPID SAMPNAME        SAMPDATE
---------- --------------- ---------
         1 SAMPLE01        13-APR-15
         2 SAMPLE02        13-APR-15
         3 SAMPLE03

SQL> ED
Wrote file afiedt.buf

  1  CREATE TABLE SampleNN02
  2  (
  3   SampID NUMBER(2),
  4   SampName VARCHAR2(15)
  5   CONSTRAINT SampleNN02_SampName_NN NOT NULL,
  6   SampDate DATE,
  7   CONSTRAINT SampleNN02_SampID_NN NOT NULL(SampID)
  8* )
SQL> /
```

```
   CONSTRAINT SampleNN02_SampID_NN NOT NULL(SampID)
                                    *
ERROR at line 7:
ORA-00904: : invalid identifier


SQL> SPOOL OFF
```

SkyEss Techno Solutions Pvt. Ltd.
Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038
Ph No. +9140 23710047, 64640047, Mobile: 9985798869
Contact For Courses And Training in
**Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data
Modeling, Linux/Unix**
Follow Me: https://www.facebook.com/satishkumar.yellanki
Know you can register online for particular course (http://skyess.info/contact-form/)