SQL> cl scr SQL> SELECT * FROM TAB; TNAME TABTYPE CLUSTERID BONUS TABLE CUSTOMER TABLE DEPT TABLE DUMMY TABLE **EMP** TABLE TABLE ITEM ORD TABLE PRICE TABLE PRODUCT TABLE SALES VIEW SALGRADE TABLE 11 rows selected. SQL> DESC USER VIEWS Name Null? Type NOT VIEW_NAME NULL VARCHAR2(30) TEXT LENGTH NUMBER TEXT LONG TYPE_TEXT_LENGTH NUMBER TYPE_TEXT VARCHAR2(4000) OID_TEXT_LENGTH NUMBER OID_TEXT VARCHAR2 (4000) VIEW_TYPE_OWNER VARCHAR2(30) VIEW_TYPE VARCHAR2(30) SUPERVIEW_NAME VARCHAR2(30) EDITIONING_VIEW VARCHAR2(1)

Clares Techno Colutions But 14d

SkyEss Techno Solutions Pvt. Ltd.
Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038

Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

```
READ ONLY
VARCHAR2(1)
SOL> COL VIEW NAME FOR A10
SQL> COL TEXT FOR A100
SQL> SELECT VIEW_NAME, TEXT
 2 FROM USER_VIEWS
 3 WHERE VIEW NAME = 'SALES';
VIEW NAME TEXT
  ._____
        SELECT REPID, ORD.CUSTID, CUSTOMER.NAME CUSTNAME,
PRODUCT.PRODID,
         DESCRIP PRODNA
SOL> SET LONG 200
SQL> R
 1 SELECT VIEW_NAME, TEXT
 2 FROM USER_VIEWS
 3* WHERE VIEW NAME = 'SALES'
VIEW NAME TEXT
SALES SELECT REPID, ORD.CUSTID, CUSTOMER.NAME CUSTNAME,
PRODUCT.PRODID,
          DDID,
DESCRIP PRODNAME, SUM(ITEMTOT) AMOUNT
          FROM ORD, ITEM, CUSTOMER, PRODUCT
          WHERE ORD.ORDID = ITEM.ORDID
          AND ORD.CUSTID = CUSTOMER.CUSTID
SQL> CREATE OR REPLACE VIEW DeptSalSummary
  3 SELECT
  4 D.Dname,
  5 MIN(E.Sal),
 6 MAX(E.Sal),
   AVG(E.Sal),
SUM(E.Sal)
 9 FROM Emp E, Dept D
 10 WHERE E.Deptno = D.Deptno
 11 GROUP BY D.Dname;
     MIN(E.Sal),
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
ERROR at line 5:
ORA-00998: must name this expression with a column alias
SQL> CREATE OR REPLACE VIEW DeptSalSummary
  2 AS
  3 SELECT
  4 D.Dname DepartmentName,
  5 MIN(E.Sal) MinimumSalary,
  6 MAX(E.Sal) MaxSalary,
  7 AVG(E.Sal) AverageSalary,
  8 SUM(E.Sal) SalarySum
  9 FROM Emp E, Dept D
 10 WHERE E.Deptno = D.Deptno
 11 GROUP BY D.Dname;
View created.
SQL> DESC DeptSalSummary
                                                                  Null?
Name
Type
DEPARTMENTNAME
VARCHAR2(14)
 MINIMUMSALARY
NUMBER
MAXSALARY
NUMBER
AVERAGESALARY
NUMBER
 SALARYSUM
NUMBER
SQL> CREATE OR REPLACE VIEW DeptSalSummary
    DepartmentName,
  3
  4
    MinimumSalary,
  5
    MaxSalary,
  6
     AverageSalary,
      SalarySum
  8
 9 AS
 10 SELECT
 11
     D.Dname,
 12
     MIN(E.Sal),
     MAX(E.Sal),
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
14 AVG(E.Sal),
 15 SUM(E.Sal)
 16 FROM Emp E, Dept D
 17 WHERE E.Deptno = D.Deptno
 18 GROUP BY D.Dname;
View created.
SQL> DESC DeptSalSummary
                                                                     Null?
Name
Type
DEPARTMENTNAME
VARCHAR2(14)
MINIMUMSALARY
NUMBER
 MAXSALARY
NUMBER
AVERAGESALARY
NUMBER
SALARYSUM
NUMBER
SQL> cl scr
SQL> CREATE OR REPLACE VIEW InsertDept10
  2 AS
  3 SELECT *
  4 FROM Emp
  5 WHERE Deptno = 10;
View created.
SQL> DESC InsertDept10
Name
                                                                    Null?
Туре
 EMPNO
                                                                    NOT
NULL NUMBER (4)
 ENAME
VARCHAR2(10)
 JOB
VARCHAR2(9)
MGR
NUMBER (4)
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

DATE SAL NUMBE COMM NUMBE DEPT	ER(7,2)					NOT
SQL>	SELECT * FROM In	sertDept10;				
COMM	EMPNO ENAME DEPTNO	JOB	MGR	HIREDATE	SAL	
	7839 KING	PRESIDENT		17-NOV-81	5000	
10	7782 CLARK	MANAGER	7839	09-JUN-81	2450	
10	7934 MILLER	CLERK	7782	23-JAN-82	1300	
SQL> CREATE TABLE Dept10On The Fly Table 2 AS 3 SELECT * 4 FROM InsertDept10;						
Table	e created.					
SQL> Name Type	DESC Dept10	9				Null?
ENAM VARCE JOB VARCE MGR NUMBE HIRE DATE SAL	NUMBER(4) ME HAR2(10) HAR2(9)	/				NOT

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

DEPT	ER(7,2)				NOT
SQL>	SELECT * FROM De	pt10;			
COMM	EMPNO ENAME DEPTNO	JOB	MGR	HIREDATE	SAL
	 7839 KING	PRESIDENT		17-NOV-81	5000
10			7020	*	
10	7782 CLARK	MANAGER		09-JUN-81	2450
10	7934 MILLER	CLERK	7782	23-JAN-82	1300
SQL> CREATE OR REPLACE VIEW EmpGradeIns 2 AS 3 SELECT 4 Ename, 5 Job, 6 Sal, 7 Grade 8 FROM Emp E, SalGrade S 9 WHERE E.Sal BETWEEN S.LoSal AND S.HiSal; View created. SQL> DESC EmpGradeIns					
Name Type					
ENAM VARCH JOB VARCH SAL NUMBE GRAI NUMBE	HAR2(10) HAR2(9) ER(7,2) DE	pGradeIns;			
ENAME	E JOB	SAL	GRADE		
SkyEss Techno Solutions Pvt. Ltd.					

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

•

SMITH	CLERK	800	1
JAMES	CLERK	950	1
ADAMS	CLERK	1100	1
WARD	SALESMAN	1250	2
MARTIN	SALESMAN	1250	2
MILLER	CLERK	1300	2
TURNER	SALESMAN	1500	3
ALLEN	SALESMAN	1600	3
CLARK	MANAGER	2450	4
BLAKE	MANAGER	2850	4
JONES	MANAGER	2975	4
FORD	ANALYST	3000	4
SCOTT	ANALYST	3000	4
KING	PRESIDENT	5000	5

14 rows selected.

```
SQL> CREATE TABLE EmpGrades

2 (
3 Employee,
4 Designation,
5 BasicSalary,
6 Grade
7 )
8 AS
9 SELECT *
10 FROM EmpGradeIns;
```

Table created.

SQL> SELECT * FROM EmpGrades;

EMPLOYEE	DESIGNATI	BASICSALARY	GRADE
SMITH	CLERK	800	1
JAMES	CLERK	950	1
ADAMS	CLERK	1100	1
WARD	SALESMAN	1250	2
MARTIN	SALESMAN	1250	2
MILLER	CLERK	1300	2
TURNER	SALESMAN	1500	3
ALLEN	SALESMAN	1600	3
CLARK	MANAGER	2450	4
BLAKE	MANAGER	2850	4
JONES	MANAGER	2975	4
FORD	ANALYST	3000	4

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

```
SCOTT
          ANALYST
                           3000
KING
          PRESIDENT
                        5000
14 rows selected.
SQL> CREATE TABLE EmpGrades01
  2 (
  3
    Employee
    CONSTRAINT EmpGrades01_Employee_CHK01
    CHECK(Employee = UPPER(Employee)),
  5
   Designation,
  6
  7
    BasicSalary,
 8
    Grade
  9 )
 10 AS
 11 SELECT *
 12 FROM EmpGradeIns;
Table created.
SQL> DROP VIEW EmpGradeIns;
View dropped.
SQL> SELECT * FROM EmpGrades;
```

EMPLOYEE	DESIGNATI	BASICSALARY	GRADE
SMITH	CLERK	800	1
JAMES	CLERK	950	1
ADAMS	CLERK	1100	1
WARD	SALESMAN	1250	2
MARTIN	SALESMAN	1250	2
MILLER	CLERK	1300	2
TURNER	SALESMAN	1500	3
ALLEN	SALESMAN	1600	3
CLARK	MANAGER	2450	4
BLAKE	MANAGER	2850	4
JONES	MANAGER	2975	4
FORD	ANALYST	3000	4
SCOTT	ANALYST	3000	4
KING	PRESIDENT	5000	5

14 rows selected.

SQL> cl scr

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad - 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data **Modeling, Linux/Unix**

SQL> CREATE OR REPLACE VIEW InsertDept 2 (3 DeptID, 4 DeptName, 5 Place 6 7 AS 8 SELECT 9 Deptno, 10 Dname, 11 Loc 12 FROM Dept; View created. SQL> DESC Dept Name Null? Type DEPTNO NOT NULL NUMBER(2) DNAME VARCHAR2(14) LOC VARCHAR2(13) SQL> DESC InsertDept Name Null? Type DEPTID NOT NULL NUMBER (2) DEPTNAME VARCHAR2(14) PLACE VARCHAR2 (13) SQL> SELECT * FROm Dept; DEPTNO DNAME LOC 10 ACCOUNTING NEW YORK 20 RESEARCH DALLAS 30 SALES CHICAGO 40 OPERATIONS BOSTON

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

```
SQL> SELECT * FROM InsertDept;
   DEPTID DEPTNAME
                      PLACE
  _____
       10 ACCOUNTING NEW YORK
       20 RESEARCH
                      DALLAS
       30 SALES
                      CHICAGO
       40 OPERATIONS BOSTON
SQL> INSERT INTO InsertDept(Deptno, Dname, Loc)
  2 VALUES(50, 'SHIPPING', 'CHENNAI');
INSERT INTO InsertDept(Deptno, Dname, Loc)
ERROR at line 1:
ORA-00904: "LOC": invalid identifier
SQL> INSERT INTO InsertDept(DeptID, DeptName, Place)
  2 VALUES(50, 'SHIPPING', 'CHENNAI');
1 row created.
SQL> SELECT * FROM InsertDept;
                    PLACE
   DEPTID DEPTNAME
 ----- -----
                      NEW YORK
       10 ACCOUNTING
       20 RESEARCH
                       DALLAS
                     CHICAGO
BOSTON
       30 SALES
       40 OPERATIONS
                     CHENNAI
       50 SHIPPING
SQL> SELECT * FROm Dept;
   DEPTNO DNAME
                  LOC
    ------
       10 ACCOUNTING NEW YORK
20 RESEARCH DALLAS
30 SALES CHICAGO
     40 OPERATIONS BOSTON 50 SHIPPING CHENNAI
SQL> UPDATE InsertDept
 2 SET Place = 'MUMBAI'
  3 WHERE DeptID = 40;
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

1 row updated.

SQL> SELECT * FROm Dept;

DEPTNO	DNAME	LOC
20 30 40	ACCOUNTING RESEARCH SALES OPERATIONS SHIPPING	NEW YORK DALLAS CHICAGO MUMBAI CHENNAT
50	DIIIII IIVO	CIILIVIVIII

SQL> DELETE FROM InsertDept

2 WHERE DeptID = 50;

1 row deleted.

SQL> SELECT * FROm Dept;

DELLINO	DNAME	TOC.
		4
10	ACCOUNTING	NEW YORK
20	RESEARCH	DALLAS
30	SALES	CHICAGO
40	OPERATIONS	MUMBAI

SQL> SPOOL OFF

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad - 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix