```
SQL> cl scr
SQL> CREATE TABLE SampleSelf01
  3
    SampID NUMBER(2)
      CONSTRAINT SampleSelf01_SampID_PK PRIMARY KEY,
  5
      SampName VARCHAR2(10),
      SampDate DATE,
  7
      SampIDFK NUMBER(2)
      CONSTRAINT SampleSelf01_SampIDFK_FK
  9
    REFERENCES SampleSelf01(SampID)
 10 );
Table created.
SQL> INSERT INTO SampleSelf01
  2 VALUES(1, 'SAMPLE01', SYSDATE, 5);
INSERT INTO SampleSelf01
ERROR at line 1:
ORA-02291: integrity constraint (SCOTT.SAMPLESELF01_SAMPIDFK_FK) violated
- parent key not found
SQL> INSERT INTO SampleSelf01
  2 VALUES(1, 'SAMPLE01', SYSDATE,
                                   NULL);
1 row created.
SQL> INSERT INTO SampleSelf01
  2 VALUES(2, 'SAMPLE02
                           SYSDATE, 1);
1 row created.
SQL> INSERT INTO SampleSelf01
  2 VALUES(3, 'SAMPLE03', SYSDATE, 1);
1 row created
SQL> SELECT * FROM SampleSelf01;
     AMPID SAMPNAME
                      SAMPDATE
                               SAMPIDFK
                      15-APR-15
         1 SAMPLE01
                      15-APR-15
         2 SAMPLE02
         3 SAMPLE03
                      15-APR-15
SOL> ED
Wrote file afiedt.buf
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

```
1 CREATE TABLE SampleSelf02
  2
    (
  3
     SampID NUMBER(2)
  4
      CONSTRAINT SampleSelf02_SampID_PK PRIMARY KEY,
  5
      SampName VARCHAR2(10),
  6
      SampDate DATE,
  7
      SampIDFK NUMBER(2)
      CONSTRAINT SampleSelf02_SampIDFK_NN NOT NULL
      CONSTRAINT SampleSelf02_SampIDFK_FK
  9
    REFERENCES SampleSelf02(SampID)
 10
 11* )
SOL> /
Table created.
SQL> INSERT INTO SampleSelf02
  2 VALUES(1, 'SAMPLE01', SYSDATE, NULL);
VALUES(1, 'SAMPLE01', SYSDATE, NULL)
ERROR at line 2:
ORA-01400: cannot insert NULL into ("SCOTT
                                               AMPLESELF02"."SAMPIDFK")
SQL> INSERT INTO SampleSelf02
  2 VALUES(1, 'SAMPLE01', SYSDATE,
1 row created.
SQL> INSERT INTO SampleSelf02
  2 VALUES(2, 'SAMPLE02
1 row created.
SOL> cl scr
SQL> CREATE TABLE SamplePK01
  3
      SampID NUMBER(2)
      CONSTRAINT SamplePK01_SampID_PK PRIMARY KEY,
      SampName VARCHAR2(10),
      SampDate DATE
Table created.
    CREATE TABLE SampleFK01
  2
  3
      SampID NUMBER(2)
  4
      CONSTRAINT SampleFK01_SampID_PK PRIMARY KEY,
      SampName VARCHAR2(10),
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

```
6
      SampDate DATE,
  7
      SampIDFK NUMBER(2)
      CONSTRAINT SampleFK01_SampIDFK_FK
  8
  9 REFERENCES SamplePK01(SampID)
 10
    ON DELETE SET NULL
 11 );
Table created.
SOL> ED
Wrote file afiedt.buf
  1 CREATE TABLE SampleFK02
  2
  3
    SampID NUMBER(2)
      CONSTRAINT SampleFK02 SampID PK PRIMARY KEY
  5
      SampName VARCHAR2(10),
  6
      SampDate DATE,
  7
      SampIDFK NUMBER(2)
      CONSTRAINT SampleFK02 SampIDFK NN NOT NUI
  8
      CONSTRAINT SampleFK02 SampIDFK FK
  9
 10 REFERENCES SamplePK01(SampID)
 11
      ON DELETE CASCADE
 12*)
SQL> /
Table created.
SQL> BEGIN
  2 INSERT INTO SamplePK01
  3 VALUES(1, 'SAMPLE01 SYSDATE);
  4 INSERT INTO SamplePK01
  5 VALUES(2, 'SAMPLE02' SYSDATE);
  6 INSERT INTO SamplePK01
  7 VALUES(3, 'SAMPLEO3', SYSDATE);
  8 INSERT INTO SamplePK01
 9 VALUES(4, 'SAMPLE04', SYSDATE);
10 INSERT INTO SamplePK01
 11 VALUES(5, SAMPLE05', SYSDATE);
 12 INSERT INTO SamplePK01
    VALUES(6, 'SAMPLE06', SYSDATE);
 13
 14 INSERT INTO SamplePK01
     VALUES(7, 'SAMPLE07', SYSDATE);
    INSERT INTO SamplePK01
     VALUES(8, 'SAMPLE08', SYSDATE);
 18
    COMMIT;
 19
   END;
 20
    /
PL/SQL procedure successfully completed.
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

SOL> BEGIN 2 INSERT INTO SampleFK01 3 VALUES(10, 'SAMPLE10', SYSDATE, 1); 4 INSERT INTO SampleFK01 5 VALUES(11, 'SAMPLE11', SYSDATE, 1); 6 INSERT INTO SampleFK01 7 VALUES(12, 'SAMPLE12', SYSDATE, 1); 8 INSERT INTO SampleFK01 9 VALUES(13, 'SAMPLE13', SYSDATE, 4); 10 INSERT INTO SampleFK01 11 VALUES(14, 'SAMPLE14', SYSDATE, 4); 12 INSERT INTO SampleFK01 13 VALUES(15, 'SAMPLE15', SYSDATE, 7); 14 INSERT INTO SampleFK01 15 VALUES(16, 'SAMPLE16', SYSDATE, 7); 16 INSERT INTO SampleFK01 17 VALUES(17, 'SAMPLE17', SYSDATE, 7); 18 COMMIT; 19 END; 20 / PL/SQL procedure successfully completed SQL> BEGIN 2 INSERT INTO SampleFK02 3 VALUES(20, 'SAMPLE20', SYSDATE 4 INSERT INTO SampleFK02 ◆ 5 VALUES(21, 'SAMPLE21', SYSDATE, 3); 6 INSERT INTO SampleFK02 7 VALUES(22, 'SAMPLE22', SYSDATE, 3); 8 INSERT INTO SampleFK02 9 VALUES(23, 'SAMPLE23, SYSDATE, 4); 10 INSERT INTO SampleFK02 11 VALUES(24, 'SAMPLE24', SYSDATE, 4); 12 INSERT INTO SampleFK02
13 VALUES(25, SAMPLE25', SYSDATE, 5); 13 VALUES(25, SAMPLE25', 14 INSERT INTO SampleFK02 15 VALUES(26 'SAMPLE26', SYSDATE, 5); INSERT INTO SampleFK02 16 VALUES(27, 'SAMPLE27', SYSDATE, 5); 17 18 COMMIT; END; PI/SQL procedure successfully completed.

```
SQL> cl scr
SQL> SELECT * FROM SamplePK01;
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

SAMPID	SAMPNAME	SAMPDATE
1	SAMPLE01	15-APR-15
2	SAMPLE02	15-APR-15
3	SAMPLE03	15-APR-15
4	SAMPLE04	15-APR-15
5	SAMPLE05	15-APR-15
6	SAMPLE06	15-APR-15
7	SAMPLE07	15-APR-15
8	SAMPLE08	15-APR-15

8 rows selected.

SQL> SELECT * FROM SampleFK01;

SAMPID	SAMPNAME	SAMPDATE	SAMPIDFK
10	SAMPLE10	15-APR-15	1
11	SAMPLE11	15-APR-15	1
12	SAMPLE12	15-APR-15	1
13	SAMPLE13	15-APR-15	4
14	SAMPLE14	15-APR-15	4
15	SAMPLE15	15-APR-15	7
16	SAMPLE16	15-APR-15	7
17	SAMPLE17	15-APR-15	7

8 rows selected.

SQL> SELECT * FROM SampleFK027

		A A	
SAMPII	O SAMPNAME	SAMPDATE	SAMPIDFK
	<i>-</i>		
20	SAMPLE20	15-APR-15	3
21	1 SAMPLE21	5-APR-15	3
22	2 SAMPLE22	15-APR-15	3
23	3 SAMPLE23	15-APR-15	4
24	4 SAMPLE24	15-APR-15	4
2.5	5 SAMPLE25	15-APR-15	5
26	SAMPLE26	15-APR-15	5
25	7 SAMPLE27	15-APR-15	5

8 rows selected.

```
SQL> DELETE FROM SamplePK01
2 WHERE SampID = 8;
```

1 row deleted.

SQL> SELECT * FROM SamplePK01;

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

SAMPID	SAMPNAME	SAMPDATE
1	SAMPLE01	15-APR-15
2	SAMPLE02	15-APR-15
3	SAMPLE03	15-APR-15
4	SAMPLE04	15-APR-15
5	SAMPLE05	15-APR-15
6	SAMPLE06	15-APR-15
7	SAMPLE07	15-APR-15

7 rows selected.

SQL> DELETE FROM SamplePK01
2 WHERE SampID = 1;

1 row deleted.

SQL> SELECT * FROM SamplePK01;

SAMPID	SAMPNAME	SAMPDATE
2	SAMPLE02	15-APR-15
3	SAMPLE03	15-APR-15
4	SAMPLE04	15-APR-15
5	SAMPLE05	15-APR-15
6	SAMPLE06	15-APR-15
7	SAMPLE07	15-APR+15

6 rows selected.

SQL> SELECT * FROM SampleFK01.

SAMPID	SAMPNAME	SAMPDATE	SAMPIDFK
10	SAMPLE10	15-APR-15	
11.	SAMPLE11	15-APR-15	
12	SAMPLE12	15-APR-15	
13	SAMPLE13	15-APR-15	4
14	ŞAMPLE14	15-APR-15	4
15	SAMPLE15	15-APR-15	7
16	SAMPLE16	15-APR-15	7
17	SAMPLE17	15-APR-15	7

rows selected.

SQL> DELETE FROM SamplePK01

2 WHERE SampID = 5;

1 row deleted.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

.....

```
SQL> SELECT * FROM SamplePK01;
```

SAMPID	SAMPNAME	SAMPDATE
2	SAMPLE02	15-APR-15
3	SAMPLE03	15-APR-15
4	SAMPLE04	15-APR-15
6	SAMPLE06	15-APR-15
7	SAMPLE07	15-APR-15

SQL> SELECT * FROM SampleFK02;

SAMPID	SAMPNAME	SAMPDATE	SAMPIDFK
20	SAMPLE20	15-APR-15	3
21	SAMPLE21	15-APR-15	3
22	SAMPLE22	15-APR-15	3
23	SAMPLE23	15-APR-15	4
24	SAMPLE24	15-APR-15	4

SQL> DELETE FROM SamplePK01

2 WHERE SampID = 4;

1 row deleted.

SQL> SELECT * FROM SamplePK01;

SAMPID	SAMPNAME	SAMPDATE
2	SAMPLE02	15-APR-15
3	SAMPLE03	15-APR-15
6	SAMPLE06	15-APR-15
7	SAMPLE07	15-APR-15

SQL> SELECT * FROM SampleFK01;

	SAMPID	SAMPNAME	SAMPDATE	SAMPIDFK
	10	SAMPLE10	15-APR-15	
	Y	SAMPLE11	15-APR-15	
	12	SAMPLE12	15-APR-15	
	13	SAMPLE13	15-APR-15	
e (14	SAMPLE14	15-APR-15	
₩ "	15	SAMPLE15	15-APR-15	7
1 0	16	SAMPLE16	15-APR-15	7
#	17	SAMPLE17	15-APR-15	7

8 rows selected.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

SQL> SELECT * FROM SampleFK02; SAMPID SAMPNAME SAMPDATE SAMPIDFK 20 SAMPLE20 15-APR-15 21 SAMPLE21 15-APR-15 22 SAMPLE22 15-APR-15 SQL> cl scr SQL> CREATE TABLE SampleCPK01 3 SampID NUMBER(2), 4 SampName VARCHAR2(10), 5 SampDate DATE, 6 CONSTRAINT SampleCPK01 SampIDName CPK PRIMARY KEY(SampID) 7); Table created. SQL> DROP TABLE SampleCPK01 PURGE; Table dropped. SOL> ED Wrote file afiedt.buf 1 CREATE TABLE SampleCPKO 3 SampID NUMBER(2), 4 SampName VARCHAR2(10 5 SampDate DATE, CONSTRAINT SampleCPK01_SampIDName_CPK 7 PRIMARY KEY(Samp1D, SampName) 8*) SQL> / Table created SOL> file afiedt.buf CREATE TABLE SampleCFK01 SampID NUMBER(2), SampName VARCHAR2(10), 5 SampDate DATE,

SkyEss Techno Solutions Pvt. Ltd.

SampIDFK NUMBER(2),
SampNameFK VARCHAR2(10),

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

```
CONSTRAINT SampleCPK02_SampID_PK
 9
    PRIMARY KEY(SampID),
10 CONSTRAINT SampleCPK02_SampIDNameCFK_FK
    FOREIGN KEY(SampIDFK, SampNameFK)
12 REFERENCES SampleCPK01(SampID, SampName)
13* )
SQL> /
Table created.
SQL> SPOOL OFF
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869