-

```
SQL> cl scr
SQL> SELECT ROWNUM RN, Ename, Sal
 2 FROM Emp
      RN ENAME
                        SAL
       1 KING
                 5000
                       2850
        2 BLAKE
       3 CLARK
                       2450
        4 JONES
                        2975
        5 MARTIN
                        1250
        6 ALLEN
                        1600
                       1500
       7 TURNER
       8 JAMES
                        950
                        1250
       9 WARD
                        3000
       10 FORD
       11 SMITH
                        800
       12 SCOTT
                         3000
       13 ADAMS
                         1100
       14 MILLER
                         1300
14 rows selected.
SQL> SELECT RN, Ename, Sal
 2 FROM
 4 SELECT ROWNUM RN, Ename, Sal
 5 FROM Emp
 6 )
  7 WHERE RN = &GiveRn;
Enter value for givern: 1
       RN ENAME
       1 KING
                       5000
SQL> /
Enter value for givern: 2
     RN ENAME
       2 BLAKE
SOL> /
Enter value for givern: 3
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

CAT

KIN	ENAME	SAL
3	CLARK	2450
SQL> ED		

Wrote file afiedt.buf

DM DMANE

- 1 SELECT RN, Ename, Sal
- 2 FROM
- 3 (
- 4 SELECT ROWNUM RN, Ename, Sal
- 5 FROM Emp
- 7* WHERE RN &GiveRn

SQL> /

Enter value for givern: = 1

RN	ENAME	SAL
1	KING	5000

SQL> /

Enter value for givern: = 2

RN	ENAME	SAL
2	BLAKE	2850

SQL> /

Enter value for givern:

RN	ENAME	SAL
1	KING	5000
2	BLAKE	2850
3	CLARK	2450
4	JONES	2975

SOL>

Enter value for givern: >= 8

RN	ENAME	SAL
8	JAMES	950
9	WARD	1250
10	FORD	3000

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad - 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data **Modeling, Linux/Unix**

11	SMITH	800
12	SCOTT	3000
13	ADAMS	1100
14	MILLER	1300

7 rows selected.

SQL> /

Enter value for givern: BETWEEN 1 AND 5

RN	ENAME	SAL
1	KING	5000
2	BLAKE	2850
3	CLARK	2450
4	JONES	2975
5	MARTIN	1250

SQL> /

Enter value for givern: BETWEEN 10 AND 15

RN	ENAME	SAL
10	FORD	3000
11	SMITH	800
12	SCOTT	3000
13	ADAMS	1100
14	MILLER	1300

SQL> /

Enter value for givern: IN(1, 4, 8)

RN ENAME	SAL
1 KING	5000
4 JONES	2975
A TAMES	950

SQL> SELECT RN, Ename, Sal

2 FROM

2

4 SELECT ROWNUM RN, Ename, Sal

5 FROM Emp

5

7 WHERE MOD(RN, 2) = 0;

RN ENAME SAL

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

```
2 BLAKE
                           2850
        4 JONES
                          2975
        6 ALLEN
                          1600
        8 JAMES
                           950
       10 FORD
                           3000
                          3000
       12 SCOTT
       14 MILLER
                        1300
7 rows selected.
SOL> ED
Wrote file afiedt.buf
  1 SELECT RN, Ename, Sal
  2 FROM
  3
    (
  4 SELECT ROWNUM RN, Ename, Sal
  5 FROM Emp
  6
    )
  7* WHERE MOD(RN, 2) = 1
SOL> /
       RN ENAME
                            SAL
                           5000
        1 KING
        3 CLARK
                           2450
        5 MARTIN
                           1250
        7 TURNER
                           1500
                           1250
        9 WARD
       11 SMITH
                           800
                           1100
       13 ADAMS
7 rows selected.
SQL> SELECT RN, Ename, Sal
  2 FROM
  3 (
   SELECT ROWNUM RN, Ename, Sal
  5 FROM Emp
     7 WHERE RN BETWEEN & GineRn1 AND & GiveRn2;
Enter value for ginern1: 1
Enter value for givern2: 5
       RN ENAME
                            SAL
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

.....

1	KING	5000
2	BLAKE	2850
3	CLARK	2450
4	JONES	2975
5	MARTIN	1250

SQL> /

Enter value for ginern1: 6
Enter value for givern2: 10

RN	ENAME	SAL
6	ALLEN	1600
7	TURNER	1500
8	JAMES	950
9	WARD	1250
10	FORD	3000

SQL> /

Enter value for ginern1: 11 Enter value for givern2: 15

RN	ENAME	SAL
11	SMITH	800
12	SCOTT	3000
13	ADAMS	1100
14	MILLER	1300

SQL> cl scr

SQL> SELECT ROWNUM, Ename, Sal

- 2 FROM Emp
- 3 GROUP BY ROWNUM, Ename, Sal
- 4 HAVING ROWNUM BETWEEN &GiveRowNum1 AND &GiveRowNum2;

Enter value for giverownum1: 1
Enter value for giverownum2: 5

ROWNUM	ENAME	SAL
5	MARTIN	1250
3	CLARK	2450
4	JONES	2975
1	KING	5000
2	BLAKE	2850

SQL> cl scr

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

.....

SQL> SELECT ROWID, Ename, Deptno, Sal
 2 FROM Emp;

ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWAAA	KING	10	5000
AAAUDHAAEAAAAOWAAB	BLAKE	30	2850
AAAUDHAAEAAAAOWAAC	CLARK	10	2450
AAAUDHAAEAAAAOWAAD	JONES	20	2975
AAAUDHAAEAAAAOWAAE	MARTIN	30	1250
AAAUDHAAEAAAAOWAAF	ALLEN	30	1600
AAAUDHAAEAAAAOWAAG	TURNER	30	1500
AAAUDHAAEAAAAOWAAH	JAMES	30	950
AAAUDHAAEAAAAOWAAI	WARD	30	1250
AAAUDHAAEAAAAOWAAJ	FORD	20	3000
AAAUDHAAEAAAAOWAAK	SMITH	20	800
AAAUDHAAEAAAAOWAAL	SCOTT	20	3000
${\tt AAAUDHAAEAAAAOWAAM}$	ADAMS	20	1100
AAAUDHAAEAAAAOWAAN	MILLER	10	1300

14 rows selected.

SOL> ED

Wrote file afiedt.buf

- 1 SELECT ROWID, Ename, Deptno, Sal
- 2 FROM Emp
- 3* WHERE ROWID = 'AAAUDHAAEAAAAOWAAF'

SQL> /

ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWA	AF ALLEN	30	1600

SQL> ED

Wrote file afiedt.buf

- 1 SELECT ROWID, Ename, Deptno, Sal
- 2 FROM Emp
- 3* WHERE ROWID < 'AAAUDHAAEAAAAOWAAF'

SQL>

ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWAAA	KING	10	5000
AAAUDHAAEAAAAOWAAB	BLAKE	30	2850

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

AAAUDHAAEAAAAOWAAC	CLARK	10	2450
AAAUDHAAEAAAAOWAAD	JONES	20	2975
AAAUDHAAEAAAAOWAAE	MARTIN	30	1250

SQL> ED

Wrote file afiedt.buf

- 1 SELECT ROWID, Ename, Deptno, Sal
- 2 FROM Emp
- 3* WHERE ROWID > 'AAAUDHAAEAAAAOWAAF'

SQL> /

ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWAAG	TURNER	30	1500
AAAUDHAAEAAAAOWAAH	JAMES	30	950
AAAUDHAAEAAAAOWAAI	WARD	30	1250
AAAUDHAAEAAAAOWAAJ	FORD	20	3000
${\tt AAAUDHAAEAAAAOWAAK}$	SMITH	20	800
AAAUDHAAEAAAAOWAAL	SCOTT	20	3000
${\tt AAAUDHAAEAAAAOWAAM}$	ADAMS	20	1100
${\tt AAAUDHAAEAAAAOWAAN}$	MILLER	10	1300

8 rows selected.

SOL> ED

Wrote file afiedt.buf

- 1 SELECT ROWID, Ename, Deptno, Sal
- 2 FROM Emp
- 3 WHERE ROWID BETWEEN 'AAAUDHAAEAAAAOWAA' | | '&GStartRID'
- 4* AND 'AAAUDHAAEAAAAOWAA' | | '&GENdRID'

SOL> /

Enter value for gstartrid: A Enter value for gendrid: E

ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWAAA	KING	10	5000
AAAUDHAAEAAAAOWAAB	BLAKE	30	2850
AAAUDHAAEAAAAOWAAC	CLARK	10	2450
AAAUDHAAEAAAAOWAAD	JONES	20	2975
AAAUDHAAEAAAAOWAAE	MARTIN	30	1250

SOL>

Enter value for gstartrid: F
Enter value for gendrid: J

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

•

ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWAAF AAAUDHAAEAAAAOWAAG AAAUDHAAEAAAAOWAAH AAAUDHAAEAAAAOWAAI AAAUDHAAEAAAAOWAAJ	TURNER JAMES WARD	30 30 30 30 30 20	1600 1500 950 1250 3000
SQL> / Enter value for gst Enter value for gen			
ROWID	ENAME	DEPTNO	SAL
AAAUDHAAEAAAAOWAAK AAAUDHAAEAAAAOWAAL AAAUDHAAEAAAAOWAAM AAAUDHAAEAAAAOWAAN	SCOTT ADAMS	20 20 20 20 10	800 3000 1100 1300
SQL> cl scr		10	
SQL> SELECT Ename, 2 FROM Emp 3 WHERE ROWID = FROM Emp * ERROR at line 2: ORA-01410: invalid	'AAAMOOAAEAAAA	zXAAJ';	
SQL> cl scr			
SQL> SELECT 2 B.Sal, 3 SUM(A.Sal) "Cu 4 FROM Emp A, Er 5 WHERE A.ROWID 6 GROUP BY B.ROW 7 ORDER BY "Cum SAL Cum S	mp B < = B.ROWID WID, B.Sal Sal";		
2850 78	000 850 300		

13275

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

14 rows selected.

SQL> SELECT

- 2 B.Ename,
- 3 B.Sal,
- 4 SUM(A.Sal) "Cum Sal"
- 5 FROM Emp A, Emp B
- 6 WHERE A.ROWID < = B.ROWID
- 7 GROUP BY B.ROWID, B.Sal, B.Ename
- 8 ORDER BY "Cum Sal";

ENAME	SAL	Cum Sal
KING	5000	5000
BLAKE	2850	7850
CLARK	2450	10300
JONES	2975	13275
MARTIN	1250	14525
ALLEN	1600	16125
TURNER	1500	17625
JAMES	950	18575
WARD	1250	19825
FORD	3000	22825
SMITH	800	23625
SCOTT	3000	26625
ADAMS	1100	27725
MILLER	1300	29025

14 rows selected.

SQL> ED

Wrote file afiedt.buf

- 1 SELECT
- 2 B.Ename,
- 3 B.Sal

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

- 4 SUM(A.Sal) "Cum Sal",
- 5 AVG(A.Sal) "Mov Avg"
- 6 FROM Emp A, Emp B
- 7 WHERE A.ROWID < = B.ROWID
- 8 GROUP BY B.ROWID, B.Sal, B.Ename
- 9* ORDER BY "Cum Sal"

SQL> /

ENAME	SAL	Cum Sal	Mov Avg
KING	5000	5000	5000
BLAKE	2850	7850	3925
CLARK	2450	10300	3433.33333
JONES	2975	13275	3318.75
MARTIN	1250	14525	2905
ALLEN	1600	16125	2687.5
TURNER	1500	17625	2517.85714
JAMES	950	18575	2321.875
WARD	1250	19825	2202.77778
FORD	3000	22825	2282.5
SMITH	800	23625	2147.72727
SCOTT	3000	26625	2218.75
ADAMS	1100	27725	2132.69231
MILLER	1300	29025	2073.21429

14 rows selected.

SQL> cl scr

SQL> ED

Wrote file afiedt.buf

- 1 SELECT
- 2 Empno, Ename, MGR
- 3 FROM Emp
- 4 START WITh Ename = 'KING'
- 5* CONNECT BY PRIOR Empno = MGR

SQL> /

4	EMPNO	ENAME	MGR
الأجوا			
	7839	KING	
	7566	JONES	7839
	7788	SCOTT	7566
	7876	ADAMS	7788
	7902	FORD	7566
	7369	SMITH	7902

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

7782

7698	BLAKE	7839
7499	ALLEN	7698
7521	WARD	7698
7654	MARTIN	7698
7844	TURNER	7698
7900	JAMES	7698
7782	CLARK	7839

14 rows selected.

SQL> UPDATE Emp

- 2 SET MGR = 7566
- 3 WHERE Empno = 7839;

7934 MILLER

1 row updated.

SQL> SELECT

- 2 Empno, Ename, MGR
- 3 FROM Emp;

EMPNO	ENAME	MGR
7839	KING	7566
7698	BLAKE	7839
7782	CLARK	7839
7566	JONES	7839
7654	MARTIN	7698
7499	ALLEN	7698
7844	TURNER	7698
7900	JAMES	7698
7521	WARD	7698
7902	FORD	7566
7369	SMITH	7902
7788	SCOTT	7566
7876	ADAMS	7788
7934	MILLER	7782

14 rows selected.

SQL> SELECT

- 2 Empno, Ename, MGR
- 3 FROM Emp
- 4 START WITh Ename = 'KING'
- 5 CONNECT BY PRIOR Empno = MGR;

ERROR:

ORA-01436: CONNECT BY loop in user data

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

no rows selected

SQL> ED

Wrote file afiedt.buf

- 1 SELECT
- 2 Empno, Ename, MGR
- 3 FROM Emp
- 4 START WITh Ename = 'KING'
- 5* CONNECT BY NOCYCLE PRIOR Empno = MGR SQL> /

EMPNO	ENAME	MGR
7839	KING	7566
7566	JONES	7839
7788	SCOTT	7566
7876	ADAMS	7788
7902	FORD	7566
7369	SMITH	7902
7698	BLAKE	7839
7499	ALLEN	7698
7521	WARD	7698
7654	MARTIN	7698
7844	TURNER	7698
7900	JAMES	7698
7782	CLARK	7839

14 rows selected.

7934 MILLER

SQL> COLUMN "SalPath" FORMAT A20

SQL> SELECT Ename,

- 2 CONNECT_BY_ISCYCLE "Cycle",
- 3 LEVEL,
- 4 SYS_CONNECT_BY_PATH(Sal, '/') "SalPath"
- 5 FROM Emp
- 6 START WITH Ename = 'KING'
- 7 CONNECT BY NOCYCLE PRIOR Empno = MGR;

ENAME	Cycle	LEVEL SalPath	
KING	0	1 /5000	
JONES	1	2 /5000/2975	

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

..... SCOTT 3 /5000/2975/3000 ADAMS 0 4 /5000/2975/3000/1100 FORD 0 3 /5000/2975/3000 SMITH 0 4 /5000/2975/3000/800 2 /5000/2850 BLAKE 0 0 3 /5000/2850/1600 ALLEN WARD 0 3 /5000/2850/1250 MARTIN 0 3 /5000/2850/1250 0 3 /5000/2850/1500 TURNER **JAMES** 0 3 /5000/2850/950 0 2 /5000/2450 CLARK MILLER 3 /5000/2450/1300 14 rows selected. SOL> SELECT 2 Ename, 3 LEVEL, 4 SYS_CONNECT_BY_PATH(Sal, '/') "SalPath' 5 FROM Emp 6 WHERE CONNECT BY ISCYCLE = 0 7 START WITH Ename = 'KING' 8 CONNECT BY NOCYCLE PRIOR Empno = LEVEL SalPath ENAME _____ 1 /5000 KING 3 /5000/2975/3000 SCOTT 4 /5000/2975/3000/1100 ADAMS 3 /5000/2975/3000 FORD 4 /5000/2975/3000/800 SMITH 2 /5000/2850 BLAKE 3 /5000/2850/1600 ALLEN 3/5000/2850/1250 WARD

ALLEN 3 /5000/2850/1600
WARD 3 /5000/2850/1250
MARTIN 3 /5000/2850/1250
TURNER 3 /5000/2850/1500
JAMES 3 /5000/2850/950
CLARK 2 /5000/2450

13 rows selected.

SQL> ED Wrote file afiedt.buf

1 SELECT

MILLER

2 Ename,

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

3 /5000/2450/1300

.....

```
3 LEVEL,
 4 SYS_CONNECT_BY_PATH(Sal, '/') "SalPath"
 5 FROM Emp
 6 WHERE CONNECT_BY_ISCYCLE = 1
 7 START WITH Ename = 'KING'
 8* CONNECT BY NOCYCLE PRIOR Empno = MGR
SQL> /
       LEVEL SalPath
ENAME
-----
JONES
                2 /5000/2975
SQL> ROLLBACK;
Rollback complete.
SQL> cl scr
SQL> COL "Path" FORMAT A30
SOL> SELECT
 2 Ename "Employee",
 3 CONNECT_BY_ISLEAF "IsLeaf",
 4 LEVEL,
 5 SYS_CONNECT_BY_PATH(Ename, '/') "Path"
 6 FROM Emp
 7 START WITH Empno = 7839
 8 CONNECT BY PRIOR Empno = MGR;
Employee IsLeaf
                       LEVEL Path
```

0	1	/KING
0	2	/KING/JONES
0	3	/KING/JONES/SCOTT
1	4	/KING/JONES/SCOTT/ADAMS
0	3	/KING/JONES/FORD
1	4	/KING/JONES/FORD/SMITH
0	2	/KING/BLAKE
1	3	/KING/BLAKE/ALLEN
1	3	/KING/BLAKE/WARD
1	3	/KING/BLAKE/MARTIN
1	3	/KING/BLAKE/TURNER
1	3	/KING/BLAKE/JAMES
0	2	/KING/CLARK
1	3	/KING/CLARK/MILLER
	0 0 0 0 1 0 1 1 1 1 1 1 0 1	0 3 1 4 0 3 1 4 0 2 1 3 1 3 1 3 1 3 1 3

14 rows selected.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

-

```
SQL> cl scr
SOL> SELECT
  2 Ename "Employee",
  3 CONNECT_BY_ISLEAF "IsLeaf",
  4 LEVEL,
 5 SYS_CONNECT_BY_PATH(Ename, '/') "Path"
  6 FROM Emp
  7 WHERE CONNECT_BY_ISLEAF = 0
 8 START WITH Empno = 7839
  9 CONNECT BY PRIOR Empno = MGR;
Employee
          IsLeaf
                       LEVEL Path
                         1 /KING
                 0
KING
                 0
                           2 /KING/JONES
JONES
                           3 /KING/JONES/SCOTT
SCOTT
                 0
                           3 /KING/JONES/FORD
                 0
FORD
BLAKE
                 0
                           2 /KING/BLAKE
                           2 /KING/CLARK
CLARK
6 rows selected.
SOL> ED
Wrote file afiedt.buf
 1 SELECT
  2 Ename "Employee",
 3 CONNECT_BY_ISLEAF "IsLeaf",
  4 LEVEL,
 5 SYS_CONNECT_BY_PATH(Ename, '/') "Path"
 6 FROM Emp
  7 WHERE CONNECT_BY_ISLEAF = 1
  8 START WITH Empno = 7839
  9* CONNECT BY PRIOR Empno = MGR
SQL> /
Employee
             IsLeaf LEVEL Path
             _____
                         4 /KING/JONES/SCOTT/ADAMS
ADAMS
                 1
                           4 /KING/JONES/FORD/SMITH
SMITH
                 1
                 1
                           3 /KING/BLAKE/ALLEN
ALLEN
WARD
                 1
                           3 /KING/BLAKE/WARD
                           3 /KING/BLAKE/MARTIN
MARTIN
                 1
                           3 /KING/BLAKE/TURNER3 /KING/BLAKE/JAMES
                  1
TURNER
JAMES
                  1
MILLER
                           3 /KING/CLARK/MILLER
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad - 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

8 rows selected.

SQL> SPOOL OFF

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix