```
SQL> cl scr
SQL> CREATE TABLE SampleUNQ01
  3
     SampID NUMBER(2)
      CONSTRAINT SampleUNQ01_SampID_UNQ UNIQUE,
  5
     SampName VARCHAR2(10),
     SampDate DATE
  7
    );
Table created.
SQL> DESC SampleUNQ01
 Name
                                                                    Null?
Type
 SAMPID
NUMBER (2)
 SAMPNAME
VARCHAR2(10)
 SAMPDATE
DATE
SQL> INSERT INTO SampleUNQ01
  2 VALUES(1, 'SAMPLE01', SYSDATE)
1 row created.
SQL> INSERT INTO SampleUNQ01
  2 VALUES(1, 'SAMPLE02',
                           SYSDATE);
INSERT INTO SampleUNQ01
ERROR at line 1:
ORA-00001: unique constraint (SCOTT.SAMPLEUNQ01_SAMPID_UNQ) violated
SQL> INSERT INTO SampleUNQ01
    VALUES(2, 'SAMPLE02', SYSDATE);
1 row created.
SQL> SELECT * FROM SampleUNQ01;
    SAMPID SAMPNAME
                      SAMPDATE
         1 SAMPLE01
                      14-APR-15
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
2 SAMPLE02
                     14-APR-15
SQL> INSERT INTO SampleUNQ01
  2 VALUES(NULL, 'SAMPLE03', SYSDATE);
1 row created.
SQL> SELECT * FROM SampleUNQ01;
    SAMPID SAMPNAME
                     SAMPDATE
      ____ _____
        1 SAMPLE01 14-APR-15
        2 SAMPLE02 14-APR-15
          SAMPLE03 14-APR-15
SQL> INSERT INTO SampleUNQ01
  2 VALUES(NULL, 'SAMPLE04', SYSDATE);
1 row created.
SQL> SELECT * FROM SampleUNQ01;
    SAMPID SAMPNAME
                     SAMPDATE
        1 SAMPLE01 14-APR-15
        2 SAMPLE02 14-APR-15
                     14-APR-15
          SAMPLE03
          SAMPLE04
SOL> ED
Wrote file afiedt.buf
  1 CREATE TABLE SampleUNQ02
  2 (
  3 SampID NUMBER(2)
  4 CONSTRAINT SampleUNQ02_SampID_UNQ UNIQUE,
     SampName VARCHAR2(10)
  5
     CONSTRAINT SampleUNQ02_SampNAme_UNQ UNIQUE,
  6
    SampDate DATE
  7
  8*
SQL>
Table created.
SQL> INSERT INTO SampleUNQ02
  2 VALUES(1, 'SAMPLE01', SYSDATE);
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

1 row created. SQL> INSERT INTO SampleUNQ02 2 VALUES(1, 'SAMPLE02', SYSDATE); INSERT INTO SampleUNQ02 ERROR at line 1: ORA-00001: unique constraint (SCOTT.SAMPLEUNO02 SAMPID UNQ) violated SQL> INSERT INTO SampleUNQ02 2 VALUES(2, 'SAMPLE01', SYSDATE); INSERT INTO SampleUNQ02 ERROR at line 1: ORA-00001: unique constraint (SCOTT.SAMPLEUNQ02 SAMPNAME UNQ) violated SQL> INSERT INTO SampleUNQ02 2 VALUES(2, 'SAMPLE02', SYSDATE); 1 row created. SQL> INSERT INTO SampleUNQ02 2 VALUES(NULL, 'SAMPLE03', SYSDATE); 1 row created. SQL> INSERT INTO SampleUNQ02 2 VALUES(NULL, 'SAMPLE04' SYSDATE); 1 row created. SQL> INSERT INTO SampleUNQ02 2 VALUES(3, NULL, SYSDATE); 1 row created. SQL> INSERT INTO SampleUNQ02 VALUES(4, NULL, SYSDATE); 1 row created. SQL> INSERT INTO SampleUNQ02 2 VALUES(NULL, NULL, SYSDATE); 1 row created.

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

SQL> INSERT INTO SampleUNQ02 2 VALUES(NULL, NULL, SYSDATE); 1 row created. SQL> ED Wrote file afiedt.buf 1 CREATE TABLE SampleUNO03 2 (3 SampID NUMBER(2), 4 SampName VARCHAR2(10) 5 CONSTRAINT SampleUNQ03 SampName UNQ UNIQUE, 6 SampDate DATE, 7 CONSTRAINT SampleUNQ03 SampID UNQ 8 UNIQUE(SampID) 9*) SQL> / Table created. SQL> CREATE TABLE SampleCUNQ01 SampID NUMBER(2), 3 SampName VARCHAR2(10), 4 SampDate DATE, 5 CONSTRAINT SampleCUNO01 SampIDName CUNO UNIQUE(SampID, SampName) 7); Table created. SQL> INSERT INTO SampleCUNQ01 2 VALUES(1, 'SAMPLE01', SYSDATE); 1 row created SQL> INSERT INTO SampleCUNQ01 VALUES(1, 'SAMPLE02', SYSDATE); 1 row created. SQL> INSERT INTO SampleCUNQ01 2 VALUES(1, 'SAMPLE02', SYSDATE); INSERT INTO SampleCUNQ01

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
ERROR at line 1:
ORA-00001: unique constraint (SCOTT.SAMPLECUNQ01 SAMPIDNAME CUNQ)
violated
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(2, 'SAMPLE02', SYSDATE);
1 row created.
SQL> SELECT * FROM SampleCUNQ01;
                      SAMPDATE
    SAMPID SAMPNAME
        1 SAMPLE01 14-APR-15
        1 SAMPLE02 14-APR-15
         2 SAMPLE02 14-APR-15
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(NULL, 'SAMPLE03', SYSDATE);
1 row created.
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(NULL, 'SAMPLE03', SYSDATE);
INSERT INTO SampleCUNQ01
ERROR at line 1:
ORA-00001: unique constraint (SCOTT.SAMPLECUNQ01_SAMPIDNAME_CUNQ)
violated
SQL> INSERT INTO SampleCUNQ01
  2 VALUES (NULL)
                 'SAMPLE04', SYSDATE);
1 row created.
SQL> SELECT *
             FROM SampleCUNQ01;
    SAMPID SAMPNAME
         1 SAMPLE01 14-APR-15
         1 SAMPLE02 14-APR-15
         2 SAMPLE02
                     14-APR-15
           SAMPLE03
                      14-APR-15
           SAMPLE04
                      14-APR-15
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(3, NULL, SYSDATE);
1 row created.
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(4, NULL, SYSDATE);
1 row created.
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(4, NULL, SYSDATE);
INSERT INTO SampleCUNQ01
ERROR at line 1:
ORA-00001: unique constraint (SCOTT.SAMPLECUNQ01 SAMPIDNAME CUNQ)
violated
SQL> SELECT * FROM SampleCUNQ01;
    SAMPID SAMPNAME
                      SAMPDATE
        1 SAMPLE01 14-APR-15
         1 SAMPLE02 14-APR-15
         2 SAMPLE02 14-APR-15
           SAMPLE03 14-APR-15
           SAMPLE04
                      14-APR-15
                      14-APR-15
         3
                      14-APR-15
7 rows selected.
SQL> INSERT INTO SampleCUNQ01
  2 VALUES(NULL, NULL, SYSDATE);
1 row created.
SQL> INSERT INTO SampleCUNQ01
    VALUES(NULL, NULL, SYSDATE);
1 row created.
SQL> SELECT * FROM SampleCUNQ01;
    SAMPID SAMPNAME
                      SAMPDATE
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
1 SAMPLE01
                      14-APR-15
         1 SAMPLE02
                      14-APR-15
         2 SAMPLE02 14-APR-15
           SAMPLE03
                      14-APR-15
           SAMPLE04
                      14-APR-15
         3
                      14-APR-15
         4
                      14-APR-15
                      14-APR-15
                      14-APR-15
9 rows selected.
SQL> cl scr
SQL> CREATE TABLE SamplePK01
  2 (
  3
     SampID NUMBER(2)
      CONSTRAINT SamplePK01_SampID_PK PRIMARY KEY
      SampName VARCHAR2(10),
     SampDate DATE
  6
  7
    );
Table created.
SQL> DESC SamplePK01
Name
                                                                    Null?
Type
 SAMPID
                                                                    NOT
NULL NUMBER(2)
 SAMPNAME
VARCHAR2(10)
 SAMPDATE
DATE
SQL> INSERT INTO SamplePK01
  2 VALUES(1, 'SAMPLE01', SYSDATE);
1 row created.
SQL> INSERT INTO SamplePK01
    VALUES(2, 'SAMPLE02', SYSDATE);
 row created.
SQL> INSERT INTO SamplePK01
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

```
2 VALUES(2, 'SAMPLE03', SYSDATE);
INSERT INTO SamplePK01
ERROR at line 1:
ORA-00001: unique constraint (SCOTT.SAMPLEPK01_SAMPID_PK) violated
SQL> INSERT INTO SamplePK01
  2 VALUES(NULL, 'SAMPLE03', SYSDATE);
VALUES(NULL, 'SAMPLE03', SYSDATE)
ERROR at line 2:
ORA-01400: cannot insert NULL into ("SCOTT". "SAMPLEPK01". "SAMPID"
SQL> INSERT INTO SamplePK01
  2 VALUES(3, 'SAMPLE03', SYSDATE);
1 row created.
SQL> SELECT * FROM SamplePK01;
    SAMPID SAMPNAME
                      SAMPDATE
        1 SAMPLE01
                      14-APR-15
         2 SAMPLE02
                      14-APR-15
         3 SAMPLE03
                      14-APR-15
SQL> ED
Wrote file afiedt.buf
   CREATE TABLE SamplePK02
  2 (
    SampID NUMBER(2),
  3
      SampName VARCHAR2(10),
  4
  5
      SampDate DATE,
      CONSTRAINT SamplePK02_SampID_PK
  6
  7
      PRIMARY KEY(SampID)
  8*
SQL>
Table created.
SOL> ED
Wrote file afiedt.buf
    CREATE TABLE SamplePK03
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

.....

```
2
  3
      SampID NUMBER(2),
  4
      SampName VARCHAR2(10)
  5
      CONSTRAINT SamplePK03_SampName_PK PRIMARY KEY,
  6
      SampDate DATE,
  7
      CONSTRAINT SamplePK03_SampID_PK
  8
      PRIMARY KEY(SampID)
  9*)
SQL> /
 PRIMARY KEY(SampID)
ERROR at line 8:
ORA-02260: table can have only one primary key
SQL> ED
Wrote file afiedt.buf
   CREATE TABLE SamplePK03
  2
  3
     SampID NUMBER(2),
  4
      SampName VARCHAR2(10)
  5
      CONSTRAINT SamplePK03_SampName_NN NOT NULL
      CONSTRAINT SamplePK03_SampName_UNQ UNIQUE,
  6
  7
      SampDate DATE,
      CONSTRAINT SamplePK03_SampID_PK
      PRIMARY KEY(SampID)
 10*)
SQL> /
Table created.
SQL> CREATE TABLE SampleCPK04
  2 (
    SampID NUMBER(2),
  3
      SampName VARCHAR2(10),
      SampDate DATE,
  5
  6
      CONSTRAINT SampleCPK04_SampIDName_CPK
     PRIMARY KEY(SampID, SampName)
Table created.
SQL> INSERT INTO SampleCPK04
    VALUES(1, 'SAMPLE01', SYSDATE);
1 row created.
```

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki

SQL> INSERT INTO SampleCPK04
 2 VALUES(1, 'SAMPLE02', SYSDATE);

1 row created.

SQL> INSERT INTO SampleCPK04
 2 VALUES(2, 'SAMPLE02', SYSDATE);

1 row created.

SQL> INSERT INTO SampleCPK04
 2 VALUES(NULL, 'SAMPLE03', SYSDATE);

VALUES(NULL, 'SAMPLE03', SYSDATE)
 *

ERROR at line 2:
ORA-01400: cannot insert NULL into ("SCOTT"."SAMPLECPK04"."SAMPID")

SQL> SPOOL OFF

SkyEss Techno Solutions Pvt. Ltd.

Flat No. 201, II Floor, Abhilash Towers, BK Guda, Hyderabad – 500 038 Ph No. +9140 23710047, 64640047, Mobile: 9985798869

Contact For Courses And Training in

Oracle Developer Suite 10g(D2K), Oracle Apps R12, Live Projects in SQL and PL/SQL, Data Modeling, Linux/Unix

Follow Me: https://www.facebook.com/satishkumar.yellanki