

Workplace Safety & Environmental Compliance Report

1. Safety Performance Overview

SteelForge Manufacturing maintained a Total Recordable Incident Rate (TRIR) of 1.8 for Q1 2026, below the industry average of 3.2 for metal fabrication (NAICS 3323). There were zero lost-time injuries (LTI) during the quarter, extending the LTI-free streak to 247 consecutive days. Near-miss reporting increased 34% quarter-over-quarter following the launch of the anonymous digital reporting app, indicating improved safety culture and hazard awareness among shop floor personnel.

The Days Away, Restricted, or Transferred (DART) rate was 0.9, well below the company target of 1.5. All incidents were classified as first-aid only, primarily minor lacerations (3 events) and heat stress incidents (2 events) in the heat treatment department during the February ambient temperature spike.

2. OSHA Compliance Status

The annual OSHA compliance audit was completed in March 2026 with zero citations. Key compliance areas reviewed included: Lockout/Tagout (LOTO) procedures per 29 CFR 1910.147, Machine Guarding per 29 CFR 1910.212, Hazard Communication (HazCom) per 29 CFR 1910.1200, Personal Protective Equipment (PPE) per 29 CFR 1910.132-138, and Confined Space Entry per 29 CFR 1910.146. All Safety Data Sheets (SDS) were verified current and accessible at each chemical use point.

3. Environmental Compliance

Emissions monitoring confirmed compliance with EPA National Emission Standards for Hazardous Air Pollutants (NESHAP) for metal fabrication. VOC emissions from the painting and coating line averaged 4.2 tons/year against a permit limit of 10 tons/year. Wastewater discharge from the coolant treatment system met all NPDES permit parameters. Total Suspended Solids (TSS) averaged 12 mg/L against a limit of 30 mg/L. Oil and grease content averaged 8 mg/L against a limit of 15 mg/L.

Hazardous waste generation totaled 4.7 tons for Q1, classified under RCRA as D007 (chromium) from the chrome plating line and D008 (lead) from soldering operations. All waste was manifested and transported by licensed hauler EcoTransport LLC to the Clean Harbors facility in Deer Park, TX. The facility maintained Large Quantity Generator (LQG) status with all required biennial reports filed on time.

Parameter	Permit Limit	Q1 Average	Status
VOC Emissions	10 tons/yr	4.2 tons/yr	COMPLIANT
TSS Discharge	30 mg/L	12 mg/L	COMPLIANT
Oil & Grease	15 mg/L	8 mg/L	COMPLIANT
pH Range	6.0 - 9.0	7.2	COMPLIANT
Chromium (Cr)	2.77 mg/L	0.89 mg/L	COMPLIANT

Noise Level (boundary)	70 dBA	62 dBA	COMPLIANT
------------------------	--------	--------	-----------

4. Training and Certification Status

All required safety training was completed on schedule. 100% of production employees completed annual refresher training in: Forklift Operation (OSHA 29 CFR 1910.178), Fire Extinguisher Use (29 CFR 1910.157), Emergency Action Plan (29 CFR 1910.38), and Bloodborne Pathogens (29 CFR 1910.1030). The new Robotic Cell Safety Training program was launched covering collaborative robot (cobot) interaction zones, emergency stop procedures, and risk assessment per ISO 10218 and ISO/TS 15066 standards. 87 operators have been certified to date, with the remaining 23 scheduled for April completion.

5. Incident Investigation Summary

Date	Type	Department	Severity	Root Cause	Status
Jan 12	Laceration	Stamping	First Aid	Burr on part edge	Closed
Jan 28	Laceration	Assembly	First Aid	Sharp fixture edge	Closed
Feb 14	Heat stress	Heat Treat	First Aid	HVAC malfunction	Closed
Feb 15	Heat stress	Heat Treat	First Aid	HVAC malfunction	Closed
Mar 03	Laceration	CNC Shop	First Aid	Chip ejection	Closed