

CUSTOMER TABLE:

```
create database motor_insurance;
```

```
use motor_insurance;
```

```
create table customer(
```

```
customer_id int primary key,
```

```
customer_name varchar(50),
```

```
phone varchar(15),
```

```
email varchar(50),
```

```
address varchar(100),
```

```
dob date
```

```
);
```

```
insert into customer values
```

```
(1,'Arun','9876543210','arun@gmail.com','Chennai','2002-05-10'),
```

```
(2,'Divya','9876543211','divya@gmail.com','Madurai','2001-08-20'),
```

```
(3,'Karthik','9876543212','karthik@gmail.com','Coimbatore','2003-02-15'),
```

```
(4,'Meena','9876543213','meena@gmail.com','Trichy','2000-12-25'),
```

```
(5,'Vijay','9876543214','vijay@gmail.com','Salem','2002-03-12'),
```

```
(6,'Priya','9876543215','priya@gmail.com','Erode','2001-07-18'),
```

```
(7,'Surya','9876543216','surya@gmail.com','Chennai','2003-11-09'),
```

```
(8,'Nisha','9876543217','nisha@gmail.com','Madurai','2002-01-22'),
```

```
(9,'Ajay','9876543218','ajay@gmail.com','Trichy','2000-09-14'),
```

```
(10,'Keerthi','9876543219','keerthi@gmail.com','Salem','2001-06-30');
```

INSURANCE TABLE:

```
create table insurance_type(
```

```
type_id int primary key,
```

```
type_name varchar(50),  
description varchar(100)  
);
```

```
insert into insurance_type values  
(1,'Comprehensive','Full coverage'),  
(2,'Third Party','Basic coverage'),  
(3,'Zero Depreciation','Extra protection'),  
(4,'Basic','Limited coverage'),  
(5,'Premium','High coverage'),  
(6,'Vehicle Protection','Vehicle damage'),  
(7,'Accident Cover','Accident protection'),  
(8,'Fire Cover','Fire damage'),  
(9,'Theft Cover','Vehicle theft'),  
(10,'Complete Cover','All protection');
```

VEHICLE TABLE:

```
create table vehicle(  
vehicle_id int primary key,  
customer_id int,  
vehicle_number varchar(20),  
vehicle_type varchar(30),  
brand varchar(30),  
model varchar(30),  
year int,  
  
foreign key(customer_id)
```

```
references customer(customer_id)

);
```

insert into vehicle values

```
(101,1,'TN01AB1234','Car','Toyota','Innova',2020),
(102,2,'TN02CD5678','Bike','Yamaha','R15',2022),
(103,3,'TN03EF9876','Car','Hyundai','i20',2021),
(104,4,'TN04GH4567','Bike','Honda','Shine',2019),
(105,5,'TN05JK1111','Car','Ford','EcoSport',2020),
(106,6,'TN06LM2222','Bike','TVS','Apache',2021),
(107,7,'TN07NO3333','Car','Kia','Seltos',2023),
(108,8,'TN08PQ4444','Bike','Royal','Classic',2022),
(109,9,'TN09RS5555','Car','Maruti','Swift',2019),
(110,10,'TN10TU6666','Bike','Bajaj','Pulsar',2020);
```

AGENT TABLE:

```
create table agent(
agent_id int primary key,
agent_name varchar(50),
phone varchar(15),
commission int
);
```

insert into agent values

```
(1,'Ravi','9000000011',5000),
(2,'Suresh','9000000022',6000),
(3,'Priya','9000000033',7000),
```

```
(4,'Kumar','90000000044',5500),  
(5,'Lakshmi','90000000055',6500),  
(6,'Deepa','90000000066',7000),  
(7,'Manoj','90000000077',7500),  
(8,'Hari','90000000088',8000),  
(9,'Ram','90000000099',5000),  
(10,'Anitha','90000000000',6000);
```

BRANCH TABLE:

```
create table branch(  
branch_id int primary key,  
branch_name varchar(50),  
location varchar(50)  
);
```

```
insert into branch values  
(1,'Chennai Branch','Velachery'),  
(2,'Madurai Branch','Anna Nagar'),  
(3,'Coimbatore Branch','Gandhipuram'),  
(4,'Salem Branch','Salem'),  
(5,'Erode Branch','Erode'),  
(6,'Chennai North','Ambattur'),  
(7,'Chennai South','Adyar'),  
(8,'Trichy Branch','Trichy'),  
(9,'Madurai South','Madurai'),  
(10,'Coimbatore South','Coimbatore');
```

EMPLOYEE TABLE:

```
create table employee(  
employee_id int primary key,  
branch_id int,  
name varchar(50),  
role varchar(30),  
salary int,  
  
foreign key(branch_id)  
references branch(branch_id)  
);
```

```
insert into employee values  
(1,1,'Anu','Manager',60000),  
(2,2,'Rahul','Staff',40000),  
(3,3,'Sita','Agent',45000),  
(4,4,'Kiran','Staff',35000),  
(5,5,'Riya','Manager',65000),  
(6,6,'Ajith','Staff',42000),  
(7,7,'Mohan','Agent',45000),  
(8,8,'Divya','HR',50000),  
(9,9,'Sanjay','Staff',38000),  
(10,10,'Pooja','Manager',70000);
```

INSURANCE_POLICY:

```
create table insurance_policy(  

```

policy_id int primary key,

customer_id int,

vehicle_id int,

type_id int,

premium int,

start_date date,

end_date date,

foreign key(customer_id)

references customer(customer_id),

foreign key(vehicle_id)

references vehicle(vehicle_id),

foreign key(type_id)

references insurance_type(type_id)

);

insert into insurance_policy values

(501,1,101,1,25000,'2026-01-01','2027-01-01'),

(502,2,102,2,8000,'2026-02-01','2027-02-01'),

(503,3,103,3,30000,'2026-03-01','2027-03-01'),

(504,4,104,4,15000,'2026-04-01','2027-04-01'),

(505,5,105,5,12000,'2026-05-01','2027-05-01'),

(506,6,106,6,18000,'2026-06-01','2027-06-01'),

(507,7,107,7,22000,'2026-07-01','2027-07-01'),

(508,8,108,8,9000,'2026-08-01','2027-08-01'),

(509,9,109,9,14000,'2026-09-01','2027-09-01'),

```
(510,10,110,10,16000,'2026-10-01','2027-10-01');  
  
select* from payment;
```

CLAIM TABLE:

```
create table claim(  
claim_id int primary key,  
policy_id int,  
claim_date date,  
claim_amount int,  
status varchar(20),  
  
foreign key(policy_id)  
references insurance_policy(policy_id)  
);
```

```
insert into claim values  
(1,501,'2026-05-01',15000,'Approved'),  
(2,502,'2026-05-05',5000,'Pending'),  
(3,503,'2026-06-10',20000,'Approved'),  
(4,504,'2026-06-15',7000,'Rejected'),  
(5,505,'2026-07-01',9000,'Pending'),  
(6,506,'2026-07-20',12000,'Approved'),  
(7,507,'2026-08-10',10000,'Rejected'),  
(8,508,'2026-09-05',4000,'Pending'),  
(9,509,'2026-10-12',8000,'Approved'),  
(10,510,'2026-11-01',6000,'Pending');
```

ACCIDENT TABLE:

```
create table accident(  
  accident_id int primary key,  
  vehicle_id int,  
  accident_date date,  
  place varchar(50),  
  description varchar(100),  
  
  foreign key(vehicle_id)  
  references vehicle(vehicle_id)  
);
```

```
insert into accident values  
(1,101,'2026-05-01','Chennai','Minor accident'),  
(2,102,'2026-05-10','Madurai','Bike accident'),  
(3,103,'2026-06-01','Coimbatore','Major accident'),  
(4,104,'2026-06-15','Trichy','Road accident'),  
(5,105,'2026-07-01','Salem','Car damage'),  
(6,106,'2026-07-15','Erode','Bike slip'),  
(7,107,'2026-08-01','Chennai','Collision'),  
(8,108,'2026-08-20','Madurai','Minor damage'),  
(9,109,'2026-09-10','Salem','Vehicle hit'),  
(10,110,'2026-10-05','Trichy','Accident');
```


GARAGE TABLE:

```
create table garage(  
garage_id int primary key,  
garage_name varchar(50),  
location varchar(50),  
contact varchar(15)  
);
```

```
insert into garage values  
(1,'ABC Garage','Chennai','8888888888'),  
(2,'XYZ Garage','Madurai','7777777777'),  
(3,'Star Garage','Coimbatore','6666666666'),  
(4,'Speed Garage','Trichy','5555555555'),  
(5,'Auto Care','Salem','4444444444'),  
(6,'Royal Garage','Erode','3333333333'),  
(7,'City Garage','Chennai','2222222222'),  
(8,'Fix Point','Madurai','1111111111'),  
(9,'Car Zone','Salem','9999999991'),  
(10,'Bike Zone','Trichy','9999999992');
```

REPAIR TABLE:

```
create table repair(  
repair_id int primary key,  
claim_id int,  
garage_name varchar(50),  
repair_cost int,
```

```
foreign key(claim_id)
references claim(claim_id)
);
```

```
insert into repair values
(1,1,'ABC Garage',12000),
(2,2,'XYZ Garage',4000),
(3,3,'Star Garage',18000),
(4,4,'Speed Garage',6000),
(5,5,'Auto Care',8000),
(6,6,'Royal Garage',11000),
(7,7,'City Garage',9000),
(8,8,'Fix Point',3000),
(9,9,'Car Zone',7000),
(10,10,'Bike Zone',5000);
```

DRIVER TABLE:

```
create table driver(
driver_id int primary key,
vehicle_id int,
driver_name varchar(50),
license_no varchar(30),

foreign key(vehicle_id)
references vehicle(vehicle_id)
);
```

insert into driver values

```
(1,101,'Arun','TN12345'),  
(2,102,'Divya','TN67890'),  
(3,103,'Karthik','TN11111'),  
(4,104,'Meena','TN22222'),  
(5,105,'Vijay','TN33333'),  
(6,106,'Priya','TN44444'),  
(7,107,'Surya','TN55555'),  
(8,108,'Nisha','TN66666'),  
(9,109,'Ajay','TN77777'),  
(10,110,'Keerthi','TN88888');
```

RENEWAL TABLE:

```
create table renewal(  
  renewal_id int primary key,  
  policy_id int,  
  renewal_date date,  
  amount int,  
  
  foreign key(policy_id)  
  references insurance_policy(policy_id)  
);
```

insert into renewal values

```
(1,501,'2027-01-01',25000),  
(2,502,'2027-02-01',8000),
```

```
(3,503,'2027-03-01',30000),  
(4,504,'2027-04-01',15000),  
(5,505,'2027-05-01',12000),  
(6,506,'2027-06-01',18000),  
(7,507,'2027-07-01',22000),  
(8,508,'2027-08-01',9000),  
(9,509,'2027-09-01',14000),  
(10,510,'2027-10-01',16000);
```

FEEDBACK TABLE:

```
create table feedback(  
feedback_id int primary key,  
customer_id int,  
rating int,  
comments varchar(100),  
  
foreign key(customer_id)  
references customer(customer_id)  
);
```

```
insert into feedback values  
(1,1,5,'Good service'),  
(2,2,4,'Fast response'),  
(3,3,5,'Excellent'),  
(4,4,3,'Average'),  
(5,5,4,'Nice support'),  
(6,6,5,'Very good'),
```

(7,7,2,'Need improvement'),

(8,8,4,'Good'),

(9,9,5,'Excellent service'),

(10,10,3,'Okay');