

Attendance Management System

Reference	Qty	Value	DNP
AE1,AE2	2	Antenna	
C1,C3,C8,C11,C22,C23,C24,C25,C28,C29,C30,C34	12	100n	
C2,C35	2	4.7u	
C4	1	10n	
C5,C33	2	1u	
C6,C7	2	4.3p	
C9,C10	2	15p	
C12,C13	2	150p	
C14,C15	2	100p	
C16,C17	2	68p	
C18,C19	2	270p	
C20,C21,C36	3	10u	
C26,C27,C31,C32	4	2.2u	
D1,D5	2	RED	
D2,D3,D6	3	GREEN	
D4	1	SS14	
FB1,FB2	2	600R@100MHz	
J1	1	USB-C	
J2	1	BATTERY	
J3	1	SWD	
J4	1	VIB_MOTOR	
J5	1	CSO	
J6	1	CSI	
J7	1	PN532	
L3,L4	2	470nH	
Q1	1	AO3400A	
R1,R2	2	5.1k	
R3,R4,R5,R9,R10	5	470R	
R6,R13,R14	3	1k	
R7,R8,R11,R12,R20	5	10k	
R15	1	1.5k	
R16,R18,R19	3	4.7M	
R17	1	2.7M	
SW1	1	RST	
SW2	1	BOOT0	
SW3	1	POWER	
TH1	1	10k NTC	
U1	1	STM32L432KCUx	
U2	1	MCP73833-xxx-UN	
U3	1	TPS7A0233PDBVR	
U5	1	ST25R3916-AQWT	
U6	1	USBLC6-2SC6	
Y1	1	27.12MHz	
Y2	1	32.768k	

Attendance Management System

[illegible]

Attendance Management System

Footprint

Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
Capacitor_SMD:C_0805_2012Metric
LED_SMD:LED_0805_2012Metric
LED_SMD:LED_0805_2012Metric
Diode_SMD:D_SMA
Inductor_SMD:L_0402_1005Metric
Connector_USB:USB_C_Receptacle_GCT_USB4110
Connector_JST:JST_XA_B02B-XASK-1_1x02_P2.50mm_Vertical
Connector_PinHeader_2.54mm:PinHeader_1x04_P2.54mm_Vertical
Connector_PinHeader_2.54mm:PinHeader_1x02_P2.54mm_Vertical
Connector_Wire:SolderWirePad_1x01_SMD_1x2mm
Connector_Wire:SolderWirePad_1x01_SMD_1x2mm
Connector_PinSocket_2.54mm:PinSocket_1x08_P2.54mm_Vertical
Inductor_SMD:L_0402_1005Metric
Package_TO_SOT_SMD:SOT-23
Resistor_SMD:R_0805_2012Metric
Resistor_SMD:R_0805_2012Metric
Resistor_SMD:R_0805_2012Metric
Resistor_SMD:R_0805_2012Metric
Resistor_SMD:R_0805_2012Metric
Resistor_SMD:R_0805_2012Metric
Resistor_SMD:R_0805_2012Metric
Button_Switch_SMD:SW_Tactile_SPST_NO_Straight_CK_PTS636Sx25SMTRLFS
Button_Switch_SMD:SW_Tactile_SPST_NO_Straight_CK_PTS636Sx25SMTRLFS
Button_Switch_SMD:SW_Tactile_SPST_NO_Straight_CK_PTS636Sx25SMTRLFS
Resistor_THT:R_Axial_DIN0204_L3.6mm_D1.6mm_P1.90mm_Vertical
Package_DFN_QFN:QFN-32-1EP_5x5mm_P0.5mm_EP3.45x3.45mm
Package_SO:MSOP-10_3x3mm_P0.5mm
External:SOT23_DBV_TEX-L
External:QFN50P500X500X100-33N
Package_TO_SOT_SMD:SOT-23-6
Crystal:Crystal_SMD_3225-4Pin_3.2x2.5mm_HandSoldering
Crystal:Crystal_SMD_EuroQuartz_EQ161-2Pin_3.2x1.5mm

Datasheet

<https://www.vishay.com/docs/88746/ss12.pdf>

https://www.usb.org/sites/default/files/documents/usb_type-c.zip

<http://www.aosmd.com/pdfs/datasheet/AO3400A.pdf>

<https://www.st.com/resource/en/datasheet/stm32l432kc.pdf>

<https://ww1.microchip.com/downloads/aemDocuments/documents/OTH/ProductDocuments/DataSheets/22005b.pdf>

<https://www.ti.com/lit/gpn/tps7a02>

<https://www.st.com/resource/en/datasheet/usblc6-2.pdf>