



AMIN CONTRACTORS

FIRE RISK ASSESSMENT

**(REGULATORY REFORM ORDER
2005) ENGLAND AND WALES**

12, January, 2025

**PRIORITISING SAFETY,
ENSURING COMPLIANCE**



Prepared By
Amin Contractors Ltd

+44 7572 549771
info@amincontractors.co.uk
www.amincontractors.co.uk
Ashfield Street London, E1 2HA

Fire Risk Assessment

Date:

Address of premises:

-

Assessment Date:

-

Next Assessment Date:

-

Assessor:

-

Responsible person (e.g. employer) or person having control of premises:

Admin

Dear Client,

Thank you for inviting us to do a Fire Risk Assessment on your premises. We've kept your concerns in mind during our inspection and testing. Let's discuss the recommendations found in this report and see what works best for you.

Thanks,

Assessor Statement

The purpose of this PAS 79-2:2020 (Annex A) Housing risk report is to provide a non-invasive assessment of the risk to life from fire in these premises, and, where appropriate, to make recommendations to ensure compliance with fire safety legislation. This report does not address the risk to property or business continuity from fire. I certify that to the best of my knowledge, the information contained in this fire risk assessment is correct, based on information provided at the time the assessment was undertaken.

Fire Risk Assessment Review:

This fire risk assessment should be reviewed by a competent person by the date indicated above or at such earlier time as there is reason to suspect that it is no longer valid, or there has been significant change in the matters to which it relates, or if a fire occurs.

Report compliance:

This report is intended to assist you in compliance with Article 9 of the Regulatory Reform (Fire Safety) Order 2005 which requires that a fire risk assessment be carried out.

Webmly Non-Housing Scheme Testing 3



Property: Webmly Non-Housing Scheme Testing 3

Assessment ID: 7

Date: 15 February 2025

Fire Risk Assessment Information

Primary Information

Index ID	Detail	Value
0.01	Responsible person (e.g. employer) or person having control of premises?	Admin
0.02	Address of premises?	-
0.03	Person(s) consulted?	-
0.04	Assessor?	-
0.05	Assessors statement?	-
0.06	Report validated by?	-
0.07	Date of fire risk assessment?	-
0.08	Date of previous fire risk assessment?	-
0.09	Suggested date for review?	-
0.10	Fire Risk Assessment Review?	-
0.11	Report compliance?	-
1.01	Number of floors at ground level and above?	-
1.02	Number of floors entirely below ground level?	-
1.03	Floors on which car parking is provided?	-
1.04	Approximate floor area per floor?	-
1.05	Approximate floor area gross?	-
1.06	Approximate floor area on ground floor?	-
1.07	Details of construction and layout?	-
1.08	Occupancy?	-
2.01	Approximate maximum number of employees at any one time?	-
2.02	Approximate maximum number of other occupants at any one time?	-
2.03	Approximate total number of people present in the building at any one time?	-
3.01	Sleeping occupants?	-
3.02	Disabled employees?	-
3.03	Other disabled occupants?	-
3.04	Occupants in remote areas and lone workers?	-
3.05	Young persons?	-

Index ID	Detail	Value
3.06	Others?	-
4.01	Fires in past 10 years?	-
4.02	Cost of past fire losses?	-
5.01	Detail if required?	-
6.01	The following fire safety legislation applies to these premises?	-
6.02	The above legislation is enforced by?	-
6.03	Other legislation that makes significant requirements for fire precautions in these premises?	-
6.04	The other legislation referred to above is enforced by?	-
6.05	Is there an alterations notice in force?	-
6.06	Relevant information and deficiencies observed?	-
6.07	Other information?	-
6.08	Risk Likelyhood?	1
6.09	Risk Severity?	2
6.10	Risk Rating Score?	3

Fire Hazards and Their Elimination or Control

Index ID	Detail	Values	Control Measures
7.00	ELECTRONIC SOURCES OF IGNITION (Clause 13 and Annex B)		
7.01	Are reasonable measures taken to prevent fires of electrical origin?	No	If there are no reasonable measures, tick NO and add recommendations of what action should be required here. Example 1: Combustible storage should be a safe separation distance of ½ metre or more from an electrical appliance. Example 2: Electrical intake should be enclosed into a 30-minute fire-resisting enclosure. Example 3: Combustible or flammable storage should be prohibited from the electrical intake room and managed regularly to be kept sterile at all times as recommended in the Home Office good practice fire guides. Example 4: Electrical equipment should be switched off when not in use and at the end of the working day. If YES or N/A delete control measure.
7.02	More specifically:	Yes	-
7.02a	Are fixed installations periodically inspected and tested?	Yes	-
7.02b	Is portable appliance testing carried out?	Yes	-

Index ID	Detail	Values	Control Measures
7.02c	Is there suitable control over the use of personal electrical appliances?	Yes	-
7.02d	Is there suitable limitation of trailing leads and adapters?	Yes	-
8.00	SMOKING (Clause 13 and Annex B)		
8.01	Are reasonable measures taken to prevent fires as a result of smoking?	No	Introduce a safe smoking policy in designated smoking areas and enforce prohibiting smoking elsewhere.
8.02	More specifically:	Yes	-
8.02a	Is smoking prohibited in the building?	Yes	-
8.02b	Is smoking prohibited in appropriate areas?	Yes	-
8.02c	Are there suitable arrangements for those who wish to smoke?	Yes	-
8.02d	Did the smoking policy appear to be observed at the time of inspection?	Yes	-
9.00	ARSON (Clause 13 and Annex B)		
9.01	Does basic security against arson by outsiders appear reasonable?	Yes	-
9.02	Is there an absence of unnecessary fire load in close proximity to the premises or available for ignition by outsiders?	Yes	-
10.00	PORTABLE HEATERS, HEATING AND VENTILATION SYSTEMS (Clause 13 and Annex B)		
10.01	Is there satisfactory control over the use of portable heaters?	No	Ban the use of portable heaters in the workplace and adjust fixed heating accordingly.
10.02	Are fixed heating and ventilation installations subject to regular maintenance?	Yes	-
11.00	COOKING (Clause 13 and Annex B)		
11.01	Are reasonable measures taken to prevent fires as a result of cooking?	Yes	-
11.02	More specifically, are filters cleaned or changed and ductwork cleaned regularly?	Yes	-
12.00	LIGHTNING (Clause 13 and Annex B)		
12.01	Does the building have a lightning protection system?	Yes	-
13.00	HOUSEKEEPING (Clause 13 and Annex B)		
13.01	Is the overall standard of housekeeping adequate?	Yes	-

Index ID	Detail	Values	Control Measures
13.02	More specifically:	Yes	-
13.02a	Do combustible materials appear to be separated from ignition sources?	Yes	-
13.02b	Is unnecessary accumulation or inappropriate storage of combustible materials or waste avoided?	Yes	-
14.00	HAZARDS INTRODUCED BY OUTSIDE CONTRACTORS AND BUILDING WORKS (Clause 13 and Annex B)		
14.01	Is there satisfactory control over works carried out in the building?	Yes	-
14.02	More specifically:	Yes	-
14.02a	Where appropriate, are fire safety conditions imposed on outside contractors?	Yes	-
14.02b	Where appropriate, is a permit to work system used (e.g. for 'hot work')?	Yes	-
14.02c	Are suitable precautions taken by in-house maintenance personnel who carry out works?	Yes	-
15.00	DANGEROUS SUBSTANCES (Clause 13)		
15.01	Are the general fire precautions adequate to address the hazards associated with dangerous substances used or stored within the premises?	Yes	-
16.00	OTHER SIGNIFICANT FIRE HAZARDS THAT WARRANT CONSIDERATION		
16.01	Hazards: List and detail any other significant hazards here if applicable?	Yes	-
17.00	MEANS OF ESCAPE (Clause 15c and Annex C)		
17.01	Is the design and maintenance of the means of escape considered adequate?	Yes	-
17.02	More Specifically:	Yes	-
17.02a	Do staircase and exit capacities appear to be adequate for the number of occupants?	Yes	-
17.02b	Are there reasonable distances of travel:	Yes	-
17.02b1	Where there is escape in a single direction?	Yes	-
17.02b2	Where there are alternative means of escape?	Yes	-
17.02c	Is there adequate provision of exits?	Yes	-
17.02d	Do fire exits open in the direction of escape, where necessary?	Yes	-

Index ID	Detail	Values	Control Measures
17.02e	Are there satisfactory arrangements for escape where revolving or sliding doors are used as exits?	Yes	-
17.02f	Are the arrangements provided for securing exits satisfactory?	Yes	-
17.02g	Is a suitable standard of protection designed for escape routes?	Yes	-
17.02h	Are there reasonable arrangements for means of escape for disabled people?	Yes	-
17.03	Are the escape routes available for use and suitably maintained?	Yes	-
17.04	More Specifically:	Yes	-
17.04a	Are fire-resisting doors maintained in sound condition and self-closing, where necessary?	Yes	-
17.04b	Is the fire-resisting construction protecting escape routes in sound condition?	Yes	-
17.04c	Are all escape routes clear of obstructions?	Yes	-
17.04d	Are all fire exits easily and immediately openable?	Yes	-
18.00	MEASURES TO LIMIT FIRE SPREAD AND DEVELOPMENT (Clause 15g)		
18.01	Is it considered that there is:	Yes	-
18.01a	Compartmentation of a reasonable standard?	Yes	-
18.01b	Reasonable limitation of linings that may promote fire spread?	Yes	-
18.02	As far as can be reasonably ascertained, are fire dampers provided necessary to protect critical means of escape against passage of fire, smoke, and products of combustion in the early stages of a fire?	Yes	-
19.00	EMERGENCY ESCAPE LIGHTING (Clause 15e)		
19.01	Has a reasonable standard of emergency escape lighting system been provided?	Yes	-
20.00	FIRE SAFETY SIGNS AND NOTICES (Clause 15d)		
20.01	Is there a reasonable standard of fire safety signs and notices?	Yes	-
21.00	MEANS OF GIVING WARNING IN CASE OF FIRE (Clause 15b)		

Index ID	Detail	Values	Control Measures
21.01	Is a reasonable fire detection and fire alarm system provided?	Yes	-
21.02	Is there remote transmission of alarm signals?	Yes	-
21.03	Is a zone plan of the fire alarm system displayed?	Yes	-
21.04	Has the premises had false alarms experience?	Yes	-
22.00	MANUAL FIRE EXTINGUISHING APPLIANCES (Clause 15f)		
22.01	Is there reasonable provision of manual fire extinguishing appliances?	Yes	-
22.02	What type(s) of appliances are provided:	Yes	-
22.02a	Portable fire extinguishers:	Yes	-
22.02b	Hose reels:	Yes	-
22.02c	Fire blankets:	Yes	-
22.03	Are all fire extinguishing appliances readily accessible?	Yes	-
23.00	RELEVANT AUTOMATIC FIRE EXTINGUISHING SYSTEMS (Clause 15h)		
23.01	Type of fixed system(s):	Yes	-
23.01a	Sprinkler system?	Yes	-
23.01b	Misting system?	Yes	-
23.01c	Kitchen suppression system?	Yes	-
23.01d	Inert gas flooding system?	Yes	-
24.00	OTHER RELEVANT FIXED SYSTEMS AND EQUIPMENT (Clause 15i)		
24.01	Type of other fixed system(s) installed:	Yes	-
24.02	Is there suitable provision of firefighters' switch(es) for high voltage isolation of luminous tube signs, etc.?	Yes	-
24.03	Are there appropriately sited facilities for electrical isolation of any photovoltaic (PV) cells, with appropriate signage, to assist the fire and rescue service?	Yes	-
25.00	PROCEDURES AND ARRANGEMENTS (Clause 16)		
25.01	Safety assistance:	Yes	-
25.02	Fire safety at the premises is managed by:	Yes	-

Index ID	Detail	Values	Control Measures
25.03	Is there a suitable record of the fire safety arrangements?	Yes	-
25.04	Are procedures in the event of fire appropriate and properly documented, where appropriate?	Yes	-
25.04a	Are there adequate procedures for investigating fire alarm signals?	Yes	-
25.04b	Are there suitable arrangements for summoning the fire and rescue service?	Yes	-
25.04c	Are there suitable arrangements to meet the fire and rescue service on arrival and provide them with relevant information, including that relating to hazards to firefighters?	Yes	-
25.04d	Are there suitable arrangements for ensuring that the premises have been evacuated?	Yes	-
25.04e	Is there a suitable fire assembly point(s)?	Yes	-
25.04f	Are there adequate procedures for evacuation of any disabled people who are likely to be present?	Yes	-
25.05	Are there persons nominated and trained to use fire extinguishing appliances?	Yes	-
25.06	Are there persons nominated to assist with evacuation of disabled people?	Yes	-
25.07	Are there persons nominated to assist with evacuation of disabled people?	Yes	-
25.08	Is there appropriate liaison with the fire and rescue service (i.e., by fire and rescue service crews visiting for familiarization visits)?	Yes	-
25.09	Are routine in-house inspections of fire precautions undertaken (e.g., in the course of health and safety inspections)?	Yes	-
26.00	TRAINING AND DRILLS (Clause 16h)		
26.01	Are all staff given adequate fire safety instruction and training on induction?	Yes	-
26.01a	Are they trained on induction?	Yes	-
26.01b	Are they given periodic refresher training?	Yes	-
26.01c	Are they given additional training to cover any specific roles and responsibilities?	Yes	-
26.01d	Is the content of the training provided considered adequate?	Yes	-
26.02	Are fire drills carried out at appropriate intervals?	Yes	-

Index ID	Detail	Values	Control Measures
26.03	When the employees of another employer work in the premises, is appropriate information on the fire risks and fire safety measures provided?	Yes	-
27.00	TESTING AND MAINTENANCE (Clause 16j)		
27.01	Is there adequate maintenance of the premises?	Yes	-
27.02	Is weekly testing and periodic servicing of fire detection and alarm system undertaken?	Yes	-
27.03	Is monthly and annual testing routines for emergency lighting?	Yes	-
27.04	Is annual maintenance of fire extinguishing appliances undertaken?	Yes	-
27.05	Is periodic inspection of external escape staircases and gangways undertaken?	Yes	-
27.06	Are six-monthly inspection and annual testing of rising mains undertaken?	Yes	-
27.07	Are weekly and monthly testing, six-monthly inspection, and annual testing of fire-fighting lift(s) provided for the use by firefighters or evacuation of disabled people (evacuation lifts)?	Yes	-
27.08	Are weekly testing and periodic inspection of sprinkler installations undertaken?	Yes	-
27.09	Are routine checks of final exit doors and/or security fastenings undertaken?	Yes	-
27.10	Is an annual inspection of the lightning protection system undertaken?	Yes	-
27.11	Other relevant inspections or tests?	Yes	-
28.00	RECORDS (Clause 16k)		
28.01	Are there appropriate records of:	Yes	-
28.01a	Fire drills?	Yes	-
28.01b	Fire Training?	Yes	-
28.01c	Fire alarm tests?	Yes	-
28.01d	False alarms?	Yes	-
28.01e	Emergency escape lighting tests?	Yes	-
28.01f	Maintenance and testing of other fixed fire protection systems?	No	Provide and maintain a register of records for fixed fire system tests.
28.01g	Is the fire emergency plan for the premises adequate?	Yes	-

Index ID	Detail	Values	Control Measures
29.09	Is the fire emergency plan available to the enforcing authority?	Yes	-
29.10	Are Personal Emergency Evacuation Plans (PEEPS) required and in place?	Yes	-

Action Plan

Index ID	Significant Findings / Action Plan	Responsible Person	Target Date
7.00	ELECTRONIC SOURCES OF IGNITION (Clause 13 and Annex B)		
7.01	If there are no reasonable measures, tick NO and add recommendations of what action should be required here. Example 1: Combustible storage should be a safe separation distance of ½ metre or more from an electrical appliance. Example 2: Electrical intake should be enclosed into a 30-minute fire-resisting enclosure. Example 3: Combustible or flammable storage should be prohibited from the electrical intake room and managed regularly to be kept sterile at all times as recommended in the Home Office good practice fire guides. Example 4: Electrical equipment should be switched off when not in use and at the end of the working day. If YES or N/A delete control measure.	Amin	2025-02-12
8.00	SMOKING (Clause 13 and Annex B)		
8.01	Introduce a safe smoking policy in designated smoking areas and enforce prohibiting smoking elsewhere.	Test Person	2025-02-04
10.00	PORTABLE HEATERS, HEATING AND VENTILATION SYSTEMS (Clause 13 and Annex B)		
10.01	Ban the use of portable heaters in the workplace and adjust fixed heating accordingly.	Admin	2025-02-19
28.00	RECORDS (Clause 16k)		
28.01f	Provide and maintain a register of records for fixed fire system tests.	Test Amin	2025-02-12

Risk Rating

Likelihood	Value	Severity of Outcome(s)
Negligible	1	Negligible
Low	2	Minor injury to occupants, first aid required
Moderate	3	Moderate Injury to occupants, medical attention required.
High	4	Occupants required hospitalisation.
Extreme	5	Major loss of life

Severity	Likelihood				
	1	2	3	4	5
	2	4	6	8	10
	3	6	9	12	15
	4	8	12	16	20
	5	10	15	20	25

Likelihood	Severity	Risk Rating Score:
1	2	3

Risk Rating	Action PAS 79-1:2020
Trivial	Record findings and review in 12 months
Tolerable	No major additional controls required. However, There might be a need for improvements that involve minor or limited costs.
Moderate	It is essential that efforts are made to reduce the risk. Risk reduction measures should be implemented within a defined time period. Where moderate risk is associated with consequences that constitute extreme harm, further assessment might be required to establish more precisely the likelihood of harm as a basis for determining the priority for improved control measures.
Substantial	Considerable resources might have to be allocated to reduce the risk. If the building is unoccupied, it should not be occupied until the risk has been reduced. If the building is occupied, urgent action should be taken.
Intolerable	Building (or relevant area) should not be occupied until the risk is reduced.

Reference Images




AMIN CONTRACTORS

EMERGENCY LIGHTING

Four storey building converted to flats.

- Non maintained Emergency Lighting
- Maintained emergency Lighting (Exit Doors)



The Updated Fire Alarm Grades

Grade A-C – Fire detection system incorporating control and indicating equipment to BS EN 54-2, power supply to BS EN 54-4, and installed to BS 5839 Part 1, with some very minor exceptions.



Grade A-C

Separate detectors, sounders, central control, and indicating equipment with backup power. Equipment must meet other British Standards (BS EN 54).




LD1 – HIGH PROTECTION

All areas where a fire could start

Examples:

- Hallways
- Landings
- Living Rooms
- Kitchens
- Bedrooms
- Airing Cupboards
- Meter Cupboards




LD2 – MEDIUM PROTECTION

Escape routes and high risk areas

Examples:

- Hallways
- Landings
- Living Rooms
- Kitchens



LD3 – MINIMUM PROTECTION

Escape routes

Examples:

- Hallways
- Landings




Fire Boarding



Fire rated encasement is required for ceilings and electrics in all common areas.



Compliant




Non-Compliant



Fire Door Compliance

Flat Entrance Doors
New regulations from January 2023



BS CODES

Lever Handles & Knob Furniture: BS EN 1906: 2012
Panic Exit Devices: BS EN 1125: 2008
Locks and Latches: BS EN 12209: 2016
Cylinders for Locks: BS EN 1303: 2015
Single Axis Hinges: BS EN 1935: 2002


Door & Window Bolts: BS EN 12051: 2000
Fire Door Closers BS EN 1154: 1997
Electrically Powered Hold Open Devices: BS EN 1155: 1997
Fire-Rated Glass: BS 6206
Letter Plates/Letter Boxes: BS EN 13724: 2013



AMIN CONTRACTORS

Fire Door Compliance

Landlords, HMO's & Kitchen Doors
New regulations from January 2023



BS CODES:

Lever Handles & Knob Furniture: BS EN 1906: 2012
Panic Exit Devices: BS EN 1125: 2008
Locks and Latches: BS EN 12209: 2016
Cylinders for Locks: BS EN 1303: 2015
Single Axis Hinges: BS EN 1935: 2002

Door & Window Bolts: BS EN 12051: 2000
Fire Door Closers BS EN 1154: 1997
Electrically Powered Hold Open Devices: BS EN 1155: 1997
Fire-Rated Glass: BS 6206
Letter Plates/Letter Boxes: BS EN 13724: 2013