

FIRE RISK ASSESSMENT

**(REGULATORY REFORM ORDER
2005) ENGLAND AND WALES**

PAS 79-2

**PRIORITISING SAFETY,
ENSURING COMPLIANCE**



Prepared By
Amin Contractors Ltd

+44 7572 549771
info@amincontractors.co.uk
www.amincontractors.co.uk
Ashfield Street London, E1 2HA

Fire Risk Assessment

Date:

Address of premises:

147 Wembley Hill Road, Wembley,
HA9 8DU

Assessment Date:

27/11/24

Next Assessment Date:

26/11/25

Assessor:

Mohammed Shahinul Amin

Responsible person (e.g. employer) or person having control of premises:

Landlord

Dear Client,

Thank you for inviting us to do a Fire Risk Assessment on your premises. We've kept your concerns in mind during our inspection and testing. Let's discuss the recommendations found in this report and see what works best for you.

Thanks,**Assessor Statement**

The purpose of this PAS 79-2:2020 (Annex A) Housing risk report is to provide a non-invasive assessment of the risk to life from fire in these premises, and, where appropriate, to make recommendations to ensure compliance with fire

ort does not address the risk to
uity from fire. I certify that to the
information contained in this fire
based on information provided at
as undertaken.

Fire Risk Assessment Review:

This fire risk assessment should be reviewed by a competent person by the date indicated above or at such earlier time as there is reason to suspect that it is no longer valid, or there has been significant change in the matters to which it relates, or if a fire occurs.

Report compliance:

This report is intended to assist you in compliance with Article 9 of the Regulatory Reform (Fire Safety) Order 2005 which requires that a fire risk assessment be carried out.

Webmly Housing Scheme Testing 7



Property: Webmly Housing Scheme Testing 7

Assessment ID: 7

Date: 19 February 2025

Fire Risk Assessment Information

Primary Information

Index ID	Detail	Value
0.01	Responsible person (e.g. employer) or person having control of premises?	Landlord
0.02	Address of premises?	147 Wembley Hill Road, Wembley, HA9 8DU
0.03	Person(s) consulted?	Landlord
0.04	Assessor?	Mohammed Shahinul Amin
0.05	Assessors statement?	The purpose of this PAS 79-1:2020 (Annex A) report is to provide a non-invasive assessment of the risk to life from fire in these premises, and, where appropriate, to make recommendations to ensure compliance with fire safety legislation. This report does not address the risk to property or business continuity from fire. I certify that to the best of my knowledge, the information contained in this fire
0.06	Report validated by?	-
0.07	Date of fire risk assessment?	27/11/24
0.08	Date of previous fire risk assessment?	-
0.09	Suggested date for review?	26/11/25
0.10	Fire Risk Assessment Review?	This fire risk assessment should be reviewed by a competent person by the date indicated above or at such earlier time as there is reason to suspect that it is no longer valid, or there has been significant change in the matters to which it relates, or if a fire occurs.
0.11	Report compliance?	This report is intended to assist you in compliance with Article 9 of the Regulatory Reform (Fire Safety) Order 2005 which requires that a fire risk assessment be carried out.
1.01	Number of floors at ground level and above	3 floors
1.02	Number of floors entirely below ground level	6 flats
1.03	Floors on which car parking is provided	-
1.04	Number of flats	-
1.05	Approximate gross floor area	30m ² Communal area.
1.06	Brief details of construction and approximate age of building	147 Wembley Hill is a residential development in Wembley, Greater London. It has 6 flats and was completed in 2021.
1.07	Occupancy	Block of flats
2.01	Approximate maximum number of employees at any one time	-

Index ID	Detail	Value
2.02	Approximate maximum number of residents and visitors at any one time	-
3.01	Sleeping occupants	-
3.02	Occupants in remote areas and lone workers	-
3.03	Others	-
3.04	Disabled occupants (if known)	-
4.01	Fires in the past	-
4.02	Cost of past fire losses	-
5.01	Detail here if required	-
6.01	The following fire safety legislation applies to these premises	-
6.02	The above legislation is enforced by	-
6.03	Other legislation that makes significant requirements for fire precautions in these premises	-
6.04	The other legislation referred to above is enforced by	-
6.05	Is there an alterations notice in force?	-
6.06	Relevant information and deficiencies observed	-
6.07	Other information if required	-
6.08	Risk Likelihood?	1
6.09	Risk Severity?	2
6.10	Risk Rating Score?	3

Fire Hazards and Their Elimination or Control

Index ID	Detail	Values	Control Measures
7.00	ELECTRONIC SOURCES OF IGNITION (Clause 13 and Annex B)		

Index ID	Detail	Values	Control Measures
7.01	Are reasonable measures taken to prevent fires of electrical origin?	No	Maintain safe separation distance of ½ metre between appliance and combustible materials. Enclose electrical intake in 30 or 60 minute fire resisting enclosure. Prohibit any combustible or flammable storage in electrical intake room. Ensure that sources of heat do not arise from faulty or overloaded electrical equipment. Ensure that all electrical fuses and circuit breakers etc. of the correct rating and suitable for the purpose. Switch equipment off at the end of the working day.
7.02	More specifically:	Yes	-
7.02a	Are fixed installations periodically inspected and tested?	Yes	-
7.02b	Is portable appliance testing carried out?	Yes	-
8.00	SMOKING (Clause 13 and Annex B)		
8.01	Are reasonable measures taken to prevent fires as a result of smoking?	Yes	-
8.02	More specifically:	Yes	-
8.02a	Is smoking prohibited in appropriate areas?	Yes	-
8.02b	Are there suitable arrangements for those who wish to smoke?	Yes	-
8.02c	Did the smoking policy appear to be observed at the time of inspection?	Yes	-
8.02d	Are 'No smoking' signs provided in the common areas?	Yes	-
9.00	ARSON (Clause 13 and Annex B)		
9.01	Does basic security against arson by outsiders appear reasonable?	Yes	-
9.02	Is there an absence of unnecessary fire load in close proximity to the premises or available for ignition by outsiders?	Yes	-
10.00	PORTABLE HEATERS, HEATING AND VENTILATION SYSTEMS (Clause 13 and Annex B)		
10.01	Is there satisfactory control over the use of portable heaters?	Yes	-
10.02	Are fixed heating and ventilation installations subject to regular maintenance?	Yes	-
11.00	COOKING (Clause 13 and Annex B)		
11.01	Are reasonable measures taken to prevent fires as a result of cooking?	Yes	-
12.00	LIGHTNING (Clause 13 and Annex B)		

Index ID	Detail	Values	Control Measures
12.01	Does the building have a lightning protection system?	Yes	-
13.00	HOUSEKEEPING (Clause 13 and Annex B)		
13.01	Is the overall standard of housekeeping adequate?	No	Ensure a programme is introduced to improve housekeeping.
13.02	More specifically:	Yes	-
13.02a	Do combustible materials appear to be separated from ignition sources?	Yes	-
13.02b	Is unnecessary accumulation or inappropriate storage of combustible materials or waste?	Yes	-
13.02c	Are gas and electricity intake/meter cupboards adequately secured and kept clear of combustible materials?	Yes	-
14.00	HAZARDS INTRODUCED BY OUTSIDE CONTRACTORS AND BUILDING WORKS (Clause 13 and Annex B)		
14.01	Is there satisfactory control over works carried out in the building?	Yes	-
15.00	DANGEROUS SUBSTANCES (Clause 13)		
15.01	Are the general fire precautions adequate to address the hazards associated with dangerous substances used or stored within the premises?	Yes	-
16.00	OTHER SIGNIFICANT FIRE HAZARDS THAT WARRANT CONSIDERATION		
16.01	Hazards: List and detail any other significant hazards here:	Yes	-
17.00	MEANS OF ESCAPE (Clause 15c and Annex C)		
17.01	Is the design and maintenance of the means of escape considered adequate?	Yes	-
17.02	More Specifically:	Yes	-
17.02a	Are there reasonable distances of travel?	Yes	-
17.02a1	Where there is escape in a single direction?	No	Provide a pass door in the following locations: [add locations]. Provide external fire escape in the following location: [add location]. Provide an additional exit to the escape corridor from the inner room: [add location].
17.02a2	Where there are alternative means of escape?	Yes	-
17.02b	Is there adequate provision of exits?	Yes	-
17.02c	Do fire exits open in the direction of escape, where necessary?	Yes	-

Index ID	Detail	Values	Control Measures
17.02d	Are the arrangements provided for securing exits satisfactory?	Yes	-
17.02e	Is the fire-resisting construction (including any glazing) protecting escape routes and staircases of a suitable standard and maintained in sound condition?	Yes	-
17.02f	Is the fire resistance of doors to staircases and the common areas considered adequate, and are the doors maintained in sound condition?	Yes	-
17.02g	Are suitable self-closing devices fitted to fire doors in the common areas?	Yes	-
17.02h	Is the fire resistance of doors to meter cupboards/store rooms/plant rooms in common areas considered adequate, and are they adequately secured and/or fitted with suitable self-closing devices?	Yes	-
17.02i	Is the fire resistance of flat entrance doors considered adequate, and are the doors maintained in sound condition?	Yes	-
17.02j	Are suitable self-closing devices fitted to flat entrance fire doors and, where fitted, maintained in good working order?	Yes	-
17.02k	Are there adequate smoke control provisions to protect the common escape routes, where necessary?	Yes	-
17.02l	Are all escape routes clear of obstructions?	Yes	-
17.02m	Are all fire exits easily and immediately openable?	Yes	-
17.02n	Are there reasonable arrangements for means of escape for disabled people?	Yes	-
18.00	MEASURES TO LIMIT FIRE SPREAD AND DEVELOPMENT (Clause 15g)		
18.01	Is it considered that there is/are:	No	N/A
18.01a	Adequate levels of compartmentation between floors and between flats and the common escape routes?	Yes	-
18.01b	Reasonable limitation of linings that may promote fire spread?	Yes	-
18.01c	As far as can be reasonably ascertained, reasonable fire separation within any roof space?	Yes	-
18.01d	Adequately fire-protected service risers and/or ducts in common areas, that will restrict the spread of fire and smoke?	Yes	-

Index ID	Detail	Values	Control Measures
18.02	As far as can be reasonably ascertained, are fire dampers provided necessary to protect critical means of escape against passage of fire, smoke, and products of combustion in the early stages of a fire?	Yes	-
19.00	EMERGENCY ESCAPE LIGHTING (Clause 15e)		
19.01	Has a reasonable standard of emergency escape lighting system been provided?	Yes	-
20.00	FIRE SAFETY SIGNS AND NOTICES (Clause 15d)		
20.01	Is there a reasonable standard of fire safety signs and notices?	Yes	-
21.00	MEANS OF GIVING WARNING IN CASE OF FIRE (Clause 15b)		
21.01	Is a reasonable fire detection and fire alarm system provided in common areas, where necessary?	Yes	-
21.02	If there is a communal fire detection and fire alarm system, does it extend into the dwellings?	Yes	-
21.03	Where appropriate, has a fire alarm zone plan been provided?	Yes	-
21.04	Where appropriate, are there adequate arrangements for silencing and resetting an alarm condition?	Yes	-
22.00	MANUAL FIRE EXTINGUISHING APPLIANCES (Clause 15f)		
22.01	Is there reasonable provision of manual fire extinguishing appliances?	Yes	-
22.02	Are all fire extinguishing appliances readily accessible?	Yes	-
23.00	RELEVANT AUTOMATIC FIRE EXTINGUISHING SYSTEMS (Clause 15h)		
23.01	Type of fixed system(s):	Yes	-
23.01a	Sprinkler system?	Yes	-
23.01b	Misting system?	Yes	-
24.00	OTHER RELEVANT FIXED SYSTEMS AND EQUIPMENT (Clause 15i)		
24.01	Type of other fixed system(s) installed:	Yes	-

Index ID	Detail	Values	Control Measures
24.02	Are there appropriately sited facilities for electrical isolation of any photovoltaic (PV) cells, with appropriate signage, to assist the fire and rescue service?	Yes	-
25.00	PROCEDURES AND ARRANGEMENTS (Clause 16)		
25.01	Safety assistance:	Yes	-
25.02	Fire safety at the premises is managed by:	Yes	-
25.03	Is there a suitable record of the fire safety arrangements?	Yes	-
25.04	Evacuation strategy:	Yes	-
25.05	Are procedures in the event of a fire appropriate and properly documented, where appropriate?	Yes	-
25.06	Are routine in-house inspections of fire precautions undertaken (e.g. in the course of health and safety inspections)?	No	Ensure that all required routine fire inspections are carried out.
26.00	TRAINING AND DRILLS (Clause 16h)		
26.01	Are all staff given adequate fire safety instruction and training on induction?	Yes	-
26.02	When the employees of another employer work in the premises, is appropriate information on the fire risks and fire safety measures provided?	Yes	-
27.00	TESTING AND MAINTENANCE (Clause 16j)		
27.01	Is there adequate maintenance of the premises?	Yes	-
27.02	Is weekly testing and periodic servicing of fire detection and alarm system undertaken?	Yes	-
27.03	Is monthly and annual testing routines for emergency lighting?	Yes	-
27.04	Is annual maintenance of fire extinguishing appliances undertaken?	Yes	-
27.05	Are six-monthly inspection and annual testing of rising mains undertaken?	Yes	-
27.06	Are weekly and monthly testing, six-monthly inspection and annual testing of fire-fighting lift(s) provided for the use by firefighters or evacuation of disabled people (evacuation lifts)?	Yes	-
27.07	Other relevant inspections or tests?	Yes	-
28.00	RECORDS (Clause 16k)		

Index ID	Detail	Values	Control Measures
28.01	Are there appropriate records of:	Yes	-
28.01a	Fire alarm tests (where relevant)?	Yes	-
28.01b	Emergency escape lighting tests?	Yes	-
28.01c	Maintenance and testing of other fire protection equipment?	Yes	-
29.00	PREMISES INFORMATION BOX (Clause 15c)		
29.01	Is there a suitably located premises information box for the fire and rescue service?	Yes	-
29.02	Are there arrangements to keep the premises information box up to date?	Yes	-
29.09	Is the fire emergency plan available to the enforcing authority?	Yes	-
29.10	Are Personal Emergency Evacuation Plans (PEEPS) required and in place?	Yes	-
30.00	ENGAGEMENT WITH RESIDENTS (Clause 16l)		
30.01	Has information on fire procedures been disseminated to residents?	Yes	-
30.02	Is fire safety information disseminated to residents?	Yes	-

Risk Rating

Likelihood	Value	Severity of Outcome(s)
Negligible	1	Negligible
Low	2	Minor injury to occupants, first aid required
Moderate	3	Moderate Injury to occupants, medical attention required.
High	4	Occupants required hospitalisation.
Extreme	5	Major loss of life

Severity	Likelihood				
	1	2	3	4	5
	2	4	6	8	10
	3	6	9	12	15
	4	8	12	16	20
	5	10	15	20	25

Likelihood	Severity	Risk Rating Score:
1	2	3


Risk Rating	Action PAS 79-1:2020
Trivial	Record findings and review in 12 months
Tolerable	No major additional controls required. However, There might be a need for improvements that involve minor or limited costs.
Moderate	It is essential that efforts are made to reduce the risk. Risk reduction measures should be implemented within a defined time period. Where moderate risk is associated with consequences that constitute extreme harm, further assessment might be required to establish more precisely the likelihood of harm as a basis for determining the priority for improved control measures.
Substantial	Considerable resources might have to be allocated to reduce the risk. If the building is unoccupied, it should not be occupied until the risk has been reduced. If the building is occupied, urgent action should be taken.
Intolerable	Building (or relevant area) should not be occupied until the risk is reduced.

Action Plan Section

Action Plan

Index ID	Significant Findings / Action Plan	Responsible Person	Target Date
7.00	ELECTRONIC SOURCES OF IGNITION (Clause 13 and Annex B)		
7.01	Maintain safe separation distance of $\hat{A}$ ½ metre between appliance and combustible materials. Enclose electrical intake in 30 or 60 minute fire resisting enclosure. Prohibit any combustible or flammable storage in electrical intake room. Ensure that sources of heat do not arise from faulty or overloaded electrical equipment. Ensure that all electrical fuses and circuit breakers etc. of the correct rating and suitable for the purpose. Switch equipment off at the end of the working day.	Test Responsible	2025-02-11
13.00	HOUSEKEEPING (Clause 13 and Annex B)		
13.01	Ensure a programme is introduced to improve housekeeping.	TEst	2025-02-18
17.00	MEANS OF ESCAPE (Clause 15c and Annex C)		
17.02a1	Provide a pass door in the following locations: [add locations]. Provide external fire escape in the following location: [add location]. Provide an additional exit to the escape corridor from the inner room: [add location].	Test Person	2025-02-26
18.00	MEASURES TO LIMIT FIRE SPREAD AND DEVELOPMENT (Clause 15g)		
18.01	N/A	Test	2025-02-18
25.00	PROCEDURES AND ARRANGEMENTS (Clause 16)		
25.06	Ensure that all required routine fire inspections are carried out.	Test Person	2025-02-11

Reference Images



Emergency_fire_exit_door_which_to_be_used_in_an_emergency_which_will_open_



risj_assestment_image2_this_is_a_fire_extinguisher



The_emergency_fire_exit_hallway_which_is_being_installed_and_placed



this_is_the_fire_exit_door_to_be_used_in_an_emergency_




AMIN CONTRACTORS

EMERGENCY LIGHTING

Four storey building converted to flats.

- Non maintained Emergency Lighting
- Maintained emergency Lighting (Exit Doors)



The Updated Fire Alarm Grades

Grade A-C – Fire detection system incorporating control and indicating equipment to BS EN 54-2, power supply to BS EN 54-4, and installed to BS 5839 Part 1, with some very minor exceptions.



Grade A-C

Separate detectors, sounders, central control, and indicating equipment with backup power. Equipment must meet other British Standards (BS EN 54).




LD1 – HIGH PROTECTION

All areas where a fire could start

Examples:

- Hallways
- Landings
- Living Rooms
- Kitchens
- Bedrooms
- Airing Cupboards
- Meter Cupboards




LD2 – MEDIUM PROTECTION

Escape routes and high risk areas

Examples:

- Hallways
- Landings
- Living Rooms
- Kitchens



LD3 – MINIMUM PROTECTION

Escape routes

Examples:

- Hallways
- Landings




Fire Boarding



Fire rated encasement is required for ceilings and electrics in all common areas.



Compliant




Non-Compliant



Fire Door Compliance

Flat Entrance Doors
New regulations from January 2023



BS CODES

Lever Handles & Knob Furniture: BS EN 1906: 2012
Panic Exit Devices: BS EN 1125: 2008
Locks and Latches: BS EN 12209: 2016
Cylinders for Locks: BS EN 1303: 2015
Single Axis Hinges: BS EN 1935: 2002


Door & Window Bolts: BS EN 12051: 2000
Fire Door Closers BS EN 1154: 1997
Electrically Powered Hold Open Devices: BS EN 1155: 1997
Fire-Rated Glass: BS 6206
Letter Plates/Letter Boxes: BS EN 13724: 2013



AMIN CONTRACTORS

Fire Door Compliance

Landlords, HMO's & Kitchen Doors
New regulations from January 2023



BS CODES:

Lever Handles & Knob Furniture: BS EN 1906: 2012
Panic Exit Devices: BS EN 1125: 2008
Locks and Latches: BS EN 12209: 2016
Cylinders for Locks: BS EN 1303: 2015
Single Axis Hinges: BS EN 1935: 2002

Door & Window Bolts: BS EN 12051: 2000
Fire Door Closers BS EN 1154: 1997
Electrically Powered Hold Open Devices: BS EN 1155: 1997
Fire-Rated Glass: BS 6206
Letter Plates/Letter Boxes: BS EN 13724: 2013