Today's agenda

↳ SOLID Principle

AlgoPrep

* good code → should not have bugs
  - ↳ Maintainable
  - ↳ Reusable → modular
  - ↳ Easy to test
  - ↳ should be configurable
  - ⋮

↳ SOLID design Principles
  - ↳ rules / expectations / guideline

S → Single responsibility Principle
O → open close Principle
L → Liskov's substitution
I → Interface segregation
D → Dependency inversion

→ LLD Design
  - ↳ subjective concept

→ Design a Bird app
  - ↳ Design a system which will store info about all the birds on the Planet.

AlgoPrep

```
Class Bird {
    Color;
    weight;
    name;
    age;
    breed;

    collectFood();
    buildNest();
    makeSound();
    fly();
}
```

```
Bird b1 = new Bird();
b1.Color = black;
b1.name = "crow";
b1.wight = 200;
```

```
Bird b2 = new Bird();
b2.Color = white;
b2.name = "Pigeon";
b2.wight = 300;
```

AlgoPrep

b1.fly()

b2.fly()

DRY

```
void fly() {
    if (name == crow) {
        ===
    }
    else if (name == Pigeon) {
        ...
    }
    else if (          ) {

    }
    .....
    else if (cond) {
        =
    }
    else {
        ...
    }
}
```

→ How each type of bird should fly.

Parrot

AlgoPrep

Problems:

↳ (i) Difficult to understand.
(ii) Extensability difficult.
(iii) Difficult to test.
(iv) Code duplication
(v) merge conflict



(vi) violates SRP {Single responsibility Principle}

(vii) violates OCP {open close Principle}

→ Single Responsibility Principle

Is every code (method / class / Package) must have exactly 1 defined responsibility.

↓

why someone should edit the code of that class / method.

MVC

controllers / component

- Is user controller
- Is group controller

services

- Is user services

models

- Is Movie
- Is seat

AlgoPrep

Identify violation of SRP

① Methods with multiple if-else.

exception

```
check leapyear (yo) {
    if (yo % 4 == 0)
        leap year
    else (yo % 100 == 0)
        leap year
    else if (yo % 4 == 0 && yo % 100 == 0)
        leap years.
    else
        non leap year
}
```

(11) Monster method → large

↳ method in which the code is doing more than what its meant to be doing.

```
SaveToDatabase( . . . ){
    { Calculate something . . .
      . .
      .
    { Create db connection
      [ db.execute(query);
}
```

Savetodatabase (. . .){

calculate();

createconnection();

[db.execute(data);

}

Private in calculate(){

Integration solving

}

Private void createconnection(){

reusable

}

③ Common / utils folder

↳ garbage place of your codebase.

→ java.util

↳ fetch date

↳ create map

AlgoPrep

→ Open Close Principle

↳ Codebase should be open for extension but close for modification.

↓
easy to add new features

↳ adding feature should require minimal changes to the existing code.



AlgoPrep

Break till 9:30 Pm

SL

```
abstract class Bird {
    Color;
    weight;
    name;
    age;
    breed;

    abstract collectFood();
    abstract buildNest();
    abstract makeSound();
    abstract fly();
}
```



SRP ✓

OCP ✓

AlgoPrep

* Penguin, Ostrich

↳ birds which can't fly.



AlgoPrep

→ Some birds can buildnest & some can't



→ BN & F BN & NF NBN & F NBN & NF







→ Some birds can make sound, some can't?



2 * 2 * 2

↳ 8 combinations

2^N combinations

$N = 10 \rightarrow 2^{10} = 1024$ possibilities

↳ find the next solution

AlgoPrep