			•• •			
Visoka škola strukovnih stud	IO 70 INTORN	aaciana i kan	MIIMIKACIANA	tahaal		へんとつんこ
VISOKA SKOJA SILIJKOVIJIJI SLIJO	IA /A IIII() II	HACIOHE EKOH	IIIIIIKALIOHE	1 - 1 1 1 1 () 1	ים אוועטו	ווואואני
VISORA SROIA SCI AROVIIIII SCAA	ja 2a	inacionic i non	- rai iiika cio ii c		Obije a be	25, 444

Visoka ICT škola

Web programiranje 1 – Dokumentacija za sajt

http://mobile111ap.000webhostapp.com/

Ime I prezime studenta: Rajko Vrga

Broj indeksa: 122/17

Sadržaj: 1. Uvod 1.1. Korišćeni programski i markup jezici 1.2. Opis funkcionalnosti 1.3. Template 1.4. Korišćeni CSS 2. Organizacija 2.1. Organizaciona šema 2.2. Mapa sajta 2.3. Stranice 3. Kodovi 1. Uvod Sajt iz predmeta web programiranje 1 je napravljen za prikaz i predstavljanje Apple uredjaja. Pregled sajta je omogucen na svim uredjajima 1.1. Korišćeni programski i markup jezici HTML, CSS, Javascript, AJAX, JSON Koriscene biblioteke JQuery (JavaScript) TypeScript (Javascript) AOS (JS) JQuery plug-in SmoothScroll

1.2 Opis funkcionalnosti

Stranica index.html

Dinamičko ispisivanje

Meni (JavaScript) – ispisani su svi elementi menija dinamički

Proizvodi (Izlistavanje putem Ajaxa iz JSON fajla ali korišćenjem JQuerija) – svi proizvodi su izlistani dinamički dok su slika i naziv proizvoda uzeti iz JSON fajla

Slajder (JavaScript i animacija putem JQuerija) – klikom na neki od proizvoda otvara se slajder sa proizvodom na koji smo kliknuli. Ispod slike proivoda nalazi se I detaljniji opis proizvoda čiji ispis se vrši iz JSON fajla, pregled ostalih proizvoda se može vršiti klikom na strelice u levo ili desno. Izlazak iz slajdera vrši se klikom na dugme u gornjem desnom uglu

Ostatak funkcionalnosti

Dugme za otvaranje menija (JavaScript) – pošto je korišćenje sajta omogućeno i putem mobilnih uredjaja, na manjim ekranima postoji meni koji se klikom na dugme otvara

Dugme za veći broj proizvoda (JQuery) – klikom na dugme prikazuje se I animacija koja je ubačena preko CSS-a

Dugme za vracanje na vrh stranice (JQuery) – odlaskom ka dnu strane odredjen broj piksela prikazuje se ovo dugme

Korisćenje Smooth Scroll-a – iskoriscen da iz menija vodi polako ka željenom elementu

Dinamičko ispisivanje teksta – izvodi se korišćenjem JS biblioteke TypeScript

Iskačući divovi – rade uz pomoć JS biblioteke AOS

Validacija forme se vrši klikom na dugme Pošalji i ako se dogode greške u validaciji, te greške će se ispisati u uredjenu listu koja se dinamički generiše direktno ispod dugmeta

1.3.Template

Dizajn sajta je moj, nije preuziman template



```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <meta http-equiv="X-UA-Compatible" content="ie=edge" />
   <meta
     name="description"
     content="This is a store where Apple mobile phone are sold in Belgrade,
started working 2011 and you can find your favorite iphone mobile"
   <meta name="robots" content="index, follow" />
   <meta name="keywords" content="apple, iphone, Rajko, store, phone" />
   <meta name="author" content="Rajko Vrga" />
   <title>Apple Shop</title>
   link
     rel="stylesheet"
     href="https://use.fontawesome.com/releases/v5.4.1/css/all.css"
     integrity="sha384-
5sAR7xN1Nv6T6+dT2mhtzEpVJvfS3NScPQTrOxhwjIuvcA67KV2R5Jz6kr4abQsz"
     crossorigin="anonymous"/>
   <link rel="stylesheet" href="css/aos.css">
   <link rel="shortcut icon" href="img/icon.ico" type="image/x-icon" />
   <link rel="stylesheet" href="css/style.css" />
 </head>
 <body>
   <div class="element menu">
     <div class="responsive">
       <div class="logo"><img src="img/logo.png" alt="logo site" /></div>
       <div class="buttonR" data-bar="#items"><i class="fas fa-bars"></i></div>
     </div>
     <img src="img/logo.png" alt="logo site" />
     </div>
   <div class="element home">
```

```
<div id="title">
    <h1>Iphone shop</h1>
    <h3 id="welcome"></h3>
  </div>
  <div id="down">
    <a href="#about"><i class="fa fa-angle-down" aria-hidden="true"></i></a>
  </div>
</div>
<div class="element about" id="about">
  <h2>About</h2>
  <div class="content">
   <div
     data-aos="fade-right"
     data-aos-duration="1000"
     data-aos-easing="ease-in-sine"
     class="aboutphoto"
      <img src="img/about.png" alt="about photo" />
    </div>
    <div class="aboutText">
        data-aos="flip-left"
        data-aos-easing="ease-out-cubic"
        data-aos-duration="2000"
        This is a store where Apple mobile phone are sold in Belgrade,
        started working 2011
     </div>
  </div>
</div>
<div class="element products" id="products">
  <div class="title"><h2>Products</h2></div>
  <div class="articles"></div>
  <div class="button-more">
    <div class="more">MORE</div>
  </div>
</div>
<div id="slider">
  <div class="close "><i class="fa fa-times" aria-hidden="true"></i></div>
 <div id="sliderPhoto">
   <div class="close closeM ">
```


```
<i class="fa fa-times" aria-hidden="true"></i></i>
   </div>
   <img src="" id="photo" alt="slide now" />
   <div class="leftright">
     <i class="fas button-slide fa-caret-right" aria-hidden="true"></i></i></i>
   </div>
   <div class="detalis"></div>
 </div>
</div>
<div class="element service" id="service">
 <div class="title"><h2>Service</h2></div>
 <div class="content-service">
   <div class="photo-service">
     <img src="img/tool.png" alt="photo tool" />
   </div>
   <div class="text-service">
     <div id="info">
       data-aos="flip-right"
         data-aos-offset="300"
         data-aos-duration="3000"
         You can service your Apple mobile phone in our authorized service.
         Contact them on the link below
       </div>
     <div id="info-button">
       <a target=" blank" href="https://www.appleservice.rs/">LINK</a>
     </div>
   </div>
 </div>
</div>
<div class="element contact" id="contact">
 <div class="title"><h2>Contact</h2></div>
 <div class="contact-content">
   <div class="contactForm">
     E-mail
     <input type="text" name="email" id="email" />
     Title
     <input type="text" name="title" id="titleContact" />
     Description
     <textarea name="opis" id="descContact" resize="none"></textarea>
     <input type="button" id="send" value="Send" />
```

```
<div id="error"></div>
   </div>
 </div>
</div>
<div class="element author" id="author">
 <div class="title"><h2>Author</h2></div>
 <div id="authorInfo">
   <div data-aos="fade-right" data-aos-duration="3000" id="authorphoto">
      <img src="img/author.png" alt="photo author" />
   </div>
    <div id="authorText" data-aos="zoom-in" data-aos-duration="3000">
      <div id="myDesc">
         My name is <label> Rajko Vrga </label> and I'm studing at ICT
         College. I did this site using JQuery and JavaScript for
         Web programming subject.
        </div>
   </div>
 </div>
</div>
<div class="element copy">
 <div class="social">
     target="blank "
     class="fab fa-instagram"
     href="https://www.instagram.com/?hl=sr"
    <a target="blank_" class="fas fa-sitemap" href="sitemap.xml"></a>
     target="blank "
     class="fab fa-facebook-f"
     href="http://www.facebook.com"
   </a>
     target="blank_"
     class="fab fa-twitter"
     href="http://www.twitter.com"
   ></a>
 </div>
 <div class="Documentation"><a href="">Documentation</a></div>
 <div class="copyText">&copy; Copyright</div>
</div>
```

1.4. Korišćeni CSS

Ceo CSS sam sam pisao, jedino sam preuzeo CSS iz AOS biblioteke

2. Organizacija



2.2. Mapa sajta

2.3. Stranice



3. Kodovi

Sav kod je moj

```
document.addEventListener("DOMContentLoaded", function() {
  AOS.init();
 // menu responsive
 let barButton = document.getElementsByClassName("buttonR");
 let items = document.getElementById("items");
  barButton[0].addEventListener("click", menuButton);
  items.addEventListener("click", function() {
    if (window.scrollX < 670) {</pre>
     if (items.classList.contains("d-flex")) {
       items.classList.remove("d-flex");
       items.classList.add("d-none");
      } else {
       items.classList.add("d-flex");
        items.classList.remove("d-none");
  });
 let menu = document.querySelector("#items");
 let hrefValue = ["About", "Products", "Service", "Contact", "Author"];
  let menuItems = "";
  for (let i = 0; i < hrefValue.length; i++) {</pre>
   if (i == 1 || i == 2) {
      menuItems +=
        '<a href=' +</pre>
       hrefValue[i].toLowerCase() +
       hrefValue[i] +
       "</a>";
    } else {
      menuItems +=
        '<a href=' +</pre>
       hrefValue[i].toLowerCase() +
```

```
hrefValue[i] +
      "</a>";
 pom = "";
menu.innerHTML += menuItems;
// // top button
$(window).scroll(fadeTop);
$("#top").click(buttonTop);
//smooth scroll plugin
$("a").smoothScroll({
  speed: 2000
});
let pattEmail = /^[A-Za-z]([a-z.A-Z-\d]{1,})@([a-z]+[.]){1,}([a-z]{2,3}){1}$/;
let pattTitle = /^[\w\s]{5,25}$/;
let pattDesc = /^[\w\s]{20,550}$/;
function addError(variable) {
  variable.setAttribute("class", "errorBorder");
function rmError(variable) {
  if (variable.hasAttribute("class")) {
    variable.removeAttribute("class");
document.getElementById("send").addEventListener("click", function() {
  let errors = [];
  let mailBox = document.querySelector("#email");
  if (!pattEmail.test(mailBox.value)) {
    errors.push("* Mail is not in correct format");
    addError(mailBox);
  } else if (mailBox.value == "") {
    errors.push("* Enter email");
    addError(mailBox);
  } else {
    rmError(mailBox);
  let titleBox = document.querySelector("#titleContact");
  if (!pattTitle.test(titleBox.value)) {
```

```
errors.push("* Title is not correct");
    addError(titleBox);
  } else if (titleBox.value == "") {
    errors.push("* Enter title");
    addError(titleBox);
  } else {
    rmError(titleBox);
  let descContact = document.querySelector("#descContact");
  if (descContact.value == "") {
    errors.push("* Enter description");
    addError(descContact);
  } else if (!pattDesc.test(descContact.value)) {
    errors.push("* Description is not correct");
    addError(mailBox);
  } else {
    rmError(descContact);
  if (errors.length != 0) {
    let errorVal = "";
    for (let i = 0; i < errors.length; i++) {</pre>
      errorVal += "" + errors[i] + "";
    errorVal += "";
    document.querySelector("#error").innerHTML = errorVal;
  } else {
    document.querySelector("#error").innerHTML = "";
});
// SLIDER
let product = document.getElementsByClassName("product1");
$.getJSON("/function/products.json", function(json) {
  let articles = "";
  for (var i = 0; i < 8; i++) {
    putIn();
  function putIn() {
    articles += slideMore(json.products[i].photo, json.products[i].model);
  let r = document.querySelector(".articles");
  r.innerHTML += articles;
```

```
// slider //////
let photo = document.getElementById("photo");
let slider = document.getElementById("slider");
let detalis = document.querySelector(".detalis");
let detalisElement = "";
for (let i = 0; i < product.length; i++) {</pre>
  product[i].addEventListener("click", function() {
    $("body").css("overflow", "hidden");
    if (slider.classList.contains("none-slider")) {
      slider.classList.remove("none-slider");
      slider.classList.add("flex-slider");
    } else {
     slider.classList.add("flex-slider");
   slide(i - 1, "next");
  });
// -slider
function slide(current, direction = "prev") {
  switch (direction) {
    case "prev":
      if (--current < 0) {
        current = product.length - 1;
     break;
    case "next":
      if (++current > product.length - 1) {
        current = 0;
     break;
  photo.src = product[current].children[0].getAttribute("src");
  detalisElement =
    " Model:" +
    json.products[current].model +
    " Color: +
    json.products[current].color +
    " Price: " +
    json.products[current].price +
    "";
```

```
detalis.innerHTML = detalisElement;
      photo.setAttribute("data-current", current);
   // Prev
    let btnL = document.getElementsByClassName("fa-caret-left");
    btnL[0].addEventListener("click", function(e) {
      let current = parseInt(photo.getAttribute("data-current"));
      e.stopPropagation();
     slide(current);
      slideAnimation();
    });
    let btnR = document.getElementsByClassName("fa-caret-right");
    btnR[0].addEventListener("click", function(e) {
      let current = parseInt(photo.getAttribute("data-current"));
      e.stopPropagation();
     slide(current, "next");
      slideAnimation();
    });
   // load products
    function slideMore(i1, i2) {
      let productReturn = "";
      (i >= 4)
        ? (productReturn = '<div class="product1 productmore"><img src="img/' +</pre>
i1 + "\"alt='" +
        i2 + "'>
                  <div class='productDet'>" + i2 + "</div></div> ")
        : (productReturn = '<div class="product product1"><img src="img/' + i1 +
"\"alt='" +
        i2 + "'> <div class='productDet'<p>" + i2 + "</div></div> ");
      return productReturn;
 });
  function slideAnimation() {
   $("#photo").css("opacity", 0);
   $(".detalis").css("opacity", 0);
   $("#photo").animate({ opacity: 1 }, 600);
   $(".detalis").animate({ opacity: 1 }, 600);
```

```
$(".more").click(function() {
  $(".productmore").slideToggle(1000);
  //change text content for button more
  let pMore = document.querySelector("#p-more");
  if (pMore.textContent == "MORE") {
    pMore.textContent = "HIDE";
  } else {
    pMore.textContent = "MORE";
});
// FUNCTIONS
// menu button
function menuButton() {
  let items = document.querySelector(this.getAttribute("data-bar"));
  if (items.classList.contains("d-none")) {
    items.classList.add("d-flex");
    items.classList.remove("d-none");
  } else {
    items.classList.add("d-none");
    items.classList.remove("d-flex");
// top button
function buttonTop() {
  $("html,body").animate({ scrollTop: 0 }, 1000);
function fadeTop() {
  if ($(this).scrollTop() > 300) {
    $("#top").fadeIn(500);
  } else {
    $("#top").fadeOut(300);
// close slider
let cls = document.getElementsByClassName("close");
for (let i = 0; i < cls.length; i++) {
  cls[i].addEventListener("click", function() {
    if (slider.classList.contains("flex-slider")) {
      slider.classList.add("none-slider");
      $("body").css("overflow", "");
```

```
});
}

// TYPED

let typed = new Typed("#welcome", {
   strings: ["Welcome :)"],
   cursorChar: "",
   typeSpeed: 300
});
});
```