VI I . I . I.				•• •			••		4
Visoka škola strukovnih studi	12 72	intormaciona	3 I L	amiinikaciana	v tal	nnala	11 AIIA	Dagarad	
VINUKA SKUJA SILIJKUVIJIJI SIJJUJ	14 /4	1111101111111111111111111	- 1 K			11116716	וו שווענ	חבטצומט	
VISONA SNOIA SCI ANOVIIIII SCAAI	Ju 2u	IIII OI III a cioii		o i i i a i i i i a ci o i i c			יא טויתי	DCOBIGG	·

Visoka ICT škola

Web programiranje 1 – Dokumentacija za sajt

https://rajkovrga.github.io/IphoneSite/index.html

Ime I prezime studenta: Rajko Vrga

Broj indeksa: 122/17

Sadržaj: 1. Uvod 1.1. Korišćeni programski i markup jezici 1.2. Opis funkcionalnosti 1.3. Template 1.4. Korišćeni CSS 2. Organizacija 2.1. Organizaciona šema 2.2. Mapa sajta 2.3. Stranice 3. Kodovi

1. Uvod

SmoothScroll

Sajt iz predmeta web programiranje 2 je napravljen za prikaz i predstavljanje Apple uredjaja kao i prikaz sa filtriranjima, sotriranjima I pretragom prikazanih proizvoda. Pregled sajta je omogucen na svim uredjajima

1.1 . Ko rišćen i programski i markup
jezici HTML, CSS, Javascript, AJAX, JSON
Koriscene biblioteke
JQuery (JavaScript)
TypedJS (Javascript)
AOS (JS)
JQuery plug-in

1.2 Opis funkcionalnosti

Stranica index.html

Dinamičko ispisivan je

Meni (JavaScript) – ispisani su svi elementi menija dinamički

Proizvodi (Izlistavanje putem Ajaxa iz JSON fajla ali korišćenjem JQuerija) – svi proizvodi su izlistani dinamički dok su slika i naziv proizvoda uzeti iz JSON fajla

Slajder (JavaScript i animacija putem JQuerija) – klikom na neki od proizvoda otvara se slajder sa proizvodom na koji smo kliknuli. Ispod slike proivoda nalazi se I detaljniji opis proizvoda čiji ispis se vrši iz JSON fajla, pregled ostalih proizvoda se može vršiti klikom na strelice u levo ili desno. Izlazak iz slajdera vrši se klikom na dugme u gornjem desnom uglu

Ostatak funkcionalnosti

Dugme za otvaranje menija (JavaScript) – pošto je korišćenje sajta omogućeno i putem mobilnih uredjaja, na manjim ekranima postoji meni koji se klikom na dugme otvara

Dugme za veći broj proizvoda (JQuery) – klikom na dugme prikazuje se I animacija koja je ubačena preko CSS-a

Dugme za vracanje na vrh stranice (JQuery) – odlaskom ka dnu strane odredjen broj piksela prikazuje se ovo dugme

Korisćenje Smooth Scroll-a – iskoriscen da iz menija vodi polako ka željenom elementu

Dinamičko ispisivanje teksta – izvodi se korišćenjem JS biblioteke TypedJS

Iskačući divovi – rade uz pomoć JS biblioteke AOS

Validacija forme se vrši klikom na dugme Pošalji i ako se dogode greške u validaciji, te greške će se ispisati u uredjenu listu koja se dinamički generiše direktno ispod dugmeta

Stranica products.html

Dinamičko ispisivanje

Samim učitavanjem stranice šalje se AJAX request ka fajlu products.json nakon toga se sve ispisuje na glavnom delu stranice

Bilo kojom promenom (odabir neke od boja, vrste telefona, pretragom, odabirom u padajućoj listi) proverava se da li je nešto od toga odabrano i po tom kriterujumu filtrira i prikazuje proizvode

Klikom na neki od proizvoda prikazuje se jedan blok u kom se nalaze detalji o proizvodu na koji je kliknuto iznad svih proizvoda (automatski se odlazi do tog dela)

Klikom na dugme za dodavanje proizvoda taj proizvod se ubacuje u local storage i menja se broj u gornjem desnom uglu u kom se nalazi trenutni dodat broj proizvoda. Broj proizvoda u tom nizu koji je ubačen u local storage je ograničen na 5

Ostale funkcionalnosti

Klikom na ikonicu sa leve strane menija ispod naslova otvara se blok gde se nalaze elementi filtriranja

Klikom na ikonicu sa lupom otvara se polje za pretragu

Stranica cart.html

Dinamičko ispisivanje

Glavno dinamičko ispisavanje ove stranice je kasa ciji elementi se izlistavaju datim id – jevima niza koji je preuzet iz local storage

Ostale funkcionalnosti


Klikom na kantu briše se ceo red u kasi kao I ceo objekat niza koji pod tim id-jem

Klikom na + ili – se povećava/smanjuje quantity tog proizvoda sa tim id-em

1.3.Template

Dizajn sajta je moj, nije preuziman template

INDEX.HTML




```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0" />
   <meta http-equiv="X-UA-Compatible" content="ie=edge" />
   <meta
     name="description"
     content="This is a store where Apple mobile phone are sold in Belgrade,
started working 2011 and you can find your favorite iphone mobile"
   <meta name="robots" content="index, follow" />
   <meta name="keywords" content="apple, iphone, Rajko, store, phone" />
   <meta name="author" content="Rajko Vrga" />
   <title>Apple Shop</title>
   <link rel="stylesheet"</pre>
     href="https://use.fontawesome.com/releases/v5.4.1/css/all.css"
     integrity="sha384-
5sAR7xN1Nv6T6+dT2mhtzEpVJvfS3NScPQTrOxhwjIuvcA67KV2R5Jz6kr4abQsz"
     crossorigin="anonymous"/>
   <link rel="stylesheet" href="css/aos.css">
   <link rel="shortcut icon" href="img/icon.ico" type="image/x-icon" />
   <link rel="stylesheet" href="css/style.css" />
 </head>
 <body>
   <div class="element menu">
     <div class="responsive">
       <div class="logo"><img src="img/logo.png" alt="logo site" /></div>
       <div class="buttonR" data-bar="#items"><i class="fas fa-bars"></i></div>
     </div>
     <img src="img/logo.png" alt="logo site" />
     </div>
   <div class="element home">
```

```
<div id="title">
    <h1>Iphone shop</h1>
    <h3 id="welcome"></h3>
  </div>
  <div id="down">
    <a href="#about"><i class="fa fa-angle-down" aria-hidden="true"></i></a>
</div>
<div class="element about" id="about">
  <h2>About</h2>
  <div class="content">
   <div
     data-aos="fade-right"
     data-aos-duration="1000"
     data-aos-easing="ease-in-sine"
     class="aboutphoto"
      <img src="img/about.png" alt="about photo" />
    </div>
    <div class="aboutText">
        data-aos="flip-left"
        data-aos-easing="ease-out-cubic"
        data-aos-duration="2000"
        This is a store where Apple mobile phone are sold in Belgrade,
        started working 2011
     </div>
  </div>
</div>
<div class="element products" id="products">
  <div class="title"><h2>Products</h2></div>
  <div class="articles"></div>
  <div class="button-more">
    <div class="more">MORE</div>
  </div>
</div>
<div id="slider">
 <div class="close "><i class="fa fa-times" aria-hidden="true"></i></div>
 <div id="sliderPhoto">
   <div class="close closeM ">
```

```
<i class="fa fa-times" aria-hidden="true"></i></i>
    </div>
    <img src="" id="photo" alt="slide now" />
   <div class="leftright">
      <i class="fas button-slide fa-caret-left" aria-hidden="true"></i></i>
      <i class="fas button-slide fa-caret-right" aria-hidden="true"></i></i>
   </div>
    <div class="detalis"></div>
 </div>
</div>
<div class="element service" id="service">
 <div class="title"><h2>Service</h2></div>
 <div class="content-service">
   <div class="photo-service">
     <img src="img/tool.png" alt="photo tool" />
   </div>
    <div class="text-service">
     <div id="info">
        data-aos="flip-right"
         data-aos-offset="300"
         data-aos-duration="3000"
         You can service your Apple mobile phone in our authorized service.
         Contact them on the link below
        </div>
      <div id="info-button">
        <a target="_blank" href="https://www.appleservice.rs/">LINK</a>
     </div>
   </div>
 </div>
</div>
<div class="element contact" id="contact">
 <div class="title"><h2>Contact</h2></div>
 <div class="contact-content">
   <div class="contactForm">
     E-mail
      <input type="text" name="email" id="email" />
      Title
      <input type="text" name="title" id="titleContact" />
     Description
      <textarea name="opis" id="descContact" resize="none"></textarea>
      <input type="button" id="send" value="Send" />
```

```
<div id="error"></div>
   </div>
 </div>
</div>
<div class="element author" id="author">
 <div class="title"><h2>Author</h2></div>
 <div id="authorInfo">
   <div data-aos="fade-right" data-aos-duration="3000" id="authorphoto">
      <img src="img/author.png" alt="photo author" />
   </div>
    <div id="authorText" data-aos="zoom-in" data-aos-duration="3000">
      <div id="myDesc">
         My name is <label> Rajko Vrga </label> and I'm studing at ICT
         College. I did this site using JQuery and JavaScript for
         Web programming subject.
        </div>
   </div>
 </div>
</div>
<div class="element copy">
 <div class="social">
     target="blank_" class="fab fa-
     instagram"
     href="https://www.instagram.com/?hl=sr"
    <a target="blank_" class="fas fa-sitemap" href="sitemap.xml"></a>
     target="blank_"
     class="fab fa-facebook-f"
     href="http://www.facebook.com"
   </a>
     target="blank_" class="fab
     fa-twitter"
     href="http://www.twitter.com"
    ></a>
 </div>
  <div class="Documentation"><a href="">Documentation</a></div>
  <div class="copyText">&copy; Copyright</div>
</div>
```

PRODUCTS.HTML



```
<!DOCTYPE html>
<html lang="en">
 <meta charset="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <meta http-equiv="X-UA-Compatible" content="ie=edge" />
 <title>Products</title>
 <meta name="description" content="This is a store where Apple mobile phone are sold in Bel</pre>
grade, started working 2011 and you can find your favorite iphone mobile" />
 <meta name="robots" content="index, follow" />
 <meta name="keywords" content="apple, iphone, XS, store, phone" />
 <meta name="author" content="Rajko Vrga" />
 <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.4.1/css/all.css" inte</pre>
grity="sha384-5sAR7xN1Nv6T6+dT2mhtzEpVJvfS3NScPQTrOxhwjIuvcA67KV2R5Jz6kr4abQsz"
   crossorigin="anonymous" />
 <link rel="shortcut icon" href="img/icon.ico" type="image/x-icon" />
 <link rel="stylesheet" href="css/style.css" />
 <div class="element menuSecond">
     class="back">
       <a href="index.html"><i class="fas fa-arrow-left"></i></i>
         Back
     <img src="img/logo.png" alt="" />
     <a href="cart.html">
         <i class="fas fa-shopping-cart"></i></i>
         0
 </div>
 <div class="element titleSecond">
   <h1>All products</h1>
 </div>
 <div class="element search">
   <i class="fas fa-sliders-h"></i></i>
   <div id="search">
     <input type="text" name="search" id="searchText" />
     <div id="buttonSearch">
       <i class="fa fa-search" aria-hidden="true"></i></i>
     </div>
  </div>
 <div class="element allProducts">
   <div id="sort">
     <div class="titleSort">
       <h2>Filters</h2>
       <i class="fa fa-times" aria-hidden="true"></i></i>
     <div class="sortFilters">
```

```
<div class="filter sort"></div>
       <div class="filter colours"></div>
       <div class="filter status"></div>
   <div id="productAllInfo">
   <div id="productsAllSec">
     <div id="noresult">
       No result
 <div class="element copy">
     <a target="blank_" class="fab fa-</pre>
instagram" href="https://www.instagram.com/?hl=sr"></a>
     <a target="blank_" class="fas fa-sitemap" href="sitemap.xml"></a>
     <a target="blank_" class="fab fa-facebook-f" href="http://www.facebook.com">
     <a target="blank_" class="fab fa-twitter" href="http://www.twitter.com"></a>
   <div class="Documentation"><a href="documentation.pdf" target="_blank">Documentation</a>
   <div class="copyText">
     © Copyright
 </div>
 <div id="top">
   <a href="#" target="_top"> <i class="fa fa-arrow-up"></i></a>
 <script src="function/jquery.min.js"></script>
 <script src="function/functions.js"></script>
 <script src="function/script3.js"></script>
```

CART.HTML



```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <meta http-equiv="X-UA-Compatible" content="ie=edge">
   <title> Cart </title>
     name="description"
     content="This is a store where Apple mobile phone are sold in Belgrade, started workin
g 2011 and you can find your favorite iphone mobile"
   <meta name="robots" content="index, follow" />
   <meta name="keywords" content="apple, iphone, Rajko, store, phone" />
   <meta name="author" content="Rajko Vrga" />
     rel="stylesheet"
     href="https://use.fontawesome.com/releases/v5.4.1/css/all.css"
     integrity="sha384-5sAR7xN1Nv6T6+dT2mhtzEpVJvfS3NScPQTrOxhwjIuvcA67KV2R5Jz6kr4abQsz"
     crossorigin="anonymous"
   <link rel="stylesheet" href="css/style.css">
   <link rel="shortcut icon" href="img/icon.ico" type="image/x-icon" />
       <div class="element menuSecond">
                 class="back">
                  <a href="products.html"
                     ><i class="fas fa-arrow-left"></i>
                    Back</a
                 <img src="img/logo.png" alt="" />
                 <i class="fas fa-shopping-cart"></i></i>
                  0
           <div class="element cartTitle">
               <h1>Cart</h1>
           <div class="element articles">
               <div class="articlesList" id="articlesList">
               </div>
               <div class="empty">
                   <div class="text">
                          <i class="fas fa-shopping-basket"></i></i>
                          Your cart is empty
```

```
</div>
                <div class="social">
                   target="blank_"
                   class="fab fa-instagram"
                   href="https://www.instagram.com/?hl=sr"
                  <a target="blank_" class="fas fa-sitemap" href="sitemap.xml"></a>
                   target="blank_"
                   href="http://www.facebook.com"
                   target="blank_"
                   href="http://www.twitter.com"
               </div>
                <div class="Documentation"><a href="documentation.pdf" target="_blank">Docum
entation</a></div>
                <div class="copyText">&copy; Copyright</div>
           <script src="function/jquery.min.js"></script>
             <script src="function/cartScript.js"></script>
</body>
```

1.4. Korišćeni CSS


Ceo CSS sam sam pisao, jedino sam preuzeo CSS iz AOS biblioteka

2.2. Mapa sajta


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
 <loc>https://rajkovrga.github.io/IphoneSite/</loc>
 <priority>0.9</priority>
 <changefreq>weekly</changefreq>
 <lastmod>2019-03-12
</url>
<url>
 <loc>https://rajkovrga.github.io/IphoneSite/index.html</loc>
 <priority>0.9</priority>
 <changefreq>weekly</changefreq>
 <lastmod>2019-03-12</lastmod>
</url>
<url>
 <loc>https://rajkovrga.github.io/IphoneSite/products.html</loc>
 <priority>0.9</priority>
 <changefreq>weekly</changefreq>
 <lastmod>2019-03-12</lastmod>
<url>
 <loc>http://mobile111ap.000webhostapp.com/cart.html</loc>
 <priority>0.9</priority>
 <changefreq>weekly</changefreq>
 <lastmod>2019-03-12</lastmod>
</url>
```


2.3. Stranice Index.html







Products.html





Cart.html





3. Kodovi

Sav kod je moj

SCRIPT.JS

```
document.addEventListener("DOMContentLoaded", function()
AOS.init();
// menu responsive
let barButton = document.getElementsByClassName("buttonR");
let items = document.getElementById("items");
barButton[0].addEventListener("click", menuButton);
 items.addEventListener("click", function() {
  if (window.scrollX < 670) {</pre>
    if (items.classList.contains("d-flex")) {
      items.classList.remove("d-flex");
      items.classList.add("d-none");
    } else {
      items.classList.add("d-flex");
      items.classList.remove("d-none");
    }
  }
 });
let menu = document.querySelector("#items");
let hrefValue = ["About", "Products", "Service", "Contact", "Author"];
let menuItems = "";
 for (let i = 0; i < hrefValue.length; i++) {</pre>
  if (i == 1 || i == 2) {
    menuItems +=
       '<a href=' +</pre>
      hrefValue[i].toLowerCase() +
      hrefValue[i] +
      "</a>";
  } else {
    menuItems +=
       '<a href=' +</pre>
      hrefValue[i].toLowerCase() +
       ">" +
```

```
hrefValue[i] +
      "</a>";
 pom = "";
menu.innerHTML += menuItems;
// // top button
$(window).scroll(fadeTop);
$("#top").click(buttonTop);
//smooth scroll plugin
$("a").smoothScroll({
  speed: 2000
});
// contact REGEX
let pattEmail = /^[A-Za-z]([a-z.A-Z-\d]{1,})@([a-z]+[.]){1,}([a-z]{2,3}){1}$/;
let pattTitle = /^[\w\s]{5,25}$/;
let pattDesc = /^[\w\s]{20,550}$/;
function addError(variable) {
  variable.setAttribute("class", "errorBorder");
function rmError(variable) {
  if (variable.hasAttribute("class")) {
    variable.removeAttribute("class");
document.getElementById("send").addEventListener("click", function() {
  let errors = [];
  let mailBox = document.querySelector("#email");
  if (!pattEmail.test(mailBox.value)) {
    errors.push("* Mail is not in correct format");
    addError(mailBox);
  } else if (mailBox.value == "") {
    errors.push("* Enter email");
    addError(mailBox);
  } else {
    rmError(mailBox);
  let titleBox = document.querySelector("#titleContact");
  if (!pattTitle.test(titleBox.value)) {
```

```
errors.push("* Title is not correct");
    addError(titleBox);
  } else if (titleBox.value == "") {
    errors.push("* Enter title");
    addError(titleBox);
  } else {
    rmError(titleBox);
  let descContact = document.querySelector("#descContact");
  if (descContact.value == "") {
    errors.push("* Enter description");
    addError(descContact);
  } else if (!pattDesc.test(descContact.value)) {
    errors.push("* Description is not correct");
    addError(mailBox);
  } else {
    rmError(descContact);
  if (errors.length != 0) {
   let errorVal = "";
    for (let i = 0; i < errors.length; i++) {</pre>
      errorVal += "" + errors[i] + "";
    errorVal += "";
    document.querySelector("#error").innerHTML = errorVal;
  } else {
    document.querySelector("#error").innerHTML = "";
});
// SLIDER
let product = document.getElementsByClassName("product1");
$.getJSON("/function/products.json", function(json) {
  let articles = "";
  for (var i = 0; i < 8; i++) {
    putIn();
  function putIn() {
    articles += slideMore(json.products[i].photo, json.products[i].model);
  let r = document.querySelector(".articles");
  r.innerHTML += articles;
```

```
// slider ///////
let photo = document.getElementById("photo"); let
slider = document.getElementById("slider"); let
detalis = document.querySelector(".detalis"); let
detalisElement = "";
for (let i = 0; i < product.length; i++) {</pre>
 product[i].addEventListener("click", function() {
    $("body").css("overflow", "hidden");
   if (slider.classList.contains("none-slider")) {
      slider.classList.remove("none-slider");
      slider.classList.add("flex-slider");
    } else {
     slider.classList.add("flex-slider");
   slide(i - 1, "next");
 });
// -slider
function slide(current, direction = "prev") {
 switch (direction) {
   case "prev":
      if (--current < 0) {</pre>
        current = product.length - 1;
     break;
    case "next":
      if (++current > product.length - 1) {
        current = 0;
     break;
 photo.src = product[current].children[0].getAttribute("src");
 detalisElement = " Model:" +
    json.products[current].model +
   " Color:" +
   json.products[current].color +
    " Price: " +
   json.products[current].price +
    "";
```

```
detalis.innerHTML = detalisElement;
      photo.setAttribute("data-current", current);
   // Prev
    let btnL = document.getElementsByClassName("fa-caret-left");
    btnL[0].addEventListener("click", function(e) {
      let current = parseInt(photo.getAttribute("data-current"));
      e.stopPropagation();
     slide(current);
      slideAnimation();
    });
   let btnR = document.getElementsByClassName("fa-caret-right");
    btnR[0].addEventListener("click", function(e) {
      let current = parseInt(photo.getAttribute("data-current"));
      e.stopPropagation();
      slide(current, "next");
      slideAnimation();
   });
   // load products
    function slideMore(i1, i2) {
      let productReturn = "";
      (i >= 4)
        ? (productReturn = '<div class="product1 productmore"><img src="img/' +</pre>
i1 + "\"alt='" +
        i2 + "'>
                  <div class='productDet'>" + i2 + "</div></div> ")
        : (productReturn = '<div class="product product1"><img src="img/' + i1 +
"\"alt='" +
        i2 + "'> <div class='productDet'<p>" + i2 + "</div></div> ");
      return productReturn;
 });
 function slideAnimation() {
   $("#photo").css("opacity", 0);
   $(".detalis").css("opacity", 0);
   $("#photo").animate({ opacity: 1 }, 600);
   $(".detalis").animate({ opacity: 1 }, 600);
```

```
$(".more").click(function() {
  $(".productmore").slideToggle(1000);
  //change text content for button more
  let pMore = document.querySelector("#p-more");
  if (pMore.textContent == "MORE") {
    pMore.textContent = "HIDE";
  } else {
    pMore.textContent = "MORE";
});
// FUNCTIONS
// menu button
function menuButton() {
  let items = document.querySelector(this.getAttribute("data-bar"));
  if (items.classList.contains("d-none")) {
    items.classList.add("d-flex");
    items.classList.remove("d-none");
  } else {
    items.classList.add("d-none");
    items.classList.remove("d-flex");
// top button
function buttonTop() {
  $("html,body").animate({ scrollTop: 0 }, 1000);
function fadeTop() {
  if ($(this).scrollTop() > 300) {
    $("#top").fadeIn(500);
  } else {
    $("#top").fadeOut(300);
// close slider
let cls = document.getElementsByClassName("close");
for (let i = 0; i < cls.length; i++) {</pre>
  cls[i].addEventListener("click", function() {
    if (slider.classList.contains("flex-slider")) {
      slider.classList.add("none-slider");
      $("body").css("overflow", "");
```

```
});
}

// TYPED

let typed = new Typed("#welcome", {
   strings: ["Welcome :)"],
   cursorChar: "",
   typeSpeed: 300
});
});
```

SCRIPT3.JS

```
document.addEventListener("DOMContentLoaded", function () {
   $(".element.allProducts #sort").hide();
   $(".element.search .fa-sliders-h").click(function () {
       $(".element.allProducts #sort").toggle();
   $(".element.allProducts #sort i").click(function () {
       $(".element.allProducts #sort").hide();
   });
   listFilters();
   xr.open("GET", "function/products.json");
   xr.addEventListener("load", function () {
       let productsAll = JSON.parse(xr.responseText);
       showProducts(productsAll);
       search();
       let statusArr = document.getElementsByClassName("checkboxStatus")
       let coloursArr = document.getElementsByClassName("checkboxColor");
       checkingColor(coloursArr);
       sort()
       showDetalis();
       countElements(JSON.parse(localStorage.getItem("cart")))
   });
   xr.send();
   $(window).scroll(fadeTop);
   $("#top").click(buttonTop);
   // top button
   function buttonTop() {
       $("html,body").animate({ scrollTop: 0 }, 1000);
```

```
function fadeTop() {
    if ($(this).scrollTop() > 300) {
        $("#top").fadeIn(500);
    } else {
        $("#top").fadeOut(300);
    }
}

//search box
$("#searchText").hide();
$("#buttonSearch").click(function () {
        $("#searchText").slideToggle("slow");
});
```

cartScript.js

```
document.addEventListener("DOMContentLoaded", function () {
   let allItems = JSON.parse(localStorage.getItem("allProducts"));
   let cartItems = JSON.parse(localStorage.getItem("cart"));
      let cartNow = arr
      if (cartNow != null) {
          });
          $("#numberArticles").text(num.toString());
      $("#numberArticles").text("0");
   if (countElements(cartItems) > 0) {
      showItems()
   function showItems() {
      if (countElements(cartItems) != 0) {
          $(".empty").hide();
          let resultArr = [];
              resultArr.push(parseInt(element.id));
          });
          resultArr = allItems.filter(a => resultArr.indexOf(a.id) > -1);
```

```
${element.model}
          ${element.price}€`
                 if (element2.id == element.id) {
                    r += `<i class="fa fa-
plus changeQunatity" aria-hidden="true"></i></i></or>
                 ${element2.quantity} <i class="fa fa-minus changeQunatity" aria-</pre>
hidden="true"></i>
                  price += (element.price * element2.quantity);
             });
             r += ` 
key='${element.id}'><i class="fa fa-trash" aria-hidden="true"></i>`;
          });
          r += `  Total:
       ${price}€
       Buy
       `;
          document.getElementById("articlesList").innerHTML = r;
          plusQuantity(cartItems)
          minusQuantity(cartItems)
          document.getElementById("articlesList").innerHTML = "";
          $(".empty").show();
   function deleteItem(cartItems) {
      $('.deleteItem').click(function () {
          let id = $(this).data("key");
          cartItems.forEach((element, i) => {
             if (id == element.id) {
                 cartItems.splice(i, 1);
          });
          localStorage.setItem("cart", JSON.stringify(cartItems));
          showItems()
      })
   function plusQuantity(cartItems) {
      let plus = document.getElementsByClassName("fa-plus")
      for (let i = 0; i < plus.length; i++) {</pre>
          plus[i].addEventListener("click", function () {
             let id = plus[i].parentElement.getAttribute("data-id")
                 alert("5 articles is maximum in cart")
                    if (element.id == id) {
```

```
});
            localStorage.setItem("cart", JSON.stringify(cartItems));
            showItems()
function minusQuantity(cartItems) {
    let plus = document.getElementsByClassName("fa-minus")
       plus[i].addEventListener("click", function () {
            let id = plus[i].parentElement.getAttribute("data-id")
            cartItems.forEach((element, i) => {
                if (element.id == id) {
                        cartItems.splice(i, 1);
            localStorage.setItem("cart", JSON.stringify(cartItems));
            showItems()
```