ExamGOAL
PYQ PDF

Free · With answer key

GATE CSE · DATABASE MANAGEMENT SYSTEM · CHAPTER-WISE PYQS

Er Diagrams

GATE CSE Database Management System · Previous Year Questions with Answer Key

15	12	2004 – 2024	English
QUESTIONS	PAPERS COVERED	YEARS	LANGUAGE

INSIDE THIS PDF

Marks 1	9 questions
Marks 2	6 questions
Answer key	at the end

Practise online

Every question with its full solution, free on **questions.examside.com**

1. **Solve**
   Print it, or work through it on screen.
2. **Check**
   The answer key is on the last pages.
3. **Understand**
   Scan the QR code beside any question for its full solution.

Marks 1 9 questions

Q1. GATE CSE 2024 Set 2

In the context of owner and weak entity sets in the ER (Entity-Relationship) data model, which one of the following statements is TRUE?

(A) The weak entity set MUST have total participation in the identifying relationship

(B) The owner entity set MUST have total participation in the identifying relationship


(C) Both weak and owner entity sets MUST have total participation in the identifying relationship

(D) Neither weak entity set nor owner entity set MUST have total participation in the identifying relationship

Open solution

Q2. GATE CSE 2024 Set 1

Let S be the specification : "Instructors teach courses. Students register for courses. Courses are allocated classrooms. Instructors guide students." Which one of the following ER diagrams CORRECTLY represents S?



(A) (i) (B) (ii) (C) (iii) (D) (iv)

Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q3. GATE CSE 2023

Which one of the options given below refers to the degree (or arity) of a relation in relational database systems?

Open solution

(A) Number of attributes of its relation schema.

(B) Number of tuples stored in the relation.

(C) Number of entries in the relation.

(D) Number of distinct domains of its relation schema.

Q4. GATE CSE 2020

Which one of the following is used to represent the supporting many-one relationships of a weak entity set in an entity-relationship diagram?

Open solution

(A) Rectangles with double/bold border

(B) Diamonds with double/bold border

(C) Ovals that contain underlined identifiers

(D) Ovals with double/bold border

Q5. GATE CSE 2018

In an Entity-Relationship (ER) model, suppose R is a many-to-one relationship from entity set $E1$ to entity set $E2$. Assume that $E1$ and $E2$ participate totally in R and that the cardinality of $E1$ is greater than the cardinality of $E2$

Which one of the following is true about R?

Open solution

(A) Every entity in $E1$ is associated with exactly one entity in $E2$.

(B) Some entity in $E1$ is associated with more than one entity in $E2$.

(C) Every entity in $E2$ is associated with exactly one entity in $E1$.

(D) Every entity in $E2$ is associated with at most one entity in $E1$.

Q6. GATE CSE 2017 Set 2

An ER model of a database consists of entity types A and B. These are connected by a relationship R which does not have its own attribute. Under which one of the following conditions, can the relational table for R be merged with that of A?

Open solution

(A) Relationship R is one-to-many and the participation of A in R is total.

(B) Relationship R is one-to-many and the participation of A in R is partial.

(C) Relationship R is many-to-one and the participation of A in R is total.

(D) Relationship R is many-to-one and the participation of A in R is partial.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q7. GATE CSE 2016 Set 1

Which of the following is **NOT** a superkey in a relational schema with attributes V, W, X, Y, Z and primary key VY?

(A) $VXYZ$ (B) $VWXZ$ (C) $VWXY$ (D) $VWXYZ$

Open solution

Q8. GATE CSE 2012

Given the basic ER and relational models, which of the following is INCORRECT?

(A) An attribute of an entity can have more than one value

(B) An attribute of an entity can be composite


(C) In a row of a relational table, an attribute can have more than one value

(D) In a row of a relational table, an attribute can have exactly one value or a NULL value

Open solution

Q9. GATE CSE 2005

Consider the entities 'hotel room', and 'person' with a many to many relationship 'lodging' as shown below



If we wish to store information about the rent payment to be made by person(s) occupying different hotel rooms, then this information should appear as an attribute of

(A) Person (B) Hotel Room (C) Lodging (D) None of these

Open solution

Marks 2 6 questions

Q10. GATE CSE 2015 Set 1

Consider an Entity-Relationship (ER) model in which entity sets E_1 and E_2 are connected by an m : n relationship R_{12}. E_1 and E_3 are connected by a 1 : n (1 on the side of E_1 and n on the side of E_3) relationship R_{13}.

E_1 has two single-valued attributes a_{11} and a_{12} of which a_{11} is the key attribute. E_2 has two single-valued attributes a_{21} and a_{22} of which a_{21} is the key attribute. E_3 has two single-valued attributes a_{31} and a_{32} of which a_{31} is the key attribute. The relationships do not have any attributes.

If a relational model is derived from the above ER model, then the minimum number of relations that would be generated if all the relations are in 3NF is _____.


Open solution

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q11. GATE CSE 2008

Open solution

Consider the following ER diagram




The minimum number of table needed to represent M, N, P, $R1$, $R2$ is

(A) 2 (B) 3 (C) 4 (D) 5

Q12. GATE CSE 2008

Open solution

Consider the following ER diagram



Which of the following is a correct attribute set for one of the tables for the correct answer to the above question?

(A) $\{M1, M2, M3, P1\}$ (B) $\{M1, P1, N1, N2\}$
(C) $\{M1, P1, N1\}$ (D) $\{M1, P1\}$

Q13. GATE CSE 2005

Open solution

Let E_1 and E_2 be two entities in an **E-R** diagram with simple single-valued attributes. R_1 and R_2 are two relationships between E_1 and E_2, where R_1 is one-to-many and R_2 is many-to-many. R_1 and R_2 do not have any attributes of their own. What is the minimum number of tables required to represent this situation in the relational model?

(A) 2 (B) 3 (C) 4 (D) 5

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Q14. GATE CSE 2005

Open solution

The following table has two attributes A and C where A is the primary key and C is the foreign key referencing A with on-delete cascade.

A	B
2	4
3	4
4	3
5	2
7	2
9	5
6	4

ExamSIDE.com

The set of all tuples that must be additionally deleted to preserve referential integrity when the tuple $(2, 4)$ is deleted is:

(A) $(3, 4)$ and $(6, 4)$

(B) $(5, 2)$ and $(7, 2)$


(C) $(5, 2)$, $(7, 2)$ and $(9, 5)$

(D) $(3, 4)$, $(4, 3)$ and $(6, 4)$

Q15. GATE CSE 2004

Open solution

Consider the following entity relationship diagram (ERD), where two entities $E1$ and $E2$ have a relation R of cardinality $1 : m$.



ExamSIDE.com

The attributes of $E1$ are $A11$, $A12$ and $A13$ where $A11$ is the key attribute. The attributes of $E2$ are $A21$, $A22$ and $A23$ where $A21$ is the key attribute and $A23$ is a multi-valued attribute. Relation R does not have any attribute. A relational database containing minimum number of tables with each table satisfying the requirements of the third normal form $(3NF)$ is designed form the above ERD. The minimum number of tables in the database is

(A) 2 **(B)** 3 **(C)** 4 **(D)** 5

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

Answer Key

Marks 1

1. **A**	2. **D**	3. **A**	4. **B**	5. **A**
6. **C**	7. **B**	8. **C**	9. **C**	

Marks 2

10. **4**	11. **B**	12. **A**	13. **B**	14. **C**
15. **B**				

For numerical answers given as a range, any value within the range is correct. Full solutions: scan the QR code next to each question, or visit questions.examside.com.

Keep practising on the ExamGOAL app
Chapter-wise PYQs with solutions, full mock tests and analysis for JEE, NEET, GATE and more.
GET IT ON Google Play

ExamGOAL
PYQ PDF

Your Exam. Our Responsibility.

From first chapter to exam day.

Practise with the questions your exam has already asked, then test yourself under real exam conditions.

PAST YEAR QUESTIONS

Every past paper, chapter-wise.

Previous year questions sorted the way you study, each with a full solution.

- Chapter-wise and year-wise
- Weightage and topic tags on every chapter
- Your progress on each one, at a glance

MOCK TESTS

Mock tests with a real exam feel.

Practise under the same pressure as the real paper, on your phone or on the big screen.

- Timed sections, just like exam day
- Mark questions for review and come back

ANALYSIS

Know your score. Know your rank.

A full report after every test, so you know exactly where you stand.

- Your percentile among everyone who took it
- Predicted real-exam percentile and All India Rank
- Subject breakdown and time analysis

PRACTICE

Solve. Check. Understand.

Learn from every question, not just the ones you get right.

- Instant answers as you practise
- Step-by-step explanations
- See how everyone else answered

NCERT Exemplar
With full solutions

Exam syllabus
Subject and chapter-wise

Bookmarks
Organised in groups

Your notes
On any question

ExamGOAL
LEARNING APP

ExamGOAL: Exam Preparation App

One app for every exam. Free trial for new users, on Android and the web.

GET IT ON Google Play

Scan to get the app

www.examgoal.com
Practice and mock tests

questions.examside.com
Free solutions

pdf.questions.examgoal.com
Free PYQ PDFs