











Introduction



Decision Macking




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    int num;
    scanf("%d", &num);
    if(num > 0)
    {
        printf("Positive");
    }
    else if(num < 0)
    {
        printf("Negative");
    }
    else
    {
        printf("Zero");
    }
    return 0;
}
```

INPUT: -5




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    int num1, num2;
    scanf("%d %d", &num1, &num2);
    if(num1 > num2)
    {
        printf("num1 is greater");
    }
    else if(num2 > num1)
    {
        printf("num2 is greater");
    }
    else
    {
        printf("Both numbers are equal");
    }
    return 0;
}
```

INPUT: 10 20




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    char ch;
    scanf("%c", &ch);
    if(ch == 'a' || ch == 'e' || ch == 'i' || ch == 'o' || ch == 'u' || ch == 'A' || ch == 'E' || ch == 'I' || ch == 'O' || ch == 'U')
    {
        printf("Vowel");
    }
    else
    {
        printf("Consonant");
    }
    return 0;
}
```

INPUT: A




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    int age;
    scanf("%d", &age);
    if (age <= 6)
    {
        printf("Child");
    }
    else if (age > 6 && age <= 13)
    {
        printf("Teenager");
    }
    else if (age > 13 && age <= 20)
    {
        printf("Adult");
    }
    else if (age > 20 && age <= 60)
    {
        printf("Senior Citizen");
    }
    else
    {
        printf("Invalid age");
    }
    return 0;
}
```

INPUT: 17




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    float temperature;
    scanf("%f", &temperature);
    if (temperature >= 100)
    {
        printf("Hot");
    }
    else if (temperature >= 70)
    {
        printf("Warm");
    }
    else
    {
        printf("Cold");
    }
    return 0;
}
```

INPUT: -15




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    char ch;
    scanf("%c", &ch);
    if (ch == 'A' || ch == 'B' || ch == 'C' || ch == 'D' || ch == 'E' || ch == 'F' || ch == 'G' || ch == 'H' || ch == 'I' || ch == 'J' || ch == 'K' || ch == 'L' || ch == 'M' || ch == 'N' || ch == 'O' || ch == 'P' || ch == 'Q' || ch == 'R' || ch == 'S' || ch == 'T' || ch == 'U' || ch == 'V' || ch == 'W' || ch == 'X' || ch == 'Y' || ch == 'Z')
    {
        printf("Uppercase letter");
    }
    else if (ch == 'a' || ch == 'b' || ch == 'c' || ch == 'd' || ch == 'e' || ch == 'f' || ch == 'g' || ch == 'h' || ch == 'i' || ch == 'j' || ch == 'k' || ch == 'l' || ch == 'm' || ch == 'n' || ch == 'o' || ch == 'p' || ch == 'q' || ch == 'r' || ch == 's' || ch == 't' || ch == 'u' || ch == 'v' || ch == 'w' || ch == 'x' || ch == 'y' || ch == 'z')
    {
        printf("Lowercase letter");
    }
    else
    {
        printf("Not an alphabet");
    }
    return 0;
}
```

INPUT: 3




QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    int num;
    scanf("%d", &num);
    if (num % 3 == 0 && num % 5 == 0)
    {
        printf("Multiple of both 3 and 5");
    }
    else if (num % 3 == 0)
    {
        printf("Multiple of 3");
    }
    else if (num % 5 == 0)
    {
        printf("Multiple of 5");
    }
    else
    {
        printf("Not a multiple of 3 or 5");
    }
    return 0;
}
```

INPUT: 50



QUESTIONS: 3/3 completed

PROGRAM EDITOR

```
#include <stdio.h>
int main()
{
    float grade;
    scanf("%f", &grade);
    if (grade >= 90 && grade <= 100)
    {
        printf("Letter Grade: A");
    }
    else if (grade >= 80 && grade <= 89)
    {
        printf("Letter Grade: B");
    }
    else if (grade >= 70 && grade <= 79)
    {
        printf("Letter Grade: C");
    }
    else if (grade >= 60 && grade <= 69)
    {
        printf("Letter Grade: D");
    }
    else if (grade >= 50 && grade <= 59)
    {
        printf("Letter Grade: F");
    }
    else
    {
        printf("Invalid grade");
    }
    return 0;
}
```

INPUT: 90

