

## ★ Regression Model to Predict Cement Compressive Strength

# Compressive strength of cement at 7 and 28 days



```
# import library
import pandas as pd
import numpy as np

# import data
cement = pd.read_csv('https://github.com/ybifoundation/Dataset/raw/main/Concrete%20Compressive%20Strength.csv')
```

```
# view data
cement.head()
```

	Cement (kg in a m <sup>3</sup> mixture)	Blast Furnace Slag (kg in a m <sup>3</sup> mixture)	Fly Ash (kg in a m <sup>3</sup> mixture)	Water (kg in a m <sup>3</sup> mixture)	Superplasticizer (kg in a m <sup>3</sup> mixture)	Coarse Aggregate (kg in a m <sup>3</sup> mixture)	Fine Aggregate (kg in a m <sup>3</sup> mixture)
0	540.0	0.0	0.0	162.0	2.5	1040.0	676.0
1	540.0	0.0	0.0	162.0	2.5	1055.0	676.0
2	332.5	142.5	0.0	228.0	0.0	932.0	594.0

```
# info of data
cement.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1030 entries, 0 to 1029
Data columns (total 9 columns):
#   Column                                     Non-Null Count  Dtype
---  -
0    Cement (kg in a m^3 mixture)             1030 non-null   float64
1    Blast Furnace Slag (kg in a m^3 mixture) 1030 non-null   float64
2    Fly Ash (kg in a m^3 mixture)             1030 non-null   float64
3    Water (kg in a m^3 mixture)               1030 non-null   float64
4    Superplasticizer (kg in a m^3 mixture)    1030 non-null   float64
5    Coarse Aggregate (kg in a m^3 mixture)    1030 non-null   float64
6    Fine Aggregate (kg in a m^3 mixture)      1030 non-null   float64
7    Age (day)                                1030 non-null   int64
8    Concrete Compressive Strength(MPa, megapascals) 1030 non-null   float64
dtypes: float64(8), int64(1)
memory usage: 72.5 KB
```

```
# summary statistics
cement.describe()
```

	Cement (kg in a m <sup>3</sup> mixture)	Blast Furnace Slag (kg in a m <sup>3</sup> mixture)	Fly Ash (kg in a m <sup>3</sup> mixture)	Water (kg in a m <sup>3</sup> mixture)	Superplasticizer (kg in a m <sup>3</sup> mixture)	Co Aggre (kg mixt
<b>count</b>	1030.000000	1030.000000	1030.000000	1030.000000	1030.000000	1030.00
<b>mean</b>	281.165631	73.895485	54.187136	181.566359	6.203112	972.91
<b>std</b>	104.507142	86.279104	63.996469	21.355567	5.973492	77.75
<b>min</b>	102.000000	0.000000	0.000000	121.750000	0.000000	801.00
<b>25%</b>	192.375000	0.000000	0.000000	164.900000	0.000000	932.00
<b>50%</b>	272.900000	22.000000	0.000000	185.000000	6.350000	968.00
<b>75%</b>	350.000000	142.950000	118.270000	192.000000	10.160000	1029.40

```
# check for missing value
```

```
cement.isna().sum()
```

```

Cement (kg in a m^3 mixture)          0
Blast Furnace Slag (kg in a m^3 mixture)  0
Fly Ash (kg in a m^3 mixture)         0
Water (kg in a m^3 mixture)           0
Superplasticizer (kg in a m^3 mixture)  0
Coarse Aggregate (kg in a m^3 mixture)  0
Fine Aggregate (kg in a m^3 mixture)   0
Age (day)                             0
Concrete Compressive Strength(MPa, megapascals)  0
dtype: int64

```

```
# check for categories
```

```
cement.nunique()
```

```

Cement (kg in a m^3 mixture)          280
Blast Furnace Slag (kg in a m^3 mixture)  187
Fly Ash (kg in a m^3 mixture)         163
Water (kg in a m^3 mixture)           205
Superplasticizer (kg in a m^3 mixture)  155
Coarse Aggregate (kg in a m^3 mixture)  284
Fine Aggregate (kg in a m^3 mixture)   304
Age (day)                             14
Concrete Compressive Strength(MPa, megapascals)  938
dtype: int64

```

```
# visualize pairplot
```

```
import seaborn as sns
```

```
sns.pairplot(cement)
```

<seaborn.axisgrid.PairGrid at 0x7f94aa17f640>



```
# columns name
cement.columns
```

```
Index(['Cement (kg in a m^3 mixture)',
      'Blast Furnace Slag (kg in a m^3 mixture)',
      'Fly Ash (kg in a m^3 mixture)', 'Water (kg in a m^3 mixture)',
      'Superplasticizer (kg in a m^3 mixture)',
      'Coarse Aggregate (kg in a m^3 mixture)',
      'Fine Aggregate (kg in a m^3 mixture)', 'Age (day)',
      'Concrete Compressive Strength(MPa, megapascals) '],
      dtype='object')
```

```
# define y
y=cement['Concrete Compressive Strength(MPa, megapascals) ']
```

```
# define X
X=cement[['Cement (kg in a m^3 mixture)',
      'Blast Furnace Slag (kg in a m^3 mixture)',
      'Fly Ash (kg in a m^3 mixture)', 'Water (kg in a m^3 mixture)',
      'Superplasticizer (kg in a m^3 mixture)',
      'Coarse Aggregate (kg in a m^3 mixture)',
      'Fine Aggregate (kg in a m^3 mixture)', 'Age (day)']]
```

```
# split data
from sklearn.model_selection import train_test_split
X_train,X_test,y_train,y_test=train_test_split(X,y,train_size=0.7,random_state=2559)
```

```
# verify shape
X_train.shape,X_test.shape,y_train.shape,y_test.shape

((721, 8), (309, 8), (721,), (309,))
```

```
# select model
from sklearn.linear_model import LinearRegression
model=LinearRegression()
```

```
# train model
model.fit(X_train,y_train)

LinearRegression()
```

```
# predict with model
y_pred=model.predict(X_test)
```

```
# model evaluation
from sklearn.metrics import mean_absolute_error,mean_absolute_percentage_error,mean_squared_error
```

```
# model MAE
mean_absolute_error(y_test,y_pred)
```

```
7.814891951068712
```

```
# model MAPE
mean_absolute_percentage_error(y_test,y_pred)
```

```
0.28040027489426594
```

```
# model MSE
mean_squared_error(y_test,y_pred)
```

```
102.62674212692517
```

```
# future prediction
X.sample()
```

Cement (kg in a m <sup>3</sup> )	Blast Furnace Slag (kg in a m <sup>3</sup> )	Fly Ash (kg in a m <sup>3</sup> )	Water (kg in a m <sup>3</sup> )	Superplasticizer (kg in a m <sup>3</sup> mixture)	Coarse Aggregate (kg in a m <sup>3</sup> )	Fin Aggregat (kg in m <sup>3</sup> )
...	...	...	...	...	...	...

```
# define X_new
X_new=X.sample()
X_new
```

Cement (kg in a m <sup>3</sup> )	Blast Furnace Slag (kg in a m <sup>3</sup> )	Fly Ash (kg in a m <sup>3</sup> )	Water (kg in a m <sup>3</sup> )	Superplasticizer (kg in a m <sup>3</sup> mixture)	Coarse Aggregate (kg in a m <sup>3</sup> )	Fin Aggregat (kg in m <sup>3</sup> )
...	...	...	...	...	...	...

```
# predict for X_new
model.predict(X_new)
```

```
array([36.76078368])
```