

Project	Number	Date
ImportMaster	1	11 Aug 2017, 01:55

## Tag Report

Tag	Steps						Scenarios			Features	
	Passed	Failed	Skipped	Pending	Undefined	Total	Passed	Failed	Total	Duration	Status
@Import	110	4	9	0	0	123	17	4	21	30m 34s 994ms	Failed



**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** Login ▼

54s 947ms

**Steps** ▼

**Given** User Selects the Browser, Launches it and Maximises it

11s 203ms

**When** User Navigates to the URL provided

37s 209ms

**And** User Enters Username, Password and clicks on login

6s 500ms

**Then** User should be Logged in into Zephyr Successfully

034ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 1 798161\_Import the same exported file in "data" view to .xls ▼

1m 52s 988ms

**Steps** ▼

**Given** User is present in the TestRepositoryPage

22s 658ms

**When** User moves to the Releasename

4s 007ms

**And** User Clicks on the Import

9s 547ms

**And** User Imports the Exported file

40s 274ms

**Then** File should be Imported Successfully

36s 500ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 2 802965\_A Create a map with minimum required fields ▼

50s 016ms

**Steps** ▼

**Given** User is present in TestRepository

16s 333ms

**When** User Navigates to the ReleaseName

3s 819ms

**And** User Cliks on Import

9s 538ms

**And** User Performs the Create Map Operations

20s 324ms

**Then** Map should be Created Successfully

001ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 3 802986\_Create an 'Import Job' with a valid Dir/File path ▼

1m 9s 470ms

**Steps** ▼

**Given** User is in Testrepositorypage

16s 866ms

**When** User Navigates to Releasename

3s 905ms

**And** User Clicks on ImportButton

9s 619ms

**And** User Moves to the ImprtJob Page

39s 078ms

**Then** Import Job should be Created Successfully

000ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 4 802990\_Save an 'Import Job' with multiple .xls files in the specified directory path ▼

1m 14s 456ms

**Steps** ▼

**Given** User moves upto TestRepository

16s 349ms

**When** User moves to Release

3s 905ms

**And** User Clicks on Import

9s 525ms

**And** User Import the Multiple Testcases by Directory path

44s 674ms

**Then** Multiple Testcases are Imported Successfully

000ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 5 802991\_Run an 'Import Job' with different discriminator selected ▼

1m 41s 639ms

**Steps** ▼

**Given** User is present in TestRepositoryPage

16s 254ms

**When** User Navigates to the Releasename

6s 699ms

**And** User Clicks on Importbutton

9s 567ms

**And** User Moves to ImprtJob Page

35s 695ms

<b>And</b> User Runs the Import Job	3s 233ms
<b>Then</b> Import Job should Run Successfully	30s 188ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 6 803008_Import a single .xls file with 1 or multiple testcases ▼	1m 27s 130ms
<b>Steps</b> ▼	
<b>Given</b> User is in TestrepositoryPage	16s 291ms
<b>When</b> User Moves to the Release	3s 568ms
<b>And</b> User Clicks on ImportIcon	9s 505ms
<b>And</b> User Import a file with Testcase	35s 681ms
<b>And</b> User Import Same file with another Testcase	22s 081ms
<b>Then</b> Single file should be Imported by Multiple Testcases Successfully	001ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 7 803011_Import testcases if mapping file and import file values are mismatched ▼	1m 8s 926ms
<b>Steps</b> ▼	
<b>Given</b> User is Moved to the TestRepository	16s 232ms
<b>When</b> User navigates to the ReleaseName	3s 921ms
<b>And</b> User clicks on the Import	9s 535ms
<b>And</b> User Imports the TestCases with Miss-Match Values	39s 235ms
<b>Then</b> Import should be successfull with Miss-Match values	001ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 8 803020_As Manager/Lead, create a phase with name 'Imported' and run an import job. ▼	1m 58s 455ms
<b>Steps</b> ▼	
<b>Given</b> User moved to the TestRepository	16s 253ms
<b>When</b> User moes to the Release	6s 913ms
<b>And</b> User Creates a phase with name 'Imported'	10s 793ms
<b>And</b> User Imports a Testcase	45s 127ms
<b>Then</b> Testcase should be successfully added to the 'Imported' folder not in Phase	39s 366ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 9 803056_Import test cases having both valid/invalid/empty email or username in the 'Created By' field in the same excel file ▼	1m 38s 279ms
<b>Steps</b> ▼	
<b>Given</b> User is Present in the TestRepository	16s 249ms
<b>When</b> User Navigates to the RReleaseName	3s 582ms
<b>And</b> User clicks on Import	9s 504ms
<b>And</b> User Creates Map with Email in Created By Field	11s 301ms
<b>And</b> User Imports File and Runs the Import Job	27s 411ms
<b>Then</b> Import Job should be Run Successfully	30s 229ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 10 803058_Delete an import job with status 'Import successful' ▼	1m 29s 923ms
<b>Steps</b> ▼	
<b>Given</b> User moved to the TestRepositorypage	16s 152ms
<b>When</b> User Navigate to Release	6s 615ms
<b>And</b> User Clicks On Import	9s 544ms
<b>And</b> User Performs Import Job	41s 960ms
<b>And</b> User Deletes the ImportJob	15s 648ms
<b>Then</b> User Deleted the Imported Job Successfully	002ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 11 803059_Import the Testcase file with Automated Field ▼	1m 44s 157ms
<b>Steps</b> ▼	
<b>Given</b> User moved to the TestRepositoryPage	16s 107ms
<b>When</b> User navigate to Release	3s 695ms
<b>And</b> User Click on ImportIcon	9s 493ms
<b>And</b> User Creates map with Automated Field	1m 14s 860ms
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='addmap']"}	
<b>And</b> User Creates ImportJob	000ms
<b>And</b> User Runs the ImportJob	000ms
<b>Then</b> User is Imported the File Successfully	000ms
<b>Feature:</b> Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)	
<b>Tags:</b> @Import (report-tag_Import.html)	
<b>Scenario</b> 12 803063_Import test cases with all mapping fields ▼	1m 37s 087ms
<b>Steps</b> ▼	
<b>Given</b> User is in the testrepositorypage	16s 312ms

<b>When</b> User moves to the Release	3s 742ms
<b>And</b> User Clicks on Importicon	9s 552ms
<b>And</b> User Creates map with all fields	11s 525ms
<b>And</b> User Imports a Testcase and Runs it	25s 551ms
<b>Then</b> Testcase with all fields should be Imported Successfully	30s 401ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 13 803066\_TestCase containing International Characters ▼ 1m 36s 811ms

**Steps** ▼

<b>Given</b> User Present in TestRepository	16s 291ms
<b>When</b> User navigates to the Releasename	3s 810ms
<b>And</b> User clicks on Importicon	9s 581ms
<b>And</b> User Creates a map with all the fields	11s 378ms
<b>And</b> User Creates a Imports a file with International characters	19s 200ms
<b>And</b> User Runs the Job	6s 303ms
<b>Then</b> Testcase with International characters is Imported Successfully	30s 245ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 14 803077\_Import a single .xlsx file with 1 or multiple test case using discriminator by ID ▼ 1m 39s 847ms

**Steps** ▼

<b>Given</b> User is present in the TestRepository	16s 369ms
<b>When</b> User Navigates to releaseName	3s 697ms
<b>And</b> User Clicks on the ImportIcon	9s 565ms
<b>And</b> User Creates map	16s 701ms
<b>And</b> User Creates a Import Job with ID Change	16s 283ms
<b>And</b> User Runs the Importjob	6s 291ms
<b>Then</b> File should be Imported Successfully with ID Change	30s 937ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 15 803083\_Import a file from the client/local machine from a deeply nested directory ▼ 1m 34s 032ms

**Steps** ▼

<b>Given</b> User present in the Testrepository	16s 218ms
<b>When</b> User clicks on releasename	3s 859ms
<b>And</b> user clicks on import icon	9s 534ms
<b>And</b> user creates a map	11s 484ms
<b>And</b> user Imports a file with nested directory	16s 329ms
<b>And</b> user Runs the Import Job	6s 279ms
<b>Then</b> File should be Imported Successfully to the Imported folder	30s 325ms

java.lang.AssertionError: The following asserts failed:

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 16 803087\_Import a xls/xlsx file from the client/local machine directory with special characters in the file name ▼ 1m 39s 166ms

**Steps** ▼

<b>Given</b> User is in the Testrepository Module	16s 225ms
<b>When</b> User Clicks on Releasename	3s 928ms
<b>And</b> User Clicks on ImportIcon	9s 540ms
<b>And</b> User creates map	16s 853ms
<b>And</b> User Imports file with Special Characters and Runs it	16s 218ms
<b>Then</b> The filename with special characters should be Imported successfully	36s 400ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 17 803100\_Import TestCase with Estimated Exicution time 99:23:59 ▼ 1m 33s 521ms

**Steps** ▼

<b>Given</b> User Navigated to TestRepository	16s 281ms
<b>When</b> User Clicks on ReleaseName	3s 562ms
<b>And</b> User clics on Import	9s 550ms
<b>And</b> User Creates a maP	11s 602ms
<b>And</b> User Imports the File with Estimated Execution Time	16s 123ms
<b>And</b> User Runs the Import JOB	6s 274ms
<b>Then</b> File with Estimated Execution Time is Imported Successfully	30s 126ms

**Feature:** Batch of Import Functionality (report-feature\_Features-Import\_Master-feature.html)

**Tags:** @Import (report-tag\_Import.html)

**Scenario** 18 803103\_Import Testcase with Estimated Time in Number Format ▼ 1m 44s 487ms

**Steps** ▼

<b>Given</b> User is in thE TestRepository	16s 162ms
<b>When</b> User NavigatEs to Release	3s 993ms
<b>And</b> User Clicks on ImportIconButton	9s 533ms
<b>And</b> User Creates a Map with Estimated EXE time in Number format	1m 14s 798ms

org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//\*[@id='addmap']"}

8/11/2017		Cucumber Reports (no 1) - Tag: @Import	
And User Creates a ImportJob			000ms
And User Runs the Imported Job			000ms
Then Testcase with Estimated Exe time in Number format should be Imported Successfully			000ms
Feature: Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)			
Tags: @Import (report-tag_Import.html)			
Scenario 19 803124_Import File with Different Charrecters Combination		▼	1m 41s 508ms
Steps ▼			
Given User is present in the TestRepositoryPagE			16s 425ms
When User Navigates to the ReleasenameE			3s 827ms
And Use Clicks on Import			9s 594ms
And User Creates a map			1m 11s 659ms
org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//*[@id='addmap']"}			
And User Creates a Imports a filename with different Characters			000ms
And User Runs Imports Job			000ms
Then File name with the different charectrs should be added successfully			000ms
Feature: Batch of Import Functionality (report-feature_Features-Import_Master-feature.html)			
Tags: @Import (report-tag_Import.html)			
Scenario Logout		➤	18s 139ms
▼ ▲			