

Coding & Solution

Streamlining IT Procurement Automation – Standard Laptop

ServiceNow low-code implementation and solution logic

Team ID	MKU201 Laptop order
Date	30.09.2026
Platform	ServiceNow – Service Catalog and Workflow Studio
Automation	Standard laptop request → Requested Item → Catalog Task

1. Solution Description

The solution automates the downstream fulfilment task for a standard laptop request in ServiceNow. A user submits a Standard Laptop request through the Service Catalog. ServiceNow creates the Requested Item, and the **Standard laptop tasks** flow creates the associated Catalog Task for fulfilment.

2. Solution Logic

Step	Logic	Expected result
1	Receive a Service Catalog request for the standard laptop item.	Request and Requested Item are available.
2	Start the Standard laptop tasks flow from the Service Catalog trigger.	Automation starts for the correct request context.
3	Read the Requested Item record from the trigger context.	The item-level record is available to the task action.
4	Execute Create Catalog Task.	A new Catalog Task is generated.
5	Populate standard laptop task information and routing.	Hardware team receives a meaningful fulfilment task.
6	Track task state and work notes until completion.	Fulfilment status is visible in ServiceNow.
7	Close the task after configuration/fulfilment.	The downstream activity is completed and remains traceable to the RITM.

3. Pseudocode / Flow Logic

Pseudo-code

```
ON Service Catalog request for Standard Laptop
GET Requested Item from trigger context
CREATE Catalog Task linked to Requested Item
SET task description = standard laptop configuration requirement
SET assignment group = Hardware / configured fulfilment group
SET task state = Open
WAIT for fulfilment updates
CLOSE task when laptop configuration is completed
END
```

This pseudocode represents the demonstrated low-code flow concept; it is not claiming that a custom JavaScript script was used.

4. Coding / Configuration Quality

Criterion	Project implementation
Correct trigger	Service Catalog is used as the entry point for the request-driven automation.
Correct record context	The Requested Item Record is exposed in the flow data.
Task generation	Create Catalog Task is the demonstrated action.
Traceability	The Catalog Task is associated with RITM0010001 in the supplied evidence.
Operational fulfilment	The task is shown with Hardware as the assignment group and an open state.

5. Test Scenario

Test case: submit one Standard Laptop request. Verify that the Request is created, a Requested Item is generated, the Standard laptop tasks flow starts, exactly one expected Catalog Task is created, the task is linked to the RITM, and the fulfilment team can update/close the task.

Evidence from the ServiceNow implementation

The supplied screenshots are used as implementation evidence. They show the Service Catalog trigger, the Standard laptop tasks flow, the Requested Item, the generated Catalog Task, and its fulfilment fields.

Figure 2. Request record showing the Standard Laptop requested item.




Figure 3. Requested Item showing the generated catalog task and Hardware assignment group.




Figure 4. Catalog Task showing approval, priority, state, request item, and laptop configuration description.

