

PROJECT EXECUTABLE FILES

Streamlining IT procurement automation – Standard Laptop

Project Title	Streamlining IT procurement automation – Standard Laptop
Team ID	MKU201 Laptop Orders
Date	30.09.2026
Platform	ServiceNow – Workflow Studio / Service Catalog
Primary Flow	Standard laptop tasks
Business Process	Standard laptop procurement and configuration

This document packages the executable/project evidence represented by the supplied ServiceNow screenshots. It describes the flow, records created during execution, and the expected execution sequence for the MKU201 Laptop Orders project.

1. Executable Project Overview

The implementation automates a standard laptop request from a Service Catalog request through Requested Item creation and the downstream Catalog Task used by the hardware team. The core automation is the ServiceNow Flow named **Standard laptop tasks**.

Executable components

Component	Purpose
Service Catalog trigger	Starts the automation when the standard laptop catalog item is requested.
Standard laptop tasks flow	Controls the automated sequence in Workflow Studio.
Create Catalog Task action	Creates the operational task for laptop configuration.
Requested Item (RITM)	Represents the requested standard laptop item.
Catalog Task (SCTASK)	Represents the hardware/configuration work generated by the flow.

2. Execution Sequence

Step 1: A user submits the Standard Laptop request through the Service Catalog.

Step 2: The Service Catalog trigger starts the Standard laptop tasks flow.

Step 3: The flow uses the Requested Item record as input data.

Step 4: The Create Catalog Task action creates a task for the Hardware assignment group.

Step 5: The generated task is visible under the Requested Item and can be worked by the assigned team.

Step 6: The Catalog Task can be updated/closed as the laptop configuration work is completed.

3. Executable Flow Evidence




Figure 1. Workflow Studio home showing the Standard laptop tasks flow.

The screenshot displays the ServiceNow Workflow Studio interface for a flow named "Standard laptop tasks". The flow is currently in a "Read-only" state and has a "Published" status. It is configured with a "Service Catalog" trigger and a single action, "1 Create Catalog Task". The right-hand panel, titled "Data", provides a detailed view of the flow's variables and their data types. These include "Requested Item Record" (Record), "Run Start Time UTC" (Date/Time), "Table Name" (Table Name), and "Run Start Date/Time" (Date/Time). Below these, the action "1 - Create Catalog Task" is shown with variables "Catalog Task" (Record) and "Action Status" (Object). The bottom of the interface features a Windows taskbar with a search bar, application icons, and system status information including temperature (31°C), weather (Sunny), and time (01:26 PM, 26-09-2026).

Variable	Data Type
Requested Item Record	Record
Run Start Time UTC	Date/Time
Table Name	Table Name
Run Start Date/Time	Date/Time
Catalog Task	Record
Action Status	Object

Figure 2. Standard laptop tasks flow: Service Catalog trigger and Create Catalog Task action.

4. Runtime Records Produced

The supplied execution evidence shows a request **REQ0010001**, its Requested Item **RITM0010001**, and the generated Catalog Task **SCTASK0010001**. The screenshots show the task description as “Laptop need to Configured” and the assignment group as Hardware.

The screenshot shows the ServiceNow interface for a Request record (REQ0010001). The top navigation bar includes links for Request, Catalog, Standard laptop tasks, and other applications. The main content area displays the request details, including the Requested Items table. The Requested Items table has one row with the following data:

Number	Quantity	Catalog	Item	Due date	Price	Assigned to	Stage
RITM0010001	1	(empty)	Standard Laptop	2026-09-23 22:37:22	\$1,100.00	(empty)	

Figure 3. Request record and Requested Item generated for the standard laptop request.

The screenshot shows the ServiceNow interface for a Requested Item record (RITM0010001). The top navigation bar includes links for Requested Item, Catalog, Standard laptop tasks, and other applications. The main content area displays the requested item details, including the Catalog Tasks table. The Catalog Tasks table has one row with the following data:

Number	Assignment group	Assigned to	Short description	Actual start	Actual end	Order
SCTASK0010001	Hardware	(empty)	Laptop need to Configured	2026-09-23 22:39:11	(empty)	

Figure 4. Requested Item showing the generated Catalog Task in the related list.

ServiceNow | SCTASK0010001 | Catalog Task - SCTASK0010001

Number: SCTASK0010001

Assigned to: [Search]

Configuration item: [Search]

Active: ☒

Approval: Approved

Priority: 4 - Low

State: Open

Request item: RITM0010001

Requested for: System Administrator

Short description: Laptop need to Configured

Description: Laptop need to Configured

Work notes: Work notes

Post

Activities: 1

System Administrator

Impact: 3 - Low

Opened by: System Administrator

Field changes: 2026-09-23 22:39:11

31°C Sunny | Search | ENG IN | 01:25 PM 26-09-2026

Figure 5. Catalog Task record showing Approved status, Hardware workflow context and task details.

5. Execution / Acceptance Checklist

Check	Expected result	Evidence
Catalog request submitted	A request and Requested Item are created.	REQ0010001 / RITM0010001
Flow triggered	Standard laptop tasks flow starts.	Workflow Studio screenshot
Catalog task created	A Catalog Task is created automatically.	SCTASK0010001
Assignment group set	Task appears under Hardware.	Requested Item related list
Task details populated	Short description/description identify laptop configuration work.	Catalog Task screenshot
Task lifecycle available	Task can be updated and closed after work completion.	Catalog Task UI

6. Deliverable Summary

The executable project evidence demonstrates a working ServiceNow procurement automation for standard laptops. The main automation artifact is the published/active **Standard laptop tasks** flow, with a Service Catalog trigger and a **Create Catalog Task** action. The resulting records provide traceability from request to operational configuration task.