

Tenant

A **tenant** in the Power Platform refers to an **organization** or **entity** that uses the platform's services.

Environment Basics

An **environment** in the context of Dataverse is like a container or workspace where you organize and store your business data.

An **environment** also allows you to install applications that you build with **Power Apps** or **flows** that you create with **Power Automate** into that environment. You can create one or many environments, depending on your needs.

Each environment is created under a **Microsoft Entra ID tenant**, and only users within that tenant can access its resources. An environment is also bound to a geographic location, like the United States

1. Resource Access:

- Resources (such as Dataverse databases, connections, flows, etc.) created within an environment are accessible only within that environment.
- However, resources from one environment **cannot directly access** resources in another environment within the same tenant.

2. Sharing Data Across Different Environments/Region:

Data Integration Tools: Use tools like Azure Data Factory or Power Automate to create data pipelines that can move data between environments in different geographic locations.

APIs and Connectors: Utilize APIs and connectors available in Power Platform to facilitate data sharing. For example, you can create flows in Power Automate that connect to Dataverse databases in both environments.

Cross-Region Replication: If your data needs to be highly available and synchronized in real-time, consider setting up cross-region replication. This can be done using Azure SQL Database or Cosmos DB, which support geo-replication.

1. Data Flows

Purpose: Data Flows are used for data preparation and transformation. They allow you to ingest, cleanse, transform, and load data into Dataverse, Power BI, or Azure Data Lake Storage.

Execution: Data Flows are created using Power Query, which provides a graphical interface for building transformation logic. They run in the cloud and can be scheduled to refresh automatically.

2. Flows

Purpose: Flows, created in Power Automate, are used to automate workflows and business processes. They help in connecting different services and automating repetitive tasks.

Execution: Flows are triggered by events, such as receiving an email, a new file being added to a folder, or a specific time of day.

Usage: Commonly used for automating tasks like sending notifications, updating records, or collecting data from various sources.

Inside Security Roles:

1. Table Privileges:

- These define what tasks a user can perform on specific records within a table.
- Examples include **Read, Create, Delete, Write, Assign, Share, Append**, and **Append To**.
- **For instance**, a salesperson might have Read access to customer records but can also Create new opportunities

2. Miscellaneous Privileges:

These task-based privileges allow users to perform specific non-record tasks.

Examples include **publishing articles, activating business rules/process flow, bulk delete, bulk edit, enable or disable user**.

3. Privacy-Related Privileges:

These permissions relate specifically to data integration, export, or printing.

Users with these privileges can **export to Excel, print records**, or use other privacy-related

Business Rule

A business rule refers to a set of logical conditions and actions that are applied to data entry forms or views.

Scope of Business Rule:

- Individual Forms
- All Forms
- Entity

Actions:

- Set column values.
- Clear column values.
- Set column requirement levels.
- Show or hide columns.
- Enable or disable columns.
- Validate data and show error messages.

Calculated Field

A rich conditional support provides branching and multiple conditions. The logical operations include **AND** and **OR** operators.

The visual editing capabilities include modern user interface and intellisense in the **ACTION** section.

Some build-in functions include

ADDHOURS, ADDDAYS, ADDWEEKS, ADDMONTHS, ADDYEARS, SUBTRACTHOURS, SUBTRACTDAYS, SUBTRACTWEEKS, SUBTRACTMONTHS, SUBTRACTYEARS, DIFFINDAYS, DIFFINHOURS, DIFFINMINUTES, DIFFINMONTHS, DIFFINWEEKS, DIFFINYEARS, CONCAT, TRIMLEFT, and TRIMRIGHT.

Calculated Field Scope

- Single line of text
- Option Set
- Two Options
- Whole Number
- Decimal Number
- Currency
- Date and Time

1. Unmanaged Solutions:

- **Purpose:** Unmanaged solutions are primarily used during development. They allow developers to make real-time changes to components (such as entities, forms, views, or other customizations) and see immediate impacts. Unmanaged solutions provide flexibility and facilitate an iterative development process¹.
- **Export Options:** You can export unmanaged solutions either as unmanaged or managed.
- **Source Control:** Consider unmanaged solutions as your source for Microsoft Power Platform assets. When you make changes, check the exported unmanaged versions into your source control system.
- **Deletion Behavior:** When an unmanaged solution is deleted, only the solution container is removed, but the unmanaged customizations remain in effect and belong to the default solution.

2. Managed Solutions:

- **Purpose:** Managed solutions are completed solutions intended for distribution and installation. They offer protection against unintentional modifications.
- **Deployment:** Managed solutions are deployed to environments other than development (e.g., test, UAT, production). They can be serviced independently from other managed solutions in the same environment.
- **Editing Restrictions:** You can't directly edit components within a managed solution. To edit managed components, add them to an unmanaged solution, creating a dependency between the two. Some managed components can't be edited.
- **Deletion Behavior:** When a managed solution is deleted (uninstalled), all customizations and extensions included with it are removed. Data stored in custom entities and attributes part of the managed solution is lost².

Import a solution



Environment

Environment

 This solution package contains an update for a solution that is already installed.

Details

Name

Mysolution

Type

Managed

Publisher

Contoso Inc

Current version installed

1.0.0.3

Version contained in the update

1.0.0.4

Patch

No

Advanced settings 

Solution action [Learn more](#)

☒ Upgrade

Upgrades your solution to the latest version. Any objects not present in the newest solution will be deleted.

☐ Stage for upgrade

Upgrades your solution to the higher version, but defers the deletion of the previous version and any related patches until you apply an upgrade later.

☐ Update

Replaces your older solution with this one.

☒ Enable Plugin steps and flows included in the solution

Import

Cancel

