



# Introduction - C Programming



4 min read

By Vineet Choudhary

## What is C?

- C is a programming language developed at AT & T's Bell Laboratories of USA in 1972 by Dennis Ritchie.
- Any programming Language can be divided in to two categories.
  - Problem oriented (High level language)
  - Machine oriented (Low level language)

But C is considered as a Middle level Language .

- C is modular , portable , reusable .

## 2. Feature of C Program

- **Structured language**
  - It has the ability to divide and hide all the information and instruction.
  - Code can be partitioned in C using functions or code block.
  - C is a well structured language compare to other.
- **General purpose language**
  - Make it ideal language for system programming.
  - It can also be used for business and scientific application.
  - ANSI established a standard for c in 1983.
  - The ability of c is to manipulate bits,byte and addresses.
  - It is adopted in later 1990.
- **Portability**
  - Portability is the ability to port or use the software written .
  - One computer C program can be reused.
  - By modification or no modification.

[Subscribe](#)[Share](#)[Tweet](#)[Send](#)

- **Code Re-usability & Ability to customize and extend**
  - A programmer can easily create his own function
  - It can be used repeatedly in different application
  - C program basically collection of function
  - The function are supported by 'c' library
  - Function can be added to 'c' library continuously
- **Limited Number of Key Word**
  - There are only 32 keywords in 'C'
  - 27 keywords are given by ritchie
  - 5 is added by ANSI
  - The strength of 'C' is lies in its in-built function
  - Unix system provides as large number of C function
  - Some function are used in operation .
  - Other are for specialized in their application

### 3. C program structure

---

```

pre-processor directives
global declarations

main()
{
    local variable deceleration
    statement sequences
    function invoking
}

```

### 4. C Keywords

---

Keywords are the words whose meaning has already been explained to the C compiler. There are only 32 keywords available in C. The keywords are also called 'Reserved words'.

auto	double	int	struct
break	else	long	switch
case	enum	register	typedef
char	extern	return	union
const	float	short	unsigned
continue	for	signed	void

Share

Tweet

Send

Subscribe

default	goto	sizeof	volatile
do	if	static	while

## 5. C Character Set

---

A character denotes any alphabet, digit or special symbol used to represent information. Following are the valid alphabets, numbers and special symbols allowed in C.

- Alphabets - A, B, ....., Y, Z a, b, ....., y, z
- Digits - 0, 1, 2, 3, 4, 5, 6, 7, 8, 9
- Special symbols - ~ ' ! @ # % ^ & \* ( ) \_ - + = | \ { } [ ] : ; " ' < > , . ? /

## 6. Rules for Writing, Compiling and Executing the C program

---

- C is case sensitive means variable named "COUNTER" is different from a variable named "counter".
- All keywords are lowercased.
- Keywords cannot be used for any other purpose (like variable names).
- Every C statement must end with a ; . Thus ; acts as a statement terminator.
- First character must be an alphabet or underscore, no special symbol other than an underscore, no commas or blank spaces are allowed within a variable, constant or keyword.
- Blank spaces may be inserted between two words to improve the readability of the statement. However, no blank spaces are allowed within a variable, constant or keyword.
- Variable must be declared before it is used in the program.
- File should have the extension .c
- Program needs to be compiled before execution.

## 7. Data types & Placeholders

---

- C has 5 basic built-in data types.
- Data type defines a set of values that a variable can store along with a set of operations that can be performed on it.
- A variable takes different values at different times.

[Subscribe](#)[Share](#)[Tweet](#)[Send](#)

- General form for declaring a variable is:  
type name;
- An example for using variables comes below:

```
#include<stdio.h>
main()
{
    int sum;
    sum=12;
    sum=sum+5;
    printf("Sum is %d", sum);
}
```

printf function will print the following:

Sum is 17

In fact %d is the placeholder for integer variable value that its name comes after double quotes.

- Common data types are:
  - int - integer
  - char - character
  - long - long integer
  - float - float number
  - double - long float
- Other placeholders are:

Placeholders	Format
%c	Character
%d	Signed decimal integer
%i	Signed decimal integer
%e	Scientific notation[e]
%E	Scientific notation[E]
%f	Decimal floating point
%o	unsigned octal
%s	String of character
%u	unsigned decimal integer
%x	unsigned Hexadecimal (lower)
%X	unsigned Hexadecimal (upper)
%p	display a pointer
%%	print a %

## 8. Control characters (Escape sequences)

Certain non printing characters as well as the backslash (\) and the apostrophe (') are expressed in terms of escape sequence

Subscribe

Share

Tweet

Send

- `\a` - Bell
- `\n` - New line
- `\r` - Carriage return
- `\b` - Backspace
- `\f` - Formfeed
- `\t` - Horizontal tab
- `\"` - Quotation mark
- `\v` - Vertical tab
- `\'` - Apostrophe
- `\\` - Backslash
- `\?` - Question mark
- `\0` - Null

## 9. Receiving input values from keyboard

---

`scanf` function used to receiving input from keyboard.

General form of `scanf` function is :

```
scanf("Format string",&variable,&variable,...);
```

`Format string` contains placeholders for variables that we intend to receive from keyboard. A `&` sign comes before each variable name that comes in variable listing. Character strings are exceptions from this rule. They will not come with this sign before them.

**Note:** You are not allowed to insert any additional characters in format string other than placeholders and some special characters. Entering even a space or other undesired character will cause your program to work incorrectly and the results will be unexpected. So make sure you just insert placeholder characters in `scanf` format string. The following example receives multiple variables from keyboard.

```
float a;  
int n;  
scanf("%d%f",&n,&a);
```

Pay attention that `scanf` function has no error checking capabilities built in it. Programmer is responsible for validating input data (type, range etc.) and preventing errors

Subscribe

Share

Tweet

Send

## 10 . Quiz

Test what you learn from this tutorial. [Click here to give a quiz based on this tutorial.](#)

## 11. Examples

EXAMPLE STATEMENT FOR INTRODUCTION TO C LANGUAGE

[1. Print Hello World](#)

[2. Print Value of an Integer](#)

[3. Addition of Two Number](#)

Next - [Expression & Operators Precedence](#)

#Primary

#C Programming

← Prev article

Functions - C Programming

Next article →

Expression & Operators Precedence - C Programming

## Discussion

Community Guidelines

### Start the conversation

Become a member of **Developer Insider** to start commenting.

Sign up now

Already a member? [Sign in](#)

LATEST ARTICLES

Prevent External

Subscribe

Share

Tweet

Send