

**\*\*Breach Happens\*\*** 1.6 million records exposed.

**\*\*RingCentral\*\*** data breach includes names, addresses, email addresses, and phone numbers. Firewalls are not enough. Attackers exploit vulnerabilities.

**\*\*AmnesiaStealer\*\*** macOS malware steals data, controls browser sessions.

Our team implements **Zero-Trust** architecture. We use **OWASP ZAP** to identify vulnerabilities. **OSSEC** monitors systems for suspicious activity. **Suricata** detects potential threats. Review incident response plan.

Most teams are reactive, believing they're secure because they haven't been breached yet, but it's not if, but when. 737 Chrome VPN extensions routed traffic through proxies, and threats evade traditional security controls.

■ **\*\*Zero-Trust\*\*** is key. Use **\*\*Suricata\*\***. Monitor network traffic. **\*\*OWASP ZAP\*\*** identifies vulnerabilities. As a practitioner, I've seen firsthand how **\*\*Zero-Trust\*\*** architecture can prevent breaches, and I recall a case where a company avoided a major breach by implementing **\*\*Suricata\*\*** to detect potential threats. By doing so, they were able to patch vulnerabilities before they were exploited. Would you rather have 100% visibility into your network traffic with 5% false positives, or 60% visibility with 0%?