

```
[rajsirohi@Rajs-MacBook-Air advanced-git % history
1011  git add .gitignore
1012  git commit -m "Added .gitignore"
1013  nano app.js\n
1014  git stash\n
1015  git stash list\n
1016  git stash pop\n
1017  git add app.js
1018  git commit -m "Added work-in-progress code"
1019  git tag v1.0\n
1020  git tag\n
1021  git remote add origin https://github.com/rajsirohi23/Hello-World.git
1022  git push -u origin main\n
1023  git push origin --tags\n
1024  git status
1025  git log --oneline
1026  git tag
rajsirohi@Rajs-MacBook-Air advanced-git %
```

```
Last login: Thu Jan 15 12:20:03 on ttys005
rajsirohi@Rajs-MacBook-Air ~ % cd desktop
rajsirohi@Rajs-MacBook-Air desktop % mkdir advanced-git
rajsirohi@Rajs-MacBook-Air desktop % cd advanced-git
rajsirohi@Rajs-MacBook-Air advanced-git % git init
Initialized empty Git repository in /Users/rajsirohi/Desktop/advanced-git/.git/
rajsirohi@Rajs-MacBook-Air advanced-git % touch index.html style.css app.js

rajsirohi@Rajs-MacBook-Air advanced-git % nano index.html

rajsirohi@Rajs-MacBook-Air advanced-git % git add .
rajsirohi@Rajs-MacBook-Air advanced-git % git commit -m "Initial commit with multiple files"
[main (root-commit) c7e9208] Initial commit with multiple files
 3 files changed, 2 insertions(+)
 create mode 100644 app.js
 create mode 100644 index.html
 create mode 100644 style.css
rajsirohi@Rajs-MacBook-Air advanced-git % touch .gitignore
rajsirohi@Rajs-MacBook-Air advanced-git % nano .gitignore
```