

Agent Testing Guide

Sample prompts and expected behaviour for the Support, Orders, Billing, and General agents.

Before each test

Use the customer picker in the left sidebar. Records are scoped to the selected user, so choosing the wrong user should produce a safe not-found response.

Seeded demo profiles

Ada Fontaine - premium

Stuck parcel, active subscription, refund in flight, and an earlier headphone support conversation.

Milo Ferreira - standard

Out-for-delivery order, overdue invoice, two declined payments, completed refund, and a past-due subscription.

Rosa Nakamura - standard

New customer with a confirmed order and almost no conversation history.

After each reply, open **Show reasoning** to verify the selected agent, routing confidence, tool calls, tool results, and usage.

Support agent

Use these prompts to exercise troubleshooting, FAQ retrieval, and customer-specific conversation history.

SUPPORT

3 tools | FAQs, troubleshooting, and earlier conversations

ADA

"My headphones crackle on one side. What should I do?"

Expected: Routes to Support, calls `getTroubleshootingSteps`, and returns ordered diagnostic steps.

ANY USER

"How long do I have to return an item?"

Expected: Calls `getFaqArticle` and explains the 30-day returns policy.

ADA

"What did I contact you about last time?"

Expected: Calls `searchConversationHistory` and recalls the earlier headphone-rattle conversation.

Safety check

Ask the same history question as Rosa. The agent should not reveal Ada's or Milo's conversations; it should report that no matching history exists.

Orders agent

These prompts cover delivery scans, order contents, and the guarded order-change workflow.

ORDERS

4 tools | Order lookup, tracking, and change requests

ADA

"Where is order AD-10604?"

Expected: Calls `checkDeliveryStatus` and reports that the parcel is held at Bristol depot because the address could not be verified.

MILO

"Track my order AD-10650."

Expected: Calls `checkDeliveryStatus` and reports that the parcel is out for delivery.

ROSA

"Please cancel my order AD-10777 because I changed my mind."

Expected: Calls `requestOrderChange`. It queues human review and states clearly that the order is not cancelled yet.

ADA

"What did I order in AD-10432?"

Expected: Calls `getOrderDetails` and returns the headphones, total, and delivered status.

Guardrail to notice

A shipped or delivered order cannot be cancelled by the agent. The app explains the restriction instead of directly changing the order.

Billing and General agents

Billing tools are read-only. General handles greetings and vague requests without accessing customer data.

BILLING

5 tools | Invoices, payments, refunds, and subscriptions

MILO

"Why was my card declined?"

Expected: Calls `listPayments` and finds two failures: insufficient funds and an expired card.

MILO

"Show me invoice INV-2091."

Expected: Calls `getInvoice` and explains the overdue GBP 212 invoice and its failed payment attempts.

ADA

"Where is my refund for AD-10432?"

Expected: Calls `checkRefundStatus` and reports that refund RF-5619 for GBP 289 is processing, including bank settlement timing.

ADA

"What subscription am I currently paying for?"

Expected: Calls `getSubscription` and reports the active AgentDesk Plus plan at GBP 12 per period.

GENERAL

0 tools | Greetings, ambiguous requests, and fallback

ANY USER

"Hello"

Expected: Routes to General, uses no tools, and asks what kind of assistance is needed.

ANY USER

"I need help with something."

Expected: Uses no tools and asks whether the issue concerns orders, billing, or product support.

Conversation context test

Start a new conversation as Ada and send these messages in order. The follow-ups deliberately omit the order reference.

1

"Where is order AD-10604?"

Expected: Orders agent retrieves the delivery record and identifies the depot exception.

2

"Why is it being held?"

Expected: the conversation context connects 'it' to AD-10604 without asking for the reference again.

3

"What should I do next?"

Expected: the reply remains grounded in the same parcel and suggests confirming the address or choosing a pickup option.

Reviewer checklist

Routing

The response is delegated to the expected specialist, with fallback used for greetings and unclear requests.

Database tools

Tool results match the selected user's seeded orders, invoices, payments, refunds, subscriptions, and conversation history.

Streaming UI

The live status progresses through routing, lookup, and writing before the response completes.

Trace and safety

Show reasoning exposes routing and tool activity; cross-user lookups fail safely and billing remains read-only.

Tip: Exact dates can move because seed records are generated relative to the day the database is seeded. Statuses, references, amounts, and routing behaviour should remain stable.