PROV LOGIC

ETHERNET PROTOCOL

A BEGINNERS GUIDE TO ETHERNET & NETWORKING!

BY PRASANTHI CHANDA



CHAPTER 1
INTRODUCTION

What is Ethernet?

Ethernet is a wired networking technology that enables data transfer between devices using cables. Initially developed in the 1970s by Xerox, Intel, and DEC, it became the IEEE 802.3 standard, providing scalable, high-speed, and secure communication. Today, Ethernet is the backbone of modern networking, connecting homes, businesses, data centers, and cloud environments.

The Evolution of Ethernet:

The Birth of Ethernet

Ethernet was invented in the 1970s by Robert Metcalfe at Xerox PARC. The first Ethernet standard operated at 10 Mbps over coaxial cables.

Key Milestones in Ethernet's Evolution

- 1980s: The introduction of 10BASE-T, which used twisted-pair cables, made Ethernet more practical for office environments.
- 1990s: Fast Ethernet (100 Mbps) and Gigabit Ethernet (1 Gbps) emerged, catering to growing bandwidth demands.
- 2000s: 10 Gigabit Ethernet (10GbE) became the standard for data centers and enterprise networks.
- 2010s: 40GbE and 100GbE were introduced to support cloud computing and big data.
- 2020s: 200GbE, 400GbE, and 800GbE are now pushing the boundaries of wired networking.

Why Ethernet Matters?

Ethernet's reliability, scalability, and performance make it indispensable in industries ranging from telecommunications to industrial automation. For VLSI and semiconductor professionals, understanding Ethernet is crucial, as it involves high-speed signal processing, power efficiency, and hardware design.

Why Wired Networking Still Dominates

In an era of Wi-Fi and 5G, why does Ethernet remain the go-to solution for high-performance networking? This booklet will explore the technical, economic, and practical reasons behind Ethernet's enduring relevance.

💡 Did You Know?


Ethernet was originally based on radio-wave collision techniques from the ALOHA protocol before transitioning to its CSMA/CD (Carrier Sense Multiple Access with Collision Detection) model.

CHAPTER 2
ETHERNET FRAME STRUCTURE (IEEE 802.3)

The Ethernet Frame

Ethernet frames are the fundamental data units in wired networking, defined by the IEEE 802.3 standard. Each frame follows a structured format that ensures reliable communication.

- Preamble & Start Frame Delimiter (SFD) – The frame begins with a 7-byte Preamble (alternating 0s and 1s) for synchronization, followed by a 1-byte SFD (10101011) to mark the start of the frame.
- MAC Addresses – 6-byte Destination Address (receiver's MAC) and 6-byte Source Address (sender's MAC) uniquely identify network devices.
- EtherType / Length – A 2-byte field indicating either the length of the payload or the type of protocol being carried (e.g., 0x0800 for IPv4, 0x0806 for ARP).
- Data (Payload) & Padding – The data field (46 to 1500 bytes) carries actual information. If data is less than 46 bytes, padding is added to maintain the minimum frame size of 64 bytes.
- Cyclic Redundancy Check (CRC) – A 4-byte checksum that ensures data integrity by detecting errors during transmission.



IEEE 802.3 ETHERNET Frame Format

CSMA/CD: The Original Ethernet Protocol

Carrier Sense Multiple Access with Collision Detection (CSMA/CD) was the original method for managing data collisions in Ethernet networks. While modern Ethernet has moved beyond CSMA/CD, understanding its principles is key to appreciating Ethernet's evolution.

Full-Duplex and Switched Ethernet

Modern Ethernet networks use full-duplex communication and switches to eliminate collisions and improve efficiency. This allows devices to send and receive data simultaneously, maximizing bandwidth. Switches use MAC address tables to forward data only to the intended recipient, reducing network congestion.

💡 Interesting Fact:

The maximum transmission unit (MTU) of a standard Ethernet frame is 1500 bytes, but Jumbo Frames (9000+ bytes) are used in data centers for higher efficiency.


CHAPTER 3
ETHERNET STANDARDS – IEEE 802.3 AND BEYOND

The Role of IEEE 802.3

The IEEE 802.3 standard defines Ethernet's physical and data link layers. It ensures interoperability between devices from different manufacturers. Without this standardization, Ethernet would not have achieved its widespread adoption.

Key Ethernet Standards

IEEE Standard	Speed	Use Case
802.3 (1983)	10 Mbps	Early coaxial Ethernet (10Base5)
802.3u (1995)	100 Mbps	Fast Ethernet (100Base-T)
802.3z (1998)	1 Gbps	Gigabit Ethernet (1000Base-X)
802.3ae (2002)	10 Gbps	Fiber Ethernet (10GBase-X)
802.3bs (2017)	400 Gbps	AI-driven cloud computing



Emerging Trends: 400G & 800G Ethernet is now being deployed in hyperscale data centers to support AI workloads.

CHAPTER 4
ETHERNET PHYSICAL MEDIA (CABLING TYPES)

Ethernet cables are used to connect devices to a network, allowing them to communicate with each other and access the internet. These cables come in different types, each designed to support various speeds and performance levels. They are essential for both home and office networks, ensuring stable and reliable connections.

Types of Ethernet Cables

Ethernet cables come in three primary types, each designed for specific use cases and environments:

1. Coaxial Cables
2. Twisted Pair Cables
3. Fiber Optic Cables


1. Coaxial Cables

Coaxial cables are designed to carry high-frequency electrical signals with minimal loss. They are commonly used in older Ethernet networks, such as 10Base2 and 10Base5 systems. These cables feature a central copper conductor surrounded by a dielectric insulator, typically made of PVC or Teflon. A metallic shield wraps around the insulator to reduce electromagnetic interference (EMI), and an outer plastic sheath provides additional protection.

Key Features


- Transmission Speed: Up to 10 Mbps.
- Applications: Telephone systems, cable TV, and early Ethernet networks.

Structure & Design



A coaxial cable consists of:

- Central Copper Conductor – Transmits the electrical signal.
- Dielectric Insulator – Provides separation and maintains signal quality.
- Metallic Shield (Braided Mesh or Foil) – Prevents signal loss and blocks interference.
- Outer Protective Sheath – Made of PVC or fire-resistant material for durability.



Types of Coaxial Cables

1. Hardline Coaxial Cable – Used in high-power signal transmission like radio transmitters and internet backbones.
2. RG-6 Cable – Thicker insulation, used for cable TV and broadband internet.
3. Tri-Axial Cable – Offers enhanced bandwidth and shielding, often used for broadcast cameras.

Common Coaxial Cable Connectors

- BNC Connector – Used in radio frequency applications and security cameras.
- F-Type Connector – Common in cable television and satellite receivers.
- SMA Connector – Used in microwave and RF applications.




2. Twisted Pair Cables

Twisted pair cables are the most widely used Ethernet cables today. They consist of pairs of insulated copper wires twisted together to minimize electromagnetic interference (EMI) and crosstalk. These cables support various Ethernet standards, including 10BASE-T, 100BASE-T, and newer variants. They typically use RJ-45 connectors for connectivity.

Key Features

- Transmission Speed: Ranges from 10 Mbps to 40 Gbps, depending on the category.
- Applications: LANs, data centers, and home networks.


Structure & Design




- Two or more copper wires twisted around each other to prevent signal degradation.
- Protective outer covering for durability and insulation.
- Twisting pattern reduces interference and enhances signal quality

Types of Twisted Pair Cables

- Shielded Twisted Pair (STP): Includes an additional metallic shield to reduce external interference, ideal for industrial and high-speed applications.
- Unshielded Twisted Pair (UTP): Lacks shielding but is cost-effective and widely used in homes and offices




Unshielded Twisted Pair (UTP)



Shielded Twisted Pair (STP)

Common Twisted Pair Cable Connectors

- RJ-45 Connector – Standard Ethernet connector for LAN networking.
- GG-45 Connector – Used in high-speed networking (Cat7 and beyond).
- Tera Connector – Designed for shielded twisted pair cables in industrial










Fiber Optic Cables: The Future of Networking

- Fiber optic cables represent the next generation of Ethernet connectivity, offering unmatched speed, long-distance transmission, and immunity to interference. Instead of electrical signals, fiber optics transmit data using light pulses through glass or plastic fibers.

Key Features


- Transmission Speed: Up to 100 Gbps and beyond.
- Applications: Long-distance communication, data centers, and high-speed internet backbones.

Structure & Design



- Core (Glass Fiber): Transmits the light signals.
- Cladding: Reflects light inward, maintaining signal integrity.
- Protective Coating: Shields the fiber from damage.
- Outer Sheath: Provides additional protection against environmental hazards.

Types of Fiber Optic Cables



- Single-Mode Fiber (SMF): Uses a single beam of light, suitable for long-distance, high-speed communication (used in telecom and internet backbones).
- Multi-Mode Fiber (MMF): Uses multiple beams of light, best for short-distance connections like LANs and data centers.

Ethernet Variants Using Fiber Optic Cables

- 10BaseF, 100BaseFX, 100BaseBX, 100BaseSX – Fast Ethernet over fiber.
- 1000BaseFX, 1000BaseSX, 1000BaseBX – Gigabit Ethernet over fiber.
- 10GBaseSR, 10GBaseLR, 100GBaseSR4 – Multi-gigabit and hyperscale data center solutions.

Fiber Optic Cable Connectors

- ST (Straight-Tip) Connector – Common in networking applications.
- SC (Subscriber Connector) – Used in enterprise networks and telecom.
- LC (Lucent Connector) – Compact and widely used in modern data centers.
- FC (Fiber Channel Connector) – Used in high-speed storage networks.

💡 **Interesting Fact**: Fiber optics can transmit data at nearly the speed of light (up to 99% of light speed in a vacuum), making them ideal for high-speed internet and 5G backhaul networks.

CHAPTER 5
ETHERNET SWITCHING & VLANS

What is Switching?


Switching is the process of forwarding data packets between devices in a network. It ensures efficient communication by directing data to the correct destination instead of broadcasting it to all devices.

Why is Switching Important?

Before switches, early networks used hubs, which flooded all connected devices with every incoming data packet. This caused network congestion and security risks. Switches solve this problem by intelligently forwarding packets only to the intended recipient, improving efficiency and performance.

What is Network Switching?

A switch is a dedicated piece of computer hardware that facilitates the process of switching i.e., incoming data packets and transferring them to their destination. A switch works at the Data Link layer of the OSI Model.





Types of Network Switching


Switching methods determine how data moves between devices in a network. The three primary types of switching are:

1. Circuit Switching – Used in telephone networks, establishes a dedicated communication path before transmitting data.
2. Packet Switching – Breaks data into packets and sends them independently, used in Ethernet and the internet.
3. Message Switching – Entire messages are stored and forwarded between nodes, but it is slow and outdated.

💡Ethernet networks use Packet Switching, which allows multiple devices to communicate efficiently without reserving a fixed path.







What is an Ethernet Switch?

An Ethernet switch is a network device that connects multiple devices (computers, printers, routers) in a LAN and forwards data intelligently based on MAC addresses.

Types of Ethernet Switches

Ethernet switches come in various types based on functionality and network size:

- 🔹 Unmanaged Switch: Basic plug-and-play switch with no configuration options. Used in small offices and home networks.
- 🔹 Managed Switch: Allows configuration, monitoring, and VLAN support. Used in enterprise and data center networks.
- 🔹 Layer 2 Switch: Works at the Data Link Layer (L2) and forwards frames based on MAC addresses.
- 🔹 Layer 3 Switch: Works at the Network Layer (L3) and can perform routing functions (IP-based forwarding).

💡 A Layer 3 switch is a hybrid between a switch and a router, offering better performance for large networks.



Unmanaged Switch



Managed Switch



Layer 2 Switch



Layer 3 Switch

Understanding VLANs (Virtual Local Area Networks)

A VLAN (Virtual Local Area Network) is a logical segmentation of a network within a single physical switch or multiple switches. It isolates devices into separate broadcast domains, improving security and performance.


Why Do We Need VLANs?

- Security: Prevents unauthorized access to sensitive data.
- Traffic Control: Reduces unnecessary network congestion.
- Efficient Resource Allocation: Groups users based on department instead of physical location.

Example: In a company, VLANs can separate HR, Finance, and IT departments so their data traffic does not mix.

How VLANs Work in a Network

- Devices in the same VLAN can communicate as if they were on the same network, even if they are on different switches.
- Devices in different VLANs require a Layer 3 device (router or Layer 3 switch) to communicate.
- VLAN IDs (ranging from 1-4094) uniquely identify each VLAN.




VLAN Tagging (IEEE 802.1Q)

In a multi-switch network, VLAN tags are used to identify traffic belonging to different VLANs.

Types of VLAN Ports

🔹 Access Port: Assigned to a single VLAN, used by end devices.
🔹 Trunk Port: Carries multiple VLANs, used for switch-to-switch communication.

💡 VLAN tagging ensures traffic separation while maintaining a unified physical infrastructure.



VLAN Routing: Inter-VLAN Communication

By default, VLANs cannot communicate with each other. To allow VLAN communication, we use Inter-VLAN Routing using:

- Router-on-a-stick: A single router interface handles multiple VLANs using sub-interfaces.
- Layer 3 Switch Routing: Uses VLAN interfaces (SVIs) for faster routing.

💡 Layer 3 switches are preferred for high-performance networks due to lower latency.

VLAN Applications in Real-World Networks

✔ Enterprise Networks: VLANs separate different departments (HR, Finance, IT) for security.
✔ Data Centers: VLANs isolate storage, applications, and management traffic.
✔ VoIP & Security Cameras: VLANs prioritize voice and video traffic to ensure quality.
✔ Schools & Universities: VLANs segment students, staff, and guest networks for access control.

Why Switching & VLANs Matter

- Switching ensures fast and efficient communication within a LAN.
- VLANs provide network segmentation, improving security and performance.
- Layer 3 switches enable high-speed routing for enterprise networks.
- VLAN tagging (802.1Q) allows multiple VLANs over a single trunk link.

CHAPTER 6
POWER OVER ETHERNET (POE, IEEE 802.3AF/AT/BT)


POWER OVER ETHERNET (POE)

Power over Ethernet (PoE) is a technology that allows both data and electrical power to be transmitted over a single Ethernet cable. Introduced by the IEEE 802.3af standard in 2003, PoE eliminates the need for separate power adapters, making it ideal for devices like IP cameras, VoIP phones, wireless access points, and IoT devices in locations where power outlets are inaccessible.

💡 Fun Fact: The Eiffel Tower's security system is powered by PoE!

KEY COMPONENTS OF POE

1. **PSE (Power Sourcing Equipment)**:
   - The device that supplies power to the Ethernet cable.
   - Provides a nominal voltage of 48V (44V to 57V).
   - Can deliver up to 15.4W per port to connected devices.
   - Two types of PSE:
     - Endpoint PSE: A PoE-enabled switch that integrates power and data transmission.
     - Midspan PSE: A separate device placed between a standard switch and the powered device, used for retrofitting non-PoE networks.






Figure 2.20: Building of a PSE

2. **PD (Powered Device)**:
    - The device that receives power over the Ethernet cable (e.g., IP cameras, VoIP phones).
    - Must support both Alternative A and B for power delivery.
    - Consumes up to 12.95W to account for power loss in the cable.
    - Includes an auto-polarity circuit to prevent connection errors.

HOW POE WORKS ?

1. **Power Delivery Process**:
    - The PSE checks if a connected device is PoE-compatible by applying a small voltage and measuring resistance.
    - If the device responds with a 25kΩ resistance, the PSE supplies power.
    - The PSE classifies the device into one of four power classes (0 to 3) based on its power requirements.
2. **Power Classes**:
    - Class 0: 0.44W to 12.95W
    - Class 1: 0.44W to 3.84W
    - Class 2: 3.84W to 6.49W
    - Class 3: 6.49W to 12.95W

POE ALTERNATIVES

1. **Alternative A**:

- Power is transmitted over the same wires used for data (pins 1-2 and 3-6).
- Uses a center-tap transformer to separate power and data signals.
- Compatible with 10/100/1000Base-T networks.




Figure 2.22: PoE, alternative A

2. **Alternative B**:
   - Power is transmitted over unused wires in the Ethernet cable (pins 4-5 and 7-8).
   - Not compatible with 1000Base-T (Gigabit Ethernet) as all four pairs are required for data.
   - Often used in industrial Ethernet applications.




Figure 2.23: PoE, alternative B

CHAPTER 7
ADVANCED ETHERNET FEATURES

Ethernet has evolved far beyond its original design, incorporating advanced features to meet the demands of modern networks. These enhancements improve performance, reliability, and scalability, making Ethernet suitable for high-speed data centers, industrial automation, and real-time applications. Below, we explore some of the most significant advanced Ethernet features.

QUALITY OF SERVICE

WHAT IS QOS?


Quality of Service (QoS) is a feature that prioritizes network traffic to ensure critical data (e.g., voice, video) receives higher priority over less time-sensitive traffic (e.g., file downloads).

How It Works:

- Ethernet frames are tagged with priority levels (0 to 7) using the IEEE 802.1p standard.
- Network devices (switches, routers) use these tags to manage traffic flow, reducing latency and packet loss for high-priority applications.

Applications:

- VoIP (Voice over IP) calls.
- Video conferencing.
- Real-time industrial control systems.




2. VLANS (VIRTUAL LOCAL AREA NETWORKS)

WHAT IS VLAN?

VLANs allow a single physical network to be divided into multiple logical networks, improving security, efficiency, and manageability.

How It Works:


- Ethernet frames are tagged with a VLAN ID (IEEE 802.1Q standard).
- Devices in the same VLAN can communicate as if they are on a separate physical network, even if they are connected to the same switch.



Benefits:

- Improved Security: Isolates sensitive data.
- Reduced Congestion: Limits broadcast traffic to specific VLANs.
- Flexibility: Simplifies network reconfiguration without physical changes.

3. LINK AGGREGATION (IEEE 802.3AD)



WHAT IS LINK AGGREGATION?

Link Aggregation combines multiple Ethernet links into a single logical link to increase bandwidth and provide redundancy.

How It Works:

- Multiple physical ports are bundled into a Link Aggregation Group (LAG).
- Traffic is distributed across the links using load-balancing algorithms.

- If one link fails, traffic is automatically rerouted through the remaining links.

Benefits:

- Higher Bandwidth: Combines the capacity of multiple links.
- Fault Tolerance: Ensures network reliability.
- Cost-Effective: Utilizes existing infrastructure.

4. ENERGY-EFFICIENT ETHERNET

WHAT IS EEE?

Energy-Efficient Ethernet (EEE), defined by the IEEE 802.3az standard, reduces power consumption during periods of low network activity.

How It Works:

- Devices enter a low-power "sleep" mode when idle.
- They quickly wake up when data needs to be transmitted.
- Reduces energy usage by up to 50% without affecting performance.

Applications:

- Data centers with high energy costs.
- Environmentally conscious organizations.
- Networks with intermittent traffic.

Advanced Ethernet features like QoS, VLANs, Link Aggregation, EEE, PTP, PoE, Multi-Gigabit Ethernet, and SDN have transformed Ethernet into a versatile and future-proof networking technology. These features enable faster, more reliable, and energy-efficient networks, meeting the demands of modern applications in data centers, industrial automation, and beyond. As Ethernet continues to evolve, it remains the backbone of global connectivity.

CHAPTER 8
REAL-WORLD APPLICATIONS & CASE STUDIES

Ethernet is the backbone of modern networking, enabling seamless communication across industries. Below are some real-world applications and case studies that highlight its versatility and impact.

1. Data Centers

Application:

Ethernet powers data centers, connecting servers, storage systems, and networking equipment to support cloud computing, big data, and AI workloads.

Case Study:

- Google's Data Centers: Google uses 10GbE and 40GbE Ethernet to handle massive data traffic across its global data centers. Ethernet's scalability and reliability ensure uninterrupted services for billions of users.



2. Industrial Automation

Application:

Ethernet is widely used in industrial environments to connect programmable logic controllers (PLCs), sensors, and robots for real-time control and monitoring.

Case Study:

- Siemens' Smart Factory: Siemens uses Industrial Ethernet to automate its Amberg Electronics Plant. Ethernet enables real-time communication between machines, reducing production time by 50% and improving efficiency.



3. Healthcare

Application:

Ethernet connects medical devices, imaging systems, and electronic health records (EHRs) to improve patient care and streamline operations.

Case Study:

- Mayo Clinic: Mayo Clinic uses Gigabit Ethernet to support high-resolution medical imaging and telemedicine. This ensures fast and reliable access to critical patient data, enhancing diagnostic accuracy.




4. Smart Cities

Application:

Ethernet forms the foundation of smart city infrastructure, enabling connected traffic lights, surveillance cameras, and environmental sensors.

Case Study:

- Barcelona Smart City: Barcelona uses PoE (Power over Ethernet) to power and connect thousands of IoT devices, including streetlights and parking sensors. This has reduced energy consumption by 30% and improved urban mobility.



5. Telecommunications

Application:

Ethernet is used in telecom networks to deliver high-speed internet, voice, and video services to consumers and businesses.

Case Study:

- Verizon's 5G Network: Verizon uses Multi-Gigabit Ethernet to backhaul data from 5G cell towers. Ethernet's high bandwidth and low latency ensure seamless connectivity for millions of users.

6. Education Application:

Ethernet connects classrooms, libraries, and administrative offices, supporting online learning, video conferencing, and campus-wide communication.

Case Study:

- Stanford University: Stanford uses 10GbE Ethernet to support its research and education networks. This enables high-speed data transfer for collaborative projects and virtual classrooms.

From data centers to smart cities, Ethernet is the driving force behind modern connectivity. Its scalability, reliability, and versatility make it indispensable across industries, enabling innovation and improving efficiency in real-world applications.

CHAPTER 9
FUTURE OF ETHERNET

Ethernet has come a long way since its inception in the 1970s, evolving from a simple LAN technology to the backbone of global connectivity. As we look ahead, Ethernet continues to innovate, adapting to the demands of emerging technologies and applications. Here's what the future holds for Ethernet:

1. Higher Speeds: Terabit Ethernet

- What's Next: The industry is already working on 800GbE and 1.6TbE standards to support the exponential growth in data traffic.
- Why It Matters: These speeds will be essential for AI, machine learning, and big data applications, enabling faster processing and analysis of massive datasets.
- Impact: Data centers and cloud providers will benefit from reduced latency and increased bandwidth, ensuring seamless scalability.

2. Enhanced Power over Ethernet (PoE)

- What's Next: The IEEE 802.3bt standard (PoE++) delivers up to 90W of power, enabling more demanding devices like LED lighting, digital signage, and small appliances.
- Why It Matters: PoE simplifies installations and reduces costs by eliminating the need for separate power cables.
- Impact: Smart buildings and IoT ecosystems will become more efficient and easier to deploy.

3. Time-Sensitive Networking (TSN)

- What's Next: TSN extends Ethernet's capabilities to support real-time communication for industrial automation, autonomous vehicles, and 5G networks.
- Why It Matters: TSN ensures precise timing and synchronization, critical for applications like robotics and self-driving cars.
- Impact: Industries will achieve higher levels of automation and efficiency, reducing downtime and improving productivity.

4. Energy Efficiency

- What's Next: Advances in Energy-Efficient Ethernet (EEE) and low-power hardware will further reduce energy consumption in networks.
- Why It Matters: As data centers and networks grow, energy efficiency becomes crucial for sustainability and cost savings.
- Impact: Organizations will reduce their carbon footprint while maintaining high performance.

5. Integration with 5G and IoT

- What's Next: Ethernet will play a key role in 5G backhaul and IoT connectivity, providing the high bandwidth and low latency required for these technologies.
- Why It Matters: 5G and IoT rely on robust, scalable networks to support billions of connected devices.
- Impact: Smart cities, autonomous vehicles, and industrial IoT will thrive with Ethernet as their foundation.



6. Software-Defined Networking (SDN)

- What's Next: SDN will continue to transform Ethernet networks, enabling centralized control, automation, and dynamic resource allocation.
- Why It Matters: SDN simplifies network management and improves agility, allowing organizations to adapt quickly to changing demands.
- Impact: Enterprises will achieve greater flexibility and cost efficiency in their network operations.

The future of Ethernet is bright, with innovations in speed, power delivery, real-time communication, energy efficiency, and integration with emerging technologies. As Ethernet continues to evolve, it will remain the cornerstone of global connectivity, enabling the next generation of digital transformation.

