EXCEL MASTER INDEX

Basic to Advanced | English & Roman Hindi

EXCEL COMPLETE BASIC FORMULAS

SUM, AVERAGE, COUNT, MAX, MIN & Essential Math Functions | Bilingual Guide

Created & Developed by

UTKARSH BAJPAI

utkarshbajpai068@gmail.com

Premium Bilingual Resource | For Students, MIS Executives, Data Analysts & Office Professionals

TABLE OF CONTENTS

1. SUM
2. AVERAGE
3. COUNT
4. COUNTA
5. COUNTBLANK
6. MAX
7. MIN
8. PRODUCT
9. ROUND
10. ROUNDUP
11. ROUNDDOWN
12. ABS
13. INT
14. MOD
15. POWER
16. SQRT

UTKARSH BAJPAI

CHAPTER 1: SUM

PURPOSE - ENGLISH

Adds all the numeric values in the given range or list.

PURPOSE - ROMAN HINDI

Saare numberon ko jodke total nikaalne ke liye ye formula use hota hai.

SYNTAX

```
=SUM(number1, [number2], ...)
```

SYNTAX EXPLANATION

The SUM function adds every numeric value in the specified range.

Roman Hindi: Ye function range ke saare number add karta hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 5, 10, 15, 20, 25

ACTUAL FORMULA

```
=SUM(A1:A5)
```

EXPECTED OUTPUT

75

STEP-BY-STEP - ENGLISH

- Select the cells or type the range.
- Type =SUM(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Cell ya range select karo.
- Yeh likhna: =SUM(A1:A5)
- Enter dabao.

REAL OFFICE EXAMPLE

Used by sales teams to calculate total sales.

Roman Hindi: Sales team apne total sales nikalne ke liye use karti hai.

COMMON MISTAKES

- Forgetting the = sign.
- Including text numbers.

IMPORTANT TIPS

UTKARSH BAJPAI

- Use AutoSum for a quick total.
- You can add individual cells.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 2: AVERAGE

PURPOSE - ENGLISH

Calculates the average of the numeric values.

PURPOSE - ROMAN HINDI

Saare numberon ki avg nikalne ke liye ye use hota hai.

SYNTAX

```
=AVERAGE(number1, [number2], ...)
```

SYNTAX EXPLANATION

The AVERAGE function returns the arithmetic mean of numbers.

Roman Hindi: AVERAGE function numberon ka average nikaalta hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 5, 10, 15, 20, 25

ACTUAL FORMULA

```
=AVERAGE(A1:A5)
```

EXPECTED OUTPUT

15

STEP-BY-STEP - ENGLISH

- Select the range.
- Type =AVERAGE(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Select karo range.
- =AVERAGE(A1:A5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to find average sales or average order value.

UTKARSH BAJPAI

Roman Hindi: Average sales ya average order value nikalne ke liye use hota hai.

COMMON MISTAKES

- Dividing manually by wrong count.
- Using text values.

IMPORTANT TIPS

- Ignores text and empty cells.
- Can use named ranges.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 3: COUNT

PURPOSE - ENGLISH

Counts the cells that contain numbers.

PURPOSE - ROMAN HINDI

Sirf woh cells ki ginti karta hai jo numbers contain karte hain.

SYNTAX

```
=COUNT(number1, [number2], ...)
```

SYNTAX EXPLANATION

COUNT counts only numeric cells in the range.

Roman Hindi: COUNT sirf numeric cells ko count karta hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 5, 10, 15, 20, 25

ACTUAL FORMULA

```
=COUNT(A1:A5)
```

EXPECTED OUTPUT

5

STEP-BY-STEP - ENGLISH

- Select the range.
- Type =COUNT(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

UTKARSH BAJPAI

- Range select karo.
- =COUNT(A1:A5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to know how many records have numeric data.

Roman Hindi: Pata karna ke kitne records me number hain.

COMMON MISTAKES

- Counting text cells.

IMPORTANT TIPS

- Use COUNTA to count text cells too.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 4: COUNTA

PURPOSE - ENGLISH

Counts all non-empty cells.

PURPOSE - ROMAN HINDI

Saare non-empty cells ki ginti karta hai.

SYNTAX

```
=COUNTA(value1, [value2], ...)
```

SYNTAX EXPLANATION

COUNTA counts cells that are not empty.

Roman Hindi: COUNTA empty nahi hue cells ko count karta hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 5, 10, 15, 20, 25

ACTUAL FORMULA

```
=COUNTA(A1:A5)
```

EXPECTED OUTPUT

5

STEP-BY-STEP - ENGLISH

- Select the range.

UTKARSH BAJPAI

- Type =COUNTA(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Range select karo.
- =COUNTA(A1:A5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to count filled records in a report.

Roman Hindi: Report me bharni records ki ginti karne ke liye use hota hai.

COMMON MISTAKES

- Expecting numbers only.

IMPORTANT TIPS

- Good for counting IDs or names.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 5: COUNTBLANK

PURPOSE - ENGLISH

Counts empty cells in a range.

PURPOSE - ROMAN HINDI

Range me khali cells count karta hai.

SYNTAX

```
=COUNTBLANK(range)
```

SYNTAX EXPLANATION

Only truly blank cells are counted; cells containing a space are not blank.

Roman Hindi: Sirf sach me khali cells count hote hain; space wali cells blank nahi maani jati.

SAMPLE DATASET

Cells: A1:A5 | Values: 10, (blank), ABC, (blank), (blank)

ACTUAL FORMULA

```
=COUNTBLANK(A1:A5)
```

EXPECTED OUTPUT

UTKARSH BAJPAI

3

STEP-BY-STEP - ENGLISH

- Select the result cell.
- Type =COUNTBLANK(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Result cell select karo.
- =COUNTBLANK(A1:A5) likho.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to track missing data in attendance, stock and MIS registers.

Roman Hindi: Attendance, stock aur MIS register me missing data track karne ke liye use hota hai.

COMMON MISTAKES

- Assuming cells with a space are blank.
- Counting a range of different sheets at once.

IMPORTANT TIPS

- Combine with COUNTBLANK for data-quality dashboards.
- Use TRIM to catch space-only cells.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 6: MAX

PURPOSE - ENGLISH

Returns the largest number in the list.

PURPOSE - ROMAN HINDI

List me sabse bada number nikalta hai.

SYNTAX

```
=MAX(number1, [number2], ...)
```

SYNTAX EXPLANATION

MAX picks the highest value.

Roman Hindi: MAX sabse bade value ko chuna hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 5, 10, 15, 20, 25

UTKARSH BAJPAI

ACTUAL FORMULA

```
=MAX(A1:A5)
```

EXPECTED OUTPUT

25

STEP-BY-STEP - ENGLISH

- Select range.
- Type =MAX(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Range select karo.
- =MAX(A1:A5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for top sales value.

Roman Hindi: Sabse badi sales ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for highest value checks.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 7: MIN

PURPOSE - ENGLISH

Returns the smallest number in the list.

PURPOSE - ROMAN HINDI

List me sabse chada number nikalta hai.

SYNTAX

```
=MIN(number1, [number2], ...)
```

SYNTAX EXPLANATION

MIN picks the lowest value.

UTKARSH BAJPAI

Roman Hindi: MIN sabse kam value ko chuna hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 5, 10, 15, 20, 25

ACTUAL FORMULA

```
=MIN(A1:A5)
```

EXPECTED OUTPUT

5

STEP-BY-STEP - ENGLISH

- Select range.
- Type =MIN(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Range select karo.
- =MIN(A1:A5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for lowest cost analysis.

Roman Hindi: Sabse kam cost analysis ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for minimum checks.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI

CHAPTER 8: PRODUCT

PURPOSE - ENGLISH

Returns the product of numbers.

PURPOSE - ROMAN HINDI

Numbers ka product nikalta hai.

SYNTAX

```
=PRODUCT(number1, [number2], ...)
```

SYNTAX EXPLANATION

PRODUCT multiplies all numbers.

Roman Hindi: PRODUCT sab numbers ko multiply karta hai.

SAMPLE DATASET

Cells: A1:A5 | Values: 2, 3, 4, 5, 6

ACTUAL FORMULA

```
=PRODUCT(A1:A5)
```

EXPECTED OUTPUT

720

STEP-BY-STEP - ENGLISH

- Select range.
- Type =PRODUCT(A1:A5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Range select karo.
- =PRODUCT(A1:A5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for quantity x rate totals.

Roman Hindi: Quantity x rate totals ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for unit economics.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 9: ROUND

PURPOSE - ENGLISH

Rounds a number to a digit.

PURPOSE - ROMAN HINDI

Number ko digit ke mutabik round karta hai.

UTKARSH BAJPAI

SYNTAX

```
=ROUND(number, digits)
```

SYNTAX EXPLANATION

ROUND rounds to specified digits.

Roman Hindi: ROUND specified digits par round karta hai.

SAMPLE DATASET

Cells: A1 | Values: 3.76

ACTUAL FORMULA

```
=ROUND(A1, 1)
```

EXPECTED OUTPUT

3.8

STEP-BY-STEP - ENGLISH

- Add number and digits.
- Type =ROUND(A1, 1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number aur digits dein.
- =ROUND(A1, 1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for reports rounding.

Roman Hindi: Reports ke rounding ke liye use hota hai.

COMMON MISTAKES

- Digits wrong.

IMPORTANT TIPS

- Use ROUNDUP or ROUNDDOWN to force.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 10: ROUNDUP

PURPOSE - ENGLISH

UTKARSH BAJPAI

Rounds up to a digit.

PURPOSE - ROMAN HINDI

Number ko up round karta hai.

SYNTAX

```
=ROUNDUP(number, digits)
```

SYNTAX EXPLANATION

ROUNDUP always rounds up.

Roman Hindi: ROUNDUP hamesha up round karta hai.

SAMPLE DATASET

Cells: A1 | Values: 3.2

ACTUAL FORMULA

```
=ROUNDUP(A1, 0)
```

EXPECTED OUTPUT

4

STEP-BY-STEP - ENGLISH

- Add number and digits.
- Type =ROUNDUP(A1, 0).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number aur digits dein.
- =ROUNDUP(A1, 0) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for packaging counts.

Roman Hindi: Packaging counts ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Use ROUNDDOWN to round down.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI

CHAPTER 11: ROUNDDOWN

PURPOSE - ENGLISH

Rounds down to a digit.

PURPOSE - ROMAN HINDI

Number ko down round karta hai.

SYNTAX

```
=ROUNDDOWN(number, digits)
```

SYNTAX EXPLANATION

ROUNDDOWN always rounds down.

Roman Hindi: ROUNDDOWN hamesha down round karta hai.

SAMPLE DATASET

Cells: A1 | Values: 3.9

ACTUAL FORMULA

```
=ROUNDDOWN(A1, 0)
```

EXPECTED OUTPUT

3

STEP-BY-STEP - ENGLISH

- Add number and digits.
- Type =ROUNDDOWN(A1, 0).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number aur digits dein.
- =ROUNDDOWN(A1, 0) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for floor based counts.

Roman Hindi: Floor based counts ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Use ROUNDUP to round up.

UTKARSH BAJPAI

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 12: ABS

PURPOSE - ENGLISH

Returns absolute value.

PURPOSE - ROMAN HINDI

Absolute value nikalta hai.

SYNTAX

```
=ABS(number)
```

SYNTAX EXPLANATION

ABS removes sign.

Roman Hindi: ABS sign hatata hai.

SAMPLE DATASET

Cells: A1 | Values: -25

ACTUAL FORMULA

```
=ABS(A1)
```

EXPECTED OUTPUT

25

STEP-BY-STEP - ENGLISH

- Pass the number.
- Type =ABS(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number dein.
- =ABS(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for distance or magnitude.

Roman Hindi: Distance ya magnitude ke liye use hota hai.

UTKARSH BAJPAI

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for absolute calculations.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 13: INT

PURPOSE - ENGLISH

Returns integer part of a number.

PURPOSE - ROMAN HINDI

Number ki integer part nikalta hai.

SYNTAX

```
=INT(number)
```

SYNTAX EXPLANATION

INT truncates decimals.

Roman Hindi: INT decimals ko katon deta hai.

SAMPLE DATASET

Cells: A1 | Values: 3.99

ACTUAL FORMULA

```
=INT(A1)
```

EXPECTED OUTPUT

3

STEP-BY-STEP - ENGLISH

- Pass the number.
- Type =INT(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number dein.
- =INT(A1) likhna.
- Enter dabao.

UTKARSH BAJPAI

REAL OFFICE EXAMPLE

Used for whole units.

Roman Hindi: Poora units ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for age or quantity.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 14: MOD

PURPOSE - ENGLISH

Returns remainder after division.

PURPOSE - ROMAN HINDI

Division ke baad ka remainder nikalta hai.

SYNTAX

```
=MOD(number, divisor)
```

SYNTAX EXPLANATION

MOD gives the remainder.

Roman Hindi: MOD remainder deta hai.

SAMPLE DATASET

Cells: A1 | Values: 10

ACTUAL FORMULA

```
=MOD(A1, 3)
```

EXPECTED OUTPUT

1

STEP-BY-STEP - ENGLISH

- Add number and divisor.
- Type =MOD(A1, 3).
- Press Enter.

UTKARSH BAJPAI

STEP-BY-STEP - ROMAN HINDI

- Number aur divisor dein.
- =MOD(A1, 3) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for cycles or remainders.

Roman Hindi: Cycles ya remainders ke liye use hota hai.

COMMON MISTAKES

- Divisor cannot be zero.

IMPORTANT TIPS

- Good for monthly patterns.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 15: POWER

PURPOSE - ENGLISH

Returns number to a power.

PURPOSE - ROMAN HINDI

Number ko power me badhata hai.

SYNTAX

```
=POWER(base, exponent)
```

SYNTAX EXPLANATION

POWER raises base to exponent.

Roman Hindi: POWER base ko exponent me badhata hai.

SAMPLE DATASET

Cells: A1 | Values: 2

ACTUAL FORMULA

```
=POWER(A1, 10)
```

EXPECTED OUTPUT

1024

UTKARSH BAJPAI

STEP-BY-STEP - ENGLISH

- Add base and exponent.
- Type =POWER(A1, 10).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Base aur exponent dein.
- =POWER(A1, 10) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for growth calculations.

Roman Hindi: Growth calculations ke liye use hota hai.

COMMON MISTAKES

- Exponent must be number.

IMPORTANT TIPS

- Use for exponential math.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 16: SQRT

PURPOSE - ENGLISH

Returns the square root.

PURPOSE - ROMAN HINDI

Square root nikalta hai.

SYNTAX

```
=SQRT(number)
```

SYNTAX EXPLANATION

SQRT returns the square root.

Roman Hindi: SQRT square root deta hai.

SAMPLE DATASET

Cells: A1 | Values: 81

ACTUAL FORMULA

```
=SQRT(A1)
```

UTKARSH BAJPAI

EXPECTED OUTPUT

9

STEP-BY-STEP - ENGLISH

- Pass the number.
- Type =SQRT(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number dein.
- =SQRT(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for variance or growth.

Roman Hindi: Variance ya growth ke liye use hota hai.

COMMON MISTAKES

- Number must be positive.

IMPORTANT TIPS

- Good for statistical checks.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI