EXCEL MASTER INDEX

Basic to Advanced | English & Roman Hindi

EXCEL LOGICAL FORMULAS

IF, IFS, AND, OR, NOT, XOR, IFERROR, IFNA, SWITCH, TRUE, FALSE | Bilingual Guide

Created & Developed by

UTKARSH BAJPAI

utkarshbajpai068@gmail.com

Premium Bilingual Resource | For Students, MIS Executives, Data Analysts & Office Professionals

TABLE OF CONTENTS

1. IF
2. IFS
3. AND
4. OR
5. NOT
6. XOR
7. IFERROR
8. IFNA
9. SWITCH
10. TRUE
11. FALSE

UTKARSH BAJPAI

CHAPTER 1: IF

PURPOSE - ENGLISH

Checks a condition and returns one value.

PURPOSE - ROMAN HINDI

Condition check karta hai aur ek value deta hai.

SYNTAX

```
=IF(condition, value_if_true, value_if_false)
```

SYNTAX EXPLANATION

IF makes decisions.

Roman Hindi: IF decision banata hai.

SAMPLE DATASET

Cells: A1 | Values: 15

ACTUAL FORMULA

```
=IF(A1>10, "High", "Low")
```

EXPECTED OUTPUT

"High"

STEP-BY-STEP - ENGLISH

- Add condition, true and false values.
- Use =IF(A1>10, "High", "Low").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Condition, true aur false values dein.
- =IF(A1>10, "High", "Low") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for simple business rules.

Roman Hindi: Simple business rules ke liye use hota hai.

COMMON MISTAKES

- Wrong condition logic.

IMPORTANT TIPS

- Nest IF for multiple conditions.

UTKARSH BAJPAI

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 2: IFS

PURPOSE - ENGLISH

Checks many conditions and returns one value.

PURPOSE - ROMAN HINDI

Kai conditions check karta hai aur ek value deta hai.

SYNTAX

```
=IFS(condition1, value1, condition2, value2, ...)
```

SYNTAX EXPLANATION

IFS handles multiple conditions.

Roman Hindi: IFS multiple conditions handle karta hai.

SAMPLE DATASET

Cells: A1 | Values: 85

ACTUAL FORMULA

```
=IFS(A1>90, "A", A1>75, "B", TRUE, "C")
```

EXPECTED OUTPUT

"B"

STEP-BY-STEP - ENGLISH

- Add condition value pairs.
- Use =IFS(A1>90, "A", A1>75, "B", TRUE, "C").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Condition value pairs dein.
- =IFS(A1>90, "A", A1>75, "B", TRUE, "C") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for tier based grading.

Roman Hindi: Tier based grading ke liye use hota hai.

UTKARSH BAJPAI

COMMON MISTAKES

- Last TRUE acts as default.

IMPORTANT TIPS

- Great for dashboards.

EXCEL VERSION COMPATIBILITY

Microsoft 365 / Excel 2019 (Microsoft 365 / newer version only)

CHAPTER 3: AND

PURPOSE - ENGLISH

Checks if all conditions are TRUE.

PURPOSE - ROMAN HINDI

Check karta hai ki saare conditions sahi hain.

SYNTAX

```
=AND(condition1, [condition2], ...)
```

SYNTAX EXPLANATION

AND returns TRUE only if all are TRUE.

Roman Hindi: AND sirf saare TRUE honge tohi TRUE deta hai.

SAMPLE DATASET

Cells: A1:B1 | Values: 10, 20

ACTUAL FORMULA

```
=AND(A1>5, B1>10)
```

EXPECTED OUTPUT

TRUE

STEP-BY-STEP - ENGLISH

- Add conditions.
- Use =AND(A1>5, B1>10).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Conditions dein.
- =AND(A1>5, B1>10) likhna.
- Enter dabao.

UTKARSH BAJPAI

REAL OFFICE EXAMPLE

Used for approval checks.

Roman Hindi: Approval checks ke liye use hota hai.

COMMON MISTAKES

- None major.

IMPORTANT TIPS

- Good for combined rules.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 4: OR

PURPOSE - ENGLISH

Checks if any condition is TRUE.

PURPOSE - ROMAN HINDI

Check karta hai ki koi bhi condition sahi hai.

SYNTAX

```
=OR(condition1, [condition2], ...)
```

SYNTAX EXPLANATION

OR returns TRUE if any is TRUE.

Roman Hindi: OR kisi ek TRUE ho toh TRUE deta hai.

SAMPLE DATASET

Cells: A1:B1 | Values: 10, 5

ACTUAL FORMULA

```
=OR(A1>5, B1>10)
```

EXPECTED OUTPUT

TRUE

STEP-BY-STEP - ENGLISH

- Add conditions.
- Use =OR(A1>5, B1>10).
- Press Enter.

UTKARSH BAJPAI

STEP-BY-STEP - ROMAN HINDI

- Conditions dein.
- =OR(A1>5, B1>10) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for eligibility checks.

Roman Hindi: Eligibility checks ke liye use hota hai.

COMMON MISTAKES

- None major.

IMPORTANT TIPS

- Good for alternatives.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 5: NOT

PURPOSE - ENGLISH

Inverts a logical value.

PURPOSE - ROMAN HINDI

Logical value ko ulta karta hai.

SYNTAX

```
=NOT(condition)
```

SYNTAX EXPLANATION

NOT flips TRUE and FALSE.

Roman Hindi: NOT TRUE ko FALSE aur FALSE ko TRUE banata hai.

SAMPLE DATASET

Cells: A1 | Values: False

ACTUAL FORMULA

```
=NOT(A1)
```

EXPECTED OUTPUT

TRUE

UTKARSH BAJPAI

STEP-BY-STEP - ENGLISH

- Pass the condition.
- Type =NOT(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Condition dein.
- =NOT(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for exclusion rules.

Roman Hindi: Exclusion rules ke liye use hota hai.

COMMON MISTAKES

- Only works on logical values.

IMPORTANT TIPS

- Good for negations.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 6: XOR

PURPOSE - ENGLISH

Returns TRUE if odd number of conditions are TRUE.

PURPOSE - ROMAN HINDI

Odd number of conditions TRUE hote hain toh TRUE deta hai.

SYNTAX

```
=XOR(condition1, [condition2], ...)
```

SYNTAX EXPLANATION

XOR returns exclusive OR.

Roman Hindi: XOR exclusive OR deta hai.

SAMPLE DATASET

Cells: A1 | Values: True

ACTUAL FORMULA

```
=XOR(TRUE, TRUE)
```

UTKARSH BAJPAI

EXPECTED OUTPUT

FALSE

STEP-BY-STEP - ENGLISH

- Add conditions.
- Use =XOR(TRUE, TRUE).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Conditions dein.
- =XOR(TRUE, TRUE) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for exclusive choices.

Roman Hindi: Exclusive choices ke liye use hota hai.

COMMON MISTAKES

- Not for simple OR.

IMPORTANT TIPS

- Advanced logical use.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 7: IFERROR

PURPOSE - ENGLISH

Returns a fallback value if error occurs.

PURPOSE - ROMAN HINDI

Error aane par fallback value deta hai.

SYNTAX

```
=IFERROR(value, value_if_error)
```

SYNTAX EXPLANATION

IFERROR catches errors.

Roman Hindi: IFERROR errors ko pakda karta hai.

SAMPLE DATASET

Cells: A1 | Values: =1/0

UTKARSH BAJPAI

ACTUAL FORMULA

```
=IFERROR(5/0, 100)
```

EXPECTED OUTPUT

100

STEP-BY-STEP - ENGLISH

- Add value and fallback.
- Use =IFERROR(5/0, 100).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Value aur fallback dein.
- =IFERROR(5/0, 100) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to hide errors in reports.

Roman Hindi: Reports me errors chhupane ke liye use hota hai.

COMMON MISTAKES

- Catching too broadly.

IMPORTANT TIPS

- Great for clean reports.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 8: IFNA

PURPOSE - ENGLISH

Returns fallback for #N/A errors.

PURPOSE - ROMAN HINDI

#N/A error par fallback deta hai.

SYNTAX

```
=IFNA(value, value_if_na)
```

SYNTAX EXPLANATION

IFNA handles #N/A only.

UTKARSH BAJPAI

Roman Hindi: IFNA sirf #N/A handle karta hai.

SAMPLE DATASET

Cells: A1 | Values: #N/A

ACTUAL FORMULA

```
=IFNA(LOOKUP(1, 1/0, 2), "Not Found")
```

EXPECTED OUTPUT

"Not Found"

STEP-BY-STEP - ENGLISH

- Add value and NA fallback.
- Use =IFNA(...).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Value aur NA fallback dein.
- =IFNA(...) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for lookup fallbacks.

Roman Hindi: Lookup fallbacks ke liye use hota hai.

COMMON MISTAKES

- Requires Microsoft 365 or Excel 2019.

IMPORTANT TIPS

- Good for clean VLOOKUPs.

EXCEL VERSION COMPATIBILITY

Microsoft 365 / Excel 2019 (Microsoft 365 / newer version only)

CHAPTER 9: SWITCH

PURPOSE - ENGLISH

Compares a value against a list of values.

PURPOSE - ROMAN HINDI

Koi value list ke mutabik compare karta hai.

SYNTAX

```
=SWITCH(value, compare1, result1, [compare2, result2], ...)
```

UTKARSH BAJPAI

SYNTAX EXPLANATION

SWITCH evaluates many cases.

Roman Hindi: SWITCH kai cases evaluate karta hai.

SAMPLE DATASET

Cells: A1 | Values: 2

ACTUAL FORMULA

```
=SWITCH(A1, 1, "One", 2, "Two", 3, "Three")
```

EXPECTED OUTPUT

"Two"

STEP-BY-STEP - ENGLISH

- Add value and compare result pairs.
- Use =SWITCH(A1, 1, "One", 2, "Two").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Value aur compare result pairs dein.
- =SWITCH(A1, 1, "One", 2, "Two") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for case handling.

Roman Hindi: Case handling ke liye use hota hai.

COMMON MISTAKES

- Requires Microsoft 365 or Excel 2016.

IMPORTANT TIPS

- Good for status mapping.

EXCEL VERSION COMPATIBILITY

Microsoft 365 / Excel 2016 (Microsoft 365 / newer version only)

CHAPTER 10: TRUE

PURPOSE - ENGLISH

Returns the logical value TRUE.

PURPOSE - ROMAN HINDI

Logical value TRUE deta hai.

UTKARSH BAJPAI

SYNTAX

```
=TRUE()
```

SYNTAX EXPLANATION

TRUE returns TRUE constant.

Roman Hindi: TRUE TRUE constant deta hai.

SAMPLE DATASET

Cells: A1 | Values: TRUE

ACTUAL FORMULA

```
=TRUE()
```

EXPECTED OUTPUT

TRUE

STEP-BY-STEP - ENGLISH

- Use =TRUE().
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- =TRUE() use karo.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for flags.

Roman Hindi: Flags ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for flags.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 11: FALSE

PURPOSE - ENGLISH

Returns the logical value FALSE.

UTKARSH BAJPAI

PURPOSE - ROMAN HINDI

Logical value FALSE deta hai.

SYNTAX

```
=FALSE()
```

SYNTAX EXPLANATION

FALSE returns FALSE constant.

Roman Hindi: FALSE FALSE constant deta hai.

SAMPLE DATASET

Cells: A1 | Values: FALSE

ACTUAL FORMULA

```
=FALSE()
```

EXPECTED OUTPUT

FALSE

STEP-BY-STEP - ENGLISH

- Use =FALSE().
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- =FALSE() use karo.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for flags.

Roman Hindi: Flags ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Good for flags.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI