EXCEL MASTER INDEX

Basic to Advanced | English & Roman Hindi

EXCEL DATE AND TIME FORMULAS

TODAY, NOW, DATE, TIME, DATEDIF, EDATE, EOMONTH, NETWORKDAYS, WORKDAY, YEARFRAC | Bilingual Guide

Created & Developed by

UTKARSH BAJPAI

utkarshbajpai068@gmail.com

Premium Bilingual Resource | For Students, MIS Executives, Data Analysts & Office Professionals

TABLE OF CONTENTS

1. TODAY
2. NOW
3. DATE
4. TIME
5. DAY
6. MONTH
7. YEAR
8. HOUR
9. MINUTE
10. SECOND
11. DATEDIF
12. DAYS
13. EDATE
14. EOMONTH
15. NETWORKDAYS
16. WORKDAY
17. WEEKDAY
18. WEEKNUM
19. YEARFRAC

UTKARSH BAJPAI

CHAPTER 1: TODAY

PURPOSE - ENGLISH

Returns the current date.

PURPOSE - ROMAN HINDI

Current date return karta hai.

SYNTAX

```
=TODAY()
```

SYNTAX EXPLANATION

TODAY gives today's date.

Roman Hindi: TODAY aaj ki date deta hai.

SAMPLE DATASET

Cells: A1 | Values: 2026-11-02

ACTUAL FORMULA

```
=TODAY()
```

EXPECTED OUTPUT

2026-11-02

STEP-BY-STEP - ENGLISH

- No arguments needed.
- Use =TODAY().
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Koi argument nahi.
- =TODAY() likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to build dynamic report dates.

Roman Hindi: Dynamic report dates banane ke liye use hota hai.

COMMON MISTAKES

- Nothing to forget.

IMPORTANT TIPS

- It updates automatically.

UTKARSH BAJPAI

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 2: NOW

PURPOSE - ENGLISH

Returns current date and time.

PURPOSE - ROMAN HINDI

Current date aur time return karta hai.

SYNTAX

```
=NOW()
```

SYNTAX EXPLANATION

NOW returns current date and time.

Roman Hindi: NOW aaj ki date aur time deta hai.

SAMPLE DATASET

Cells: A1 | Values: 2026-11-02 05:13

ACTUAL FORMULA

```
=NOW()
```

EXPECTED OUTPUT

2026-11-02 05:13

STEP-BY-STEP - ENGLISH

- No arguments needed.
- Use =NOW().
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Koi argument nahi.
- =NOW() likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for time stamp entries.

Roman Hindi: Time stamp entries ke liye use hota hai.

UTKARSH BAJPAI

COMMON MISTAKES

- Nothing to forget.

IMPORTANT TIPS

- It updates automatically.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 3: DATE

PURPOSE - ENGLISH

Creates a date from year, month and day.

PURPOSE - ROMAN HINDI

Year, month aur day se date banata hai.

SYNTAX

```
=DATE(year, month, day)
```

SYNTAX EXPLANATION

DATE builds a date value.

Roman Hindi: DATE date banata hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-01

ACTUAL FORMULA

```
=DATE(2020, 1, 1)
```

EXPECTED OUTPUT

43831

STEP-BY-STEP - ENGLISH

- Enter year, month and day.
- Use =DATE(2020, 1, 1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Year, month aur day dein.
- =DATE(2020, 1, 1) likhna.
- Enter dabao.

UTKARSH BAJPAI

REAL OFFICE EXAMPLE

Used to schedule follow-up dates.

Roman Hindi: Follow up dates plan karne ke liye use hota hai.

COMMON MISTAKES

- Month number is 1-12.

IMPORTANT TIPS

- Day zero rolls back to previous month.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 4: TIME

UTKARSH BAJPAI

PURPOSE - ENGLISH

Creates a time from hour, minute and second.

PURPOSE - ROMAN HINDI

Hour, minute aur second se time banata hai.

SYNTAX

```
=TIME(hour, minute, second)
```

SYNTAX EXPLANATION

TIME builds a fraction of a day.

Roman Hindi: TIME din ka fraction banata hai.

SAMPLE DATASET

Cells: A1 | Values: 14:30:00

ACTUAL FORMULA

```
=TIME(14, 30, 0)
```

EXPECTED OUTPUT

0.604167

STEP-BY-STEP - ENGLISH

- Enter hour, minute and second.
- Use =TIME(14, 30, 0).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Hour, minute aur second dein.
- =TIME(14, 30, 0) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to schedule shifts.

Roman Hindi: Shifts schedule karte waqt use hota hai.

COMMON MISTAKES

- Hour range is 0-23.

IMPORTANT TIPS

- Seconds optional.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 5: DAY

PURPOSE - ENGLISH

Returns the day of a date.

PURPOSE - ROMAN HINDI

Date ki day nikalta hai.

SYNTAX

```
=DAY(date_value)
```

SYNTAX EXPLANATION

DAY extracts day from a date.

Roman Hindi: DAY date se day nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-15

ACTUAL FORMULA

```
=DAY(A1)
```

EXPECTED OUTPUT

15

UTKARSH BAJPAI

STEP-BY-STEP - ENGLISH

- Pass the date.
- Use =DAY(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Date pass karo.
- =DAY(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to filter orders by day.

Roman Hindi: Orders ke day ke mutabik filter karne ke liye use hota hai.

COMMON MISTAKES

- Date must be valid.

IMPORTANT TIPS

- Combine with MONTH and YEAR for full date parts.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 6: MONTH

PURPOSE - ENGLISH

Returns the month number of a date.

PURPOSE - ROMAN HINDI

Date ki month number nikalta hai.

SYNTAX

```
=MONTH(date_value)
```

SYNTAX EXPLANATION

MONTH extracts month from a date.

Roman Hindi: MONTH date se month nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-15

ACTUAL FORMULA

```
=MONTH(A1)
```

UTKARSH BAJPAI

EXPECTED OUTPUT

1

STEP-BY-STEP - ENGLISH

- Pass the date.
- Use =MONTH(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Date pass karo.
- =MONTH(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to group sales by month.

Roman Hindi: Sales ko month ke mutabik group karne ke liye use hota hai.

COMMON MISTAKES

- Returns 1-12.

IMPORTANT TIPS

- Combine with YEAR for year-month.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 7: YEAR

PURPOSE - ENGLISH

Returns the year of a date.

PURPOSE - ROMAN HINDI

Date ki year nikalta hai.

SYNTAX

```
=YEAR(date_value)
```

SYNTAX EXPLANATION

YEAR extracts year from a date.

Roman Hindi: YEAR date se year nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-15

UTKARSH BAJPAI

ACTUAL FORMULA

```
=YEAR(A1)
```

EXPECTED OUTPUT

2020

STEP-BY-STEP - ENGLISH

- Pass the date.
- Use =YEAR(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Date pass karo.
- =YEAR(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for annual reports.

Roman Hindi: Annual reports ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Combine with MONTH for full dates.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 8: HOUR

PURPOSE - ENGLISH

Returns the hour of a time.

PURPOSE - ROMAN HINDI

Time ki hour nikalti hai.

SYNTAX

```
=HOUR(time_value)
```

SYNTAX EXPLANATION

HOUR extracts hour from a time.

UTKARSH BAJPAI

Roman Hindi: HOUR time se hour nikalti hai.

SAMPLE DATASET

Cells: A1 | Values: 14:30:00

ACTUAL FORMULA

```
=HOUR(A1)
```

EXPECTED OUTPUT

14

STEP-BY-STEP - ENGLISH

- Pass the time.
- Use =HOUR(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Time pass karo.
- =HOUR(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to check shift start times.

Roman Hindi: Shift start time check karne ke liye use hota hai.

COMMON MISTAKES

- Time must be valid.

IMPORTANT TIPS

- Combine with MINUTE and SECOND.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 9: MINUTE

PURPOSE - ENGLISH

Returns the minute of a time.

PURPOSE - ROMAN HINDI

Time ki minute nikalti hai.

SYNTAX

```
=MINUTE(time_value)
```

UTKARSH BAJPAI

SYNTAX EXPLANATION

MINUTE extracts minute from a time.

Roman Hindi: MINUTE time se minute nikalti hai.

SAMPLE DATASET

Cells: A1 | Values: 14:30:00

ACTUAL FORMULA

```
=MINUTE(A1)
```

EXPECTED OUTPUT

30

STEP-BY-STEP - ENGLISH

- Pass the time.
- Use =MINUTE(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Time pass karo.
- =MINUTE(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to log punch-in times.

Roman Hindi: Punch in time log karte waqt use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Combine with HOUR for full time.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 10: SECOND

PURPOSE - ENGLISH

Returns the second of a time.

PURPOSE - ROMAN HINDI

Time ki second nikalti hai.

UTKARSH BAJPAI

SYNTAX

```
=SECOND(time_value)
```

SYNTAX EXPLANATION

SECOND extracts second from a time.

Roman Hindi: SECOND time se second nikalti hai.

SAMPLE DATASET

Cells: A1 | Values: 14:30:00

ACTUAL FORMULA

```
=SECOND(A1)
```

EXPECTED OUTPUT

0

STEP-BY-STEP - ENGLISH

- Pass the time.
- Use =SECOND(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Time pass karo.
- =SECOND(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for precise time tracking.

Roman Hindi: Precise time tracking ke liye use hota hai.

COMMON MISTAKES

- None.

IMPORTANT TIPS

- Useful for overtime seconds.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 11: DATEDIF

PURPOSE - ENGLISH

UTKARSH BAJPAI

Returns the difference between two dates in years, months or days.

PURPOSE - ROMAN HINDI

Do dates ke beech antardhan ko years, months ya days me deta hai.

SYNTAX

```
=DATEDIF(start_date, end_date, unit)
```

SYNTAX EXPLANATION

DATEDIF calculates date difference.

Roman Hindi: DATEDIF dates ka antardhan nikaalta hai.

SAMPLE DATASET

Cells: A1 | Values: 2019-01-01

ACTUAL FORMULA

```
=DATEDIF(A1, DATE(2020, 1, 1), "Y")
```

EXPECTED OUTPUT

1

STEP-BY-STEP - ENGLISH

- Pass start date, end date and unit.
- Use =DATEDIF(A1, DATE(2020,1,1), "Y").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Start, end aur unit dein.
- =DATEDIF(A1, DATE(2020,1,1), "Y") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to calculate tenure or age.

Roman Hindi: Tenure ya age nikalne ke liye use hota hai.

COMMON MISTAKES

- Unit codes must be right: Y, M, D, YM, YMD.

IMPORTANT TIPS

- Available in Excel 2016+ only.

EXCEL VERSION COMPATIBILITY

Excel 2016+

UTKARSH BAJPAI

CHAPTER 12: DAYS

PURPOSE - ENGLISH

Returns the number of days between two dates.

PURPOSE - ROMAN HINDI

Do dates ke beech din ki ginti karta hai.

SYNTAX

```
=DAYS(end_date, start_date)
```

SYNTAX EXPLANATION

DAYS calculates days between dates.

Roman Hindi: DAYS dates ke beech din nikaata hai.

SAMPLE DATASET

Cells: A1 | Values: 2018-01-01

ACTUAL FORMULA

```
=DAYS(DATE(2019, 1, 1), A1)
```

EXPECTED OUTPUT

365

STEP-BY-STEP - ENGLISH

- Pass end date first.
- Use =DAYS(DATE(2019,1,1), A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- End date pehle dein.
- =DAYS(DATE(2019,1,1), A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to calculate tenure.

Roman Hindi: Tenure nikalne ke liye use hota hai.

COMMON MISTAKES

- Arguments swapped.

IMPORTANT TIPS

- Handles leap years correctly.

UTKARSH BAJPAI

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 13: EDATE

PURPOSE - ENGLISH

Returns the date months before or after a start date.

PURPOSE - ROMAN HINDI

Start date se agle ya peeche ke months ki date deta hai.

SYNTAX

```
=EDATE(start_date, months)
```

SYNTAX EXPLANATION

EDATE shifts a date by given months.

Roman Hindi: EDATE date ko given months ke agle me shift karta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-01

ACTUAL FORMULA

```
=EDATE(A1, 12)
```

EXPECTED OUTPUT

2021-01-01

STEP-BY-STEP - ENGLISH

- Add months.
- Use =EDATE(A1, 12).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Months dein.
- =EDATE(A1, 12) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to shift contract or subscription dates.

Roman Hindi: Contract ya subscription date shift karte waqt use hota hai.

UTKARSH BAJPAI

COMMON MISTAKES

- Months negative for past.

IMPORTANT TIPS

- Can build financial periods.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 14: EOMONTH

PURPOSE - ENGLISH

Returns the last day of the month.

PURPOSE - ROMAN HINDI

Month ke aakhri din nikalta hai.

SYNTAX

```
=EOMONTH(start_date, months)
```

SYNTAX EXPLANATION

EOMONTH gives last day of month.

Roman Hindi: EOMONTH month ke aakhri din deta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-15

ACTUAL FORMULA

```
=EOMONTH(A1, 0)
```

EXPECTED OUTPUT

2020-01-31

STEP-BY-STEP - ENGLISH

- Add months.
- Use =EOMONTH(A1, 0).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Months dein.
- =EOMONTH(A1, 0) likhna.
- Enter dabao.

UTKARSH BAJPAI

REAL OFFICE EXAMPLE

Used for month end closing entries.

Roman Hindi: Month end closing entries ke liye use hota hai.

COMMON MISTAKES

- months offset.

IMPORTANT TIPS

- months = 0 gives current month end.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 15: NETWORKDAYS

UTKARSH BAJPAI

PURPOSE - ENGLISH

Returns working days between two dates.

PURPOSE - ROMAN HINDI

Do dates ke beech working days nikalta hai.

SYNTAX

```
=NETWORKDAYS(start_date, end_date, [holidays])
```

SYNTAX EXPLANATION

NETWORKDAYS counts only working days.

Roman Hindi: NETWORKDAYS sirf working days count karta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-01

ACTUAL FORMULA

```
=NETWORKDAYS(A1, DATE(2020, 1, 10))
```

EXPECTED OUTPUT

8

STEP-BY-STEP - ENGLISH

- Pass start and end date.
- Use =NETWORKDAYS(A1, DATE(2020,1,10)).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Start aur end dein.
- =NETWORKDAYS(A1, DATE(2020,1,10)) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for attendance planning.

Roman Hindi: Attendance plan banane ke liye use hota hai.

COMMON MISTAKES

- Holidays not listed.

IMPORTANT TIPS

- Weekends are automatically excluded.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 16: WORKDAY

PURPOSE - ENGLISH

Returns the working day after a start date.

PURPOSE - ROMAN HINDI

Start date ke baad ka working day nikalta hai.

SYNTAX

```
=WORKDAY(start_date, days, [holidays])
```

SYNTAX EXPLANATION

WORKDAY adds working days.

Roman Hindi: WORKDAY working days add karta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-01

ACTUAL FORMULA

```
=WORKDAY(A1, 5)
```

EXPECTED OUTPUT

2020-01-08

UTKARSH BAJPAI

STEP-BY-STEP - ENGLISH

- Add working days.
- Use =WORKDAY(A1, 5).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Working days dein.
- =WORKDAY(A1, 5) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to schedule meetings on working days.

Roman Hindi: Meetings ko working day par schedule karte waqt use hota hai.

COMMON MISTAKES

- Holidays ignored if not listed.

IMPORTANT TIPS

- Weekend auto excluded.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 17: WEEKDAY

PURPOSE - ENGLISH

Returns day of week as number.

PURPOSE - ROMAN HINDI

Din ki number me din of week nikalta hai.

SYNTAX

```
=WEEKDAY(serial_number, [return_type])
```

SYNTAX EXPLANATION

WEEKDAY returns weekday number.

Roman Hindi: WEEKDAY weekday number deta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-05

ACTUAL FORMULA

```
=WEEKDAY(A1, 2)
```

UTKARSH BAJPAI

EXPECTED OUTPUT

7

STEP-BY-STEP - ENGLISH

- Pass serial or date.
- Use =WEEKDAY(A1, 2).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Serial ya date pass karo.
- =WEEKDAY(A1, 2) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for weekly reporting.

Roman Hindi: Weekly reporting ke liye use hota hai.

COMMON MISTAKES

- Return type changes numbering.

IMPORTANT TIPS

- Return type 2 means Monday = 1.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 18: WEEKNUM

UTKARSH BAJPAI

PURPOSE - ENGLISH

Returns week number of a date.

PURPOSE - ROMAN HINDI

Date ki week number nikalta hai.

SYNTAX

```
=WEEKNUM(serial_number, [return_type])
```

SYNTAX EXPLANATION

WEEKNUM returns week number.

Roman Hindi: WEEKNUM week number deta hai.

SAMPLE DATASET

Cells: A1 | Values: 2020-01-01

ACTUAL FORMULA

```
=WEEKNUM(A1)
```

EXPECTED OUTPUT

1

STEP-BY-STEP - ENGLISH

- Pass the serial or date.
- Use =WEEKNUM(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Serial ya date pass karo.
- =WEEKNUM(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for weekly MIS dashboards.

Roman Hindi: Weekly MIS dashboards ke liye use hota hai.

COMMON MISTAKES

- Return type affects result.

IMPORTANT TIPS

- Return type 21 for Indian week start Sunday.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 19: YEARFRAC

PURPOSE - ENGLISH

Returns fraction of a year between dates.

PURPOSE - ROMAN HINDI

Do dates ke beech year ka fraction nikalta hai.

SYNTAX

```
=YEARFRAC(start_date, end_date, [basis])
```

SYNTAX EXPLANATION

YEARFRAC calculates fraction of year.

UTKARSH BAJPAI

Roman Hindi: YEARFRAC year ka fraction nikaata hai.

SAMPLE DATASET

Cells: A1 | Values: 2019-01-01

ACTUAL FORMULA

```
=YEARFRAC(A1, DATE(2020, 1, 1))
```

EXPECTED OUTPUT

1

STEP-BY-STEP - ENGLISH

- Pass start and end date.
- Use =YEARFRAC(A1, DATE(2020,1,1)).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Start aur end dein.
- =YEARFRAC(A1, DATE(2020,1,1)) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for pro-rata calculations.

Roman Hindi: Pro-rata calculations ke liye use hota hai.

COMMON MISTAKES

- Basis optional.

IMPORTANT TIPS

- Basis 1 is usual.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI