EXCEL MASTER INDEX

Basic to Advanced | English & Roman Hindi

EXCEL TEXT FORMULAS

LEFT, RIGHT, MID, LEN, TRIM, CLEAN, CONCAT, TEXTJOIN, FIND, SUBSTITUTE, TEXT & Modern Text Functions | Bilingual Guide

Created & Developed by

UTKARSH BAJPAI

utkarshbajpai068@gmail.com

Premium Bilingual Resource | For Students, MIS Executives, Data Analysts & Office Professionals

TABLE OF CONTENTS

1. LEFT
2. RIGHT
3. MID
4. LEN
5. TRIM
6. CLEAN
7. UPPER
8. LOWER
9. PROPER
10. CONCAT
11. CONCATENATE
12. TEXTJOIN
13. FIND
14. SEARCH
15. SUBSTITUTE
16. REPLACE
17. TEXT
18. VALUE
19. TEXTBEFORE
20. TEXTAFTER
21. TEXTSPLIT

UTKARSH BAJPAI

CHAPTER 1: LEFT

PURPOSE - ENGLISH

Returns the first characters from a text string.

PURPOSE - ROMAN HINDI

Text string se shuru wale characters nikalta hai.

SYNTAX

```
=LEFT(text, num_chars)
```

SYNTAX EXPLANATION

LEFT extracts characters from the start of a string.

Roman Hindi: LEFT string ke shuru se characters nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=LEFT(A1, 2)
```

EXPECTED OUTPUT

"He"

STEP-BY-STEP - ENGLISH

- Have the text in a cell.
- Use =LEFT(A1, 2).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text cell me rakho.
- =LEFT(A1, 2) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to take initials from employee names.

Roman Hindi: Employee ke naam se initials nikalne ke liye use hota hai.

COMMON MISTAKES

- Forgetting num_chars.
- Using wrong cell.

IMPORTANT TIPS

UTKARSH BAJPAI

- Works with numbers too because they are text.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 2: RIGHT

PURPOSE - ENGLISH

Returns the last characters from a text string.

PURPOSE - ROMAN HINDI

Text string ke aakhri characters nikalta hai.

SYNTAX

```
=RIGHT(text, num_chars)
```

SYNTAX EXPLANATION

RIGHT extracts characters from the end of a string.

Roman Hindi: RIGHT string ke aakhri se characters nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=RIGHT(A1, 3)
```

EXPECTED OUTPUT

"llo"

STEP-BY-STEP - ENGLISH

- Have the text in a cell.
- Use =RIGHT(A1, 3).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text cell me rakho.
- =RIGHT(A1, 3) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to get suffix like -Inc or department code.

Roman Hindi: Wajah se jaise -Inc ya department code nikalne ke liye use hota hai.

UTKARSH BAJPAI

COMMON MISTAKES

- Wrong number of characters.
- Text in wrong case handled by function.

IMPORTANT TIPS

- Combine with LEFT for full control.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 3: MID

PURPOSE - ENGLISH

Returns characters from the middle of a text string.

PURPOSE - ROMAN HINDI

Text string ke beech wale characters nikalta hai.

SYNTAX

```
=MID(text, start_num, num_chars)
```

SYNTAX EXPLANATION

MID extracts a substring from a start position.

Roman Hindi: MID ek start position se substring nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=MID(A1, 2, 3)
```

EXPECTED OUTPUT

"ell"

STEP-BY-STEP - ENGLISH

- Know start position and length.
- Use =MID(A1, 2, 3).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Start position aur length jaanna.
- =MID(A1, 2, 3) likhna.

UTKARSH BAJPAI

- Enter dabao.

REAL OFFICE EXAMPLE

Used to extract area codes or middle names.

Roman Hindi: Area codes ya middle names nikalne ke liye use hota hai.

COMMON MISTAKES

- Off-by-one errors in position.

IMPORTANT TIPS

- Starts counting from 1.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 4: LEN

UTKARSH BAJPAI

PURPOSE - ENGLISH

Returns the number of characters in a text string.

PURPOSE - ROMAN HINDI

Text string me kitne characters hain unki ginti karta hai.

SYNTAX

```
=LEN(text)
```

SYNTAX EXPLANATION

LEN counts every character including spaces.

Roman Hindi: LEN har character count karta hai including spaces.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=LEN(A1)
```

EXPECTED OUTPUT

5

STEP-BY-STEP - ENGLISH

- Pass the text to LEN.
- Use =LEN(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text LEN me pass karo.
- =LEN(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to check if fields are complete.

Roman Hindi: Check karne ke liye ki fields complete hain.

COMMON MISTAKES

- Forgetting to count spaces.

IMPORTANT TIPS

- Combine with SUBSTITUTE to remove characters first.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 5: TRIM

PURPOSE - ENGLISH

Removes extra spaces from text.

PURPOSE - ROMAN HINDI

Text se extra spaces hata deta hai.

SYNTAX

```
=TRIM(text)
```

SYNTAX EXPLANATION

TRIM removes leading, trailing and repeated spaces.

Roman Hindi: TRIM sab extra spaces hata deta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello World

ACTUAL FORMULA

```
=TRIM(A1)
```

EXPECTED OUTPUT

"Hello World"

UTKARSH BAJPAI

STEP-BY-STEP - ENGLISH

- Pass the messy text.
- Use =TRIM(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Messy text pass karo.
- =TRIM(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used after copy-paste to fix spacing issues.

Roman Hindi: Copy paste ke baad spacing issues fix karne ke liye use hota hai.

COMMON MISTAKES

- TRIM does not remove tabs.

IMPORTANT TIPS

- Use CLEAN for non-printable characters.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 6: CLEAN

PURPOSE - ENGLISH

Removes non-printable characters from text.

PURPOSE - ROMAN HINDI

Text se non-printable characters hata deta hai.

SYNTAX

```
=CLEAN(text)
```

SYNTAX EXPLANATION

CLEAN strips out characters like line breaks.

Roman Hindi: CLEAN line breaks jaise characters hata deta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=CLEAN(A1)
```

UTKARSH BAJPAI

EXPECTED OUTPUT

"Hello"

STEP-BY-STEP - ENGLISH

- Pass the text.
- Use =CLEAN(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text pass karo.
- =CLEAN(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used after importing data from systems with hidden characters.

Roman Hindi: System se data import karte waqt hidden characters hatane ke liye use hota hai.

COMMON MISTAKES

- Does not remove spaces.

IMPORTANT TIPS

- Use TRIM together for full cleaning.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 7: UPPER

PURPOSE - ENGLISH

Converts text to uppercase.

PURPOSE - ROMAN HINDI

Text ko uppercase me badal deta hai.

SYNTAX

```
=UPPER(text)
```

SYNTAX EXPLANATION

UPPER converts all letters to capital letters.

Roman Hindi: UPPER sab letters ko capital me badal deta hai.

SAMPLE DATASET

Cells: A1 | Values: hello

UTKARSH BAJPAI

ACTUAL FORMULA

```
=UPPER(A1)
```

EXPECTED OUTPUT

"HELLO"

STEP-BY-STEP - ENGLISH

- Pass the text.
- Use =UPPER(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text pass karo.
- =UPPER(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to standardize codes and report headers.

Roman Hindi: Codes aur report headers ko standardize karne ke liye use hota hai.

COMMON MISTAKES

- Only affects letters, not numbers.

IMPORTANT TIPS

- Combine with LOWER for case fixing.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 8: LOWER

PURPOSE - ENGLISH

Converts text to lowercase.

PURPOSE - ROMAN HINDI

Text ko lowercase me badal deta hai.

SYNTAX

```
=LOWER(text)
```

SYNTAX EXPLANATION

LOWER converts all letters to small letters.

UTKARSH BAJPAI

Roman Hindi: LOWER sab letters ko small me badal deta hai.

SAMPLE DATASET

Cells: A1 | Values: HELLO

ACTUAL FORMULA

```
=LOWER(A1)
```

EXPECTED OUTPUT

"hello"

STEP-BY-STEP - ENGLISH

- Pass the text.
- Use =LOWER(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text pass karo.
- =LOWER(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to clean imported text data.

Roman Hindi: Imported text data saaf karte waqt use hota hai.

COMMON MISTAKES

- Does not change numbers.

IMPORTANT TIPS

- Useful before VLOOKUP or MATCH.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI

CHAPTER 9: PROPER

PURPOSE - ENGLISH

Capitalizes the first letter of each word.

PURPOSE - ROMAN HINDI

Har word ki pehla letter capital hoti hai.

SYNTAX

```
=PROPER(text)
```

SYNTAX EXPLANATION

PROPER capitalizes first letters of words.

Roman Hindi: PROPER har word ki pehla letter capital karta hai.

SAMPLE DATASET

Cells: A1 | Values: john smith

ACTUAL FORMULA

```
=PROPER(A1)
```

EXPECTED OUTPUT

"John Smith"

STEP-BY-STEP - ENGLISH

- Pass the name text.
- Use =PROPER(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Naam ka text pass karo.
- =PROPER(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to format employee names properly.

Roman Hindi: Employee ke naam properly format karte waqt use hota hai.

COMMON MISTAKES

- Does not handle apostrophes well.

IMPORTANT TIPS

- Works well for title case names.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 10: CONCAT

PURPOSE - ENGLISH

Joins text strings together without a delimiter.

PURPOSE - ROMAN HINDI

Text strings ko delimiter ke bina jodta hai.

UTKARSH BAJPAI

SYNTAX

```
=CONCAT(text1, [text2], ...)
```

SYNTAX EXPLANATION

CONCAT joins all text arguments into one string.

Roman Hindi: CONCAT sab text arguments ko ek me jodta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=CONCAT("Hello", "World")
```

EXPECTED OUTPUT

"HelloWorld"

STEP-BY-STEP - ENGLISH

- Add the text pieces.
- Use =CONCAT("Hello", "World").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text pieces add karo.
- =CONCAT("Hello", "World") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to combine first and last names.

Roman Hindi: Pehle aur aakhri naam jodne ke liye use hota hai.

COMMON MISTAKES

- Forgetting quotes around text.

IMPORTANT TIPS

- Use TEXTJOIN when you need a delimiter.

EXCEL VERSION COMPATIBILITY

Excel 2019+

CHAPTER 11: CONCATENATE

PURPOSE - ENGLISH

UTKARSH BAJPAI

Joins text strings together.

PURPOSE - ROMAN HINDI

Text strings ko jodta hai.

SYNTAX

```
=CONCATENATE(text1, [text2], ...)
```

SYNTAX EXPLANATION

CONCATENATE joins text strings.

Roman Hindi: CONCATENATE text strings ko jodta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=CONCATENATE("Hello", "World")
```

EXPECTED OUTPUT

"HelloWorld"

STEP-BY-STEP - ENGLISH

- Add text pieces.
- Use =CONCATENATE("Hello", "World").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text pieces add karo.
- =CONCATENATE("Hello", "World") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Legacy way to combine names.

Roman Hindi: Purana tareeka names jode ke liye.

COMMON MISTAKES

- Missing commas.

IMPORTANT TIPS

- CONCAT is the newer shorter version.

EXCEL VERSION COMPATIBILITY

Excel 2007+

UTKARSH BAJPAI

CHAPTER 12: TEXTJOIN

PURPOSE - ENGLISH

Joins text with a delimiter and can ignore empties.

PURPOSE - ROMAN HINDI

Text ko delimiter ke saath jodta hai aur empty ko ignore bhi kar sakta hai.

SYNTAX

```
=TEXTJOIN(delimiter, ignore_empty, text1, [text2], ...)
```

SYNTAX EXPLANATION

TEXTJOIN joins text with a delimiter.

Roman Hindi: TEXTJOIN delimiter ke saath text jodta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=TEXTJOIN(" ", TRUE, "Hello", "World")
```

EXPECTED OUTPUT

"Hello World"

STEP-BY-STEP - ENGLISH

- Add delimiter and ignore flag.
- Use =TEXTJOIN(" ", TRUE, "Hello", "World").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Delimiter aur flag add karo.
- =TEXTJOIN(" ", TRUE, "Hello", "World") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to create addresses like Name: John.

Roman Hindi: Jaise Name: John banane ke liye use hota hai.

COMMON MISTAKES

- Wrong delimiter.

IMPORTANT TIPS

- TRUE ignores empty cells.

UTKARSH BAJPAI

EXCEL VERSION COMPATIBILITY

Microsoft 365 / Excel 2019 (Microsoft 365 / newer version only)

CHAPTER 13: FIND

PURPOSE - ENGLISH

Finds a text string and returns its position (case sensitive).

PURPOSE - ROMAN HINDI

Text dhoond kar position return karta hai (case sensitive).

SYNTAX

```
=FIND(find_text, text)
```

SYNTAX EXPLANATION

FIND is case sensitive and returns position.

Roman Hindi: FIND case sensitive hai aur position deta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=FIND("l", A1)
```

EXPECTED OUTPUT

3

STEP-BY-STEP - ENGLISH

- Write the search text.
- Use =FIND("l", A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Search text likho.
- =FIND("l", A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to locate codes in product lists.

Roman Hindi: Product list me codes dhoone ke liye use hota hai.

UTKARSH BAJPAI

COMMON MISTAKES

- Case sensitivity issue.

IMPORTANT TIPS

- Use SEARCH for case-insensitive search.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 14: SEARCH

PURPOSE - ENGLISH

Finds a text string ignoring case.

PURPOSE - ROMAN HINDI

Text dhoondta hai case ko ignore karke.

SYNTAX

```
=SEARCH(find_text, within_text)
```

SYNTAX EXPLANATION

SEARCH is not case sensitive.

Roman Hindi: SEARCH case insensitive hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=SEARCH("l", A1)
```

EXPECTED OUTPUT

3

STEP-BY-STEP - ENGLISH

- Write the search text.
- Use =SEARCH("l", A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Search text likho.
- =SEARCH("l", A1) likhna.
- Enter dabao.

UTKARSH BAJPAI

REAL OFFICE EXAMPLE

Used when user typing may vary in case.

Roman Hindi: Jab user typing me case change karta hai.

COMMON MISTAKES

- None major.

IMPORTANT TIPS

- Better than FIND for user input.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 15: SUBSTITUTE

UTKARSH BAJPAI

PURPOSE - ENGLISH

Replaces text within a string.

PURPOSE - ROMAN HINDI

Text ke andar jo hissa hai usko badal deta hai.

SYNTAX

```
=SUBSTITUTE(text, old_text, new_text, [instance_num])
```

SYNTAX EXPLANATION

SUBSTITUTE replaces occurrences of old text.

Roman Hindi: SUBSTITUTE old text ki jagah nayi text daalta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=SUBSTITUTE(A1, "l", "L", 2)
```

EXPECTED OUTPUT

"HelLo"

STEP-BY-STEP - ENGLISH

- Give original text and replacements.
- Use =SUBSTITUTE(A1, "l", "L", 2).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Original aur replacement dena.
- =SUBSTITUTE(A1, "l", "L", 2) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used to fix typos in data.

Roman Hindi: Data ke typos fix karne ke liye use hota hai.

COMMON MISTAKES

- Omitting instance number.

IMPORTANT TIPS

- Omitting instance replaces all.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 16: REPLACE

PURPOSE - ENGLISH

Replaces characters at a specific position.

PURPOSE - ROMAN HINDI

Kisi specific position ke characters badal deta hai.

SYNTAX

```
=REPLACE(old_text, start_num, num_chars, new_text)
```

SYNTAX EXPLANATION

REPLACE swaps a character range with new text.

Roman Hindi: REPLACE purani jagah nayi text se bhar deta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello

ACTUAL FORMULA

```
=REPLACE(A1, 2, 1, "a")
```

EXPECTED OUTPUT

"Hallo"

UTKARSH BAJPAI

STEP-BY-STEP - ENGLISH

- Give start and length.
- Use =REPLACE(A1, 2, 1, "a").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Start aur length dena.
- =REPLACE(A1, 2, 1, "a") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for quick corrections.

Roman Hindi: Quick corrections ke liye use hota hai.

COMMON MISTAKES

- Wrong start position.

IMPORTANT TIPS

- Use SUBSTITUTE for pattern based changes.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 17: TEXT

PURPOSE - ENGLISH

Formats a number as text with a custom format.

PURPOSE - ROMAN HINDI

Number ko custom format ke through text me badal deta hai.

SYNTAX

```
=TEXT(value, format_text)
```

SYNTAX EXPLANATION

TEXT converts numbers to formatted text.

Roman Hindi: TEXT numbers ko formatted text me badal deta hai.

SAMPLE DATASET

Cells: A1 | Values: 1234.567

ACTUAL FORMULA

```
=TEXT(A1, "0.00")
```

UTKARSH BAJPAI

EXPECTED OUTPUT

"1234.57"

STEP-BY-STEP - ENGLISH

- Pass the number and format.
- Use =TEXT(A1, "0.00").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Number aur format dena.
- =TEXT(A1, "0.00") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for invoice amounts and reports.

Roman Hindi: Invoice amounts aur reports ke liye use hota hai.

COMMON MISTAKES

- Wrong format code.

IMPORTANT TIPS

- Use comma for thousands separator.

EXCEL VERSION COMPATIBILITY

Excel 2013+

CHAPTER 18: VALUE

PURPOSE - ENGLISH

Converts text to a number.

PURPOSE - ROMAN HINDI

Text ko number me badal deta hai.

SYNTAX

```
=VALUE(text)
```

SYNTAX EXPLANATION

VALUE converts numeric text to a real number.

Roman Hindi: VALUE numeric text ko number me badal deta hai.

SAMPLE DATASET

Cells: A1 | Values: 123

UTKARSH BAJPAI

ACTUAL FORMULA

```
=VALUE(A1)
```

EXPECTED OUTPUT

123

STEP-BY-STEP - ENGLISH

- Pass the text.
- Use =VALUE(A1).
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Text pass karo.
- =VALUE(A1) likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used before arithmetic on imported data.

Roman Hindi: Imported data par arithmetic se pehle use hota hai.

COMMON MISTAKES

- Text with non-numeric chars fails.

IMPORTANT TIPS

- Useful for legacy data cleaning.

EXCEL VERSION COMPATIBILITY

Excel 2007+

CHAPTER 19: TEXTBEFORE

PURPOSE - ENGLISH

Returns text before a delimiter.

PURPOSE - ROMAN HINDI

Delimiter se pehle wala text nikalta hai.

SYNTAX

```
=TEXTBEFORE(text, delimiter)
```

SYNTAX EXPLANATION

TEXTBEFORE splits text before the delimiter.

UTKARSH BAJPAI

Roman Hindi: TEXTBEFORE delimiter se pehle wala hissa nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello World

ACTUAL FORMULA

```
=TEXTBEFORE(A1, " ")
```

EXPECTED OUTPUT

"Hello"

STEP-BY-STEP - ENGLISH

- Add the delimiter.
- Use =TEXTBEFORE(A1, " ").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Delimiter dena.
- =TEXTBEFORE(A1, " ") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for splitting names and codes.

Roman Hindi: Names aur codes split karne ke liye use hota hai.

COMMON MISTAKES

- Delimiter not found gives error.

IMPORTANT TIPS

- Microsoft 365 only.

EXCEL VERSION COMPATIBILITY

Microsoft 365 (Microsoft 365 / newer version only)

CHAPTER 20: TEXTAFTER

PURPOSE - ENGLISH

Returns text after a delimiter.

PURPOSE - ROMAN HINDI

Delimiter ke baad wala text nikalta hai.

SYNTAX

```
=TEXTAFTER(text, delimiter)
```

UTKARSH BAJPAI

SYNTAX EXPLANATION

TEXTAFTER splits text after the delimiter.

Roman Hindi: TEXTAFTER delimiter ke baad wala hissa nikalta hai.

SAMPLE DATASET

Cells: A1 | Values: Hello World

ACTUAL FORMULA

```
=TEXTAFTER(A1, " ")
```

EXPECTED OUTPUT

"World"

STEP-BY-STEP - ENGLISH

- Add the delimiter.
- Use =TEXTAFTER(A1, " ").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Delimiter dena.
- =TEXTAFTER(A1, " ") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for extracting city names from full addresses.

Roman Hindi: Full address se city nikalne ke liye use hota hai.

COMMON MISTAKES

- Delimiter not found gives error.

IMPORTANT TIPS

- Microsoft 365 only.

EXCEL VERSION COMPATIBILITY

Microsoft 365 (Microsoft 365 / newer version only)

CHAPTER 21: TEXTSPLIT

PURPOSE - ENGLISH

Splits text into multiple cells by delimiter.

PURPOSE - ROMAN HINDI

Text ko delimiter ke chunna naya cells me kar deta hai.

UTKARSH BAJPAI

SYNTAX

```
=TEXTSPLIT(text, delimiter, [column_delimiter], [row_delimiter])
```

SYNTAX EXPLANATION

TEXTSPLIT splits text into array of cells.

Roman Hindi: TEXTSPLIT text ko cells array me split karta hai.

SAMPLE DATASET

Cells: A1 | Values: Rahul,Delhi

ACTUAL FORMULA

```
=TEXTSPLIT(A1, ",")
```

EXPECTED OUTPUT

{"Rahul","Delhi"}

STEP-BY-STEP - ENGLISH

- Add the delimiter.
- Use =TEXTSPLIT(A1, ",").
- Press Enter.

STEP-BY-STEP - ROMAN HINDI

- Delimiter dena.
- =TEXTSPLIT(A1, ",") likhna.
- Enter dabao.

REAL OFFICE EXAMPLE

Used for cleaning CSV like data.

Roman Hindi: CSV jaisi data saaf karne ke liye use hota hai.

COMMON MISTAKES

- Requires Microsoft 365.

IMPORTANT TIPS

- Great for parsing reports.

EXCEL VERSION COMPATIBILITY

Microsoft 365 (Microsoft 365 / newer version only)

UTKARSH BAJPAI