

CSA0927 - PROGRAMMING IN JAVA

NAME : G.RAJU
REG NO : 192411065
FACULTY : S.PUSPHALATHA

Q1)

The screenshot displays the SIMATS Online Programming Lab interface. The browser address bar shows the URL: `simatslab.siveetha.com/practice_app/classactivity/attempt?assignment_id=816`. The page header includes the SIMATS ENGINEERING logo, the title "SIMATS Online Programming Lab", and the user profile "GANGULA RAJU 192411065RD".

QUESTIONS

- Q1** (10 marks): A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.
- Q2** (10 marks): Remove Even Numbers Using Iterator.
- Q3** (10 marks): Product Price Analysis Using Iterator.

3/3 answered

Q1 A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop. 10 marks

A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop.

Write a Java program to:

- Create an ArrayList of student names.
- Read 8 student names from the user.
- Traverse the list using an Iterator.
- Display each student name on a separate line.
- Display the total number of students stored in the list.

Your Code

```
1 import java.util.ArrayList;
2 import java.util.Iterator;
3 import java.util.Scanner;
4 public class StudentList{
5     public static void main(String[] args){
6         Scanner sc = new Scanner(System.in);
7         ArrayList<String> students = new ArrayList<String>();
8         System.out.println("Enter 8 Student Names:");
9         for (int i=1; i<=8; i++) {
10             students.add(sc.nextLine());
11         }
12     }
13 }
```

Input

```
Raju
Rahul
Anu
Priya
...
```

Output

```
Raju
Rahul
Anu
Priya
...
```

The bottom of the screenshot shows a Windows taskbar with the date and time: 14:13, 06-08-2026.

Stream x CSA0927- ASSES x CSA0927 SLOT D x CSA0927- GITHU x prem1424/JAVA- x CSA0927 - 04-08 x SIMATS Online L x Ask Gemini x

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** **GANGULA RAJU** 192411065RD

10 marks
3/3 answered

Your Code

```
1 import java.util.ArrayList;
2 import java.util.Iterator;
3 import java.util.Scanner;
4 public class StudentList{
5     public static void main(String[] args){
6         Scanner sc = new Scanner(System.in);
7         ArrayList<String> students = new ArrayList<String>();
8         System.out.println("Enter 8 Student Names:");
9         for (int i=1; i<=8; i++) {
10             students.add(sc.nextLine());
11         }
12         System.out.println("\nStudent Names:");
13         Iterator<String> it = students.iterator();
14         while (it.hasNext()) {
15             System.out.println(it.next());
16         }
17         System.out.println("Total Students = " + students.size());
18     }
19 }
```

Input

Raju
Rahul
Anu
Priya

Output

© 2026 SIMATS Online Lab. All rights reserved.

34°C Mostly cloudy 14:13 06-08-2026

Q2)

Stream x CSA0927- ASSES x CSA0927 SLOT D x CSA0927- GITHU x prem1424/JAVA- x CSA0927 - 04-08 x SIMATS Online L x Ask Gemini x

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** **GANGULA RAJU** 192411065RD

QUESTIONS

Q1 A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop. 10 marks

Q2 Remove Even Numbers Using Iterator 10 marks

Q3 Product Price Analysis Using Iterator 10 marks

3/3 answered

Q2 Remove Even Numbers Using Iterator 10 marks

A company maintains a list of employee ID numbers. The management wants to remove all employees whose ID numbers are even, using an Iterator.

Write a Java program to:

- Create an ArrayList<Integer>.
- Read 10 employee ID numbers from the user.
- Traverse the list using an Iterator.
- Remove all even ID numbers using the remove() method of the Iterator.
- Display the updated list containing only odd employee IDs.

Your Code

```
1 import java.util.ArrayList;
2 import java.util.Iterator;
3 import java.util.Scanner;
4 public class RemoveEvenNumbers {
5     public static void main(String[] args){
6         Scanner sc = new Scanner(System.in);
7         ArrayList<Integer> emp = new ArrayList<Integer>();
8         System.out.println("Enter 10 Employee ID Numbers:");
9         for (int i=1; i<=10; i++){
10             emp.add(sc.nextInt());
11         }
12         Iterator<Integer> it = emp.iterator();
```

Input

101
102
103
104

Output

Enter 10 Employee ID Numbers:
Employee IDs after removing even numbers:
101
103

34°C Mostly cloudy 14:13 06-08-2026

Stream x CSA0927 - ASSES x CSA0927 SLOT D x CSA0927 - GITHU x prem1424/JAVA- x CSA0927 - 04-08 x SIMATS Online L x Ask Gemini x School

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** **GANGULA RAJU** 192411065RD

```
6 Scanner sc = new Scanner(System.in);
7 ArrayList<Integer> emp = new ArrayList<Integer>();
8 System.out.println("Enter 10 Employee ID Numbers:");
9 for (int i=1; i<=10; i++){
10     emp.add(sc.nextInt());
11 }
12 Iterator<Integer> it = emp.iterator();
13 while (it.hasNext()){
14     int id = it.next();
15     if (id % 2 == 0){
16         it.remove();
17     }
18 }
19 System.out.println("Employee IDs after removing even numbers:");
20 Iterator<Integer> it2 = emp.iterator();
21 while (it2.hasNext()){
22     System.out.println(it2.next());
23 }
24 }
25 }
```

Output

```
Enter 10 Employee ID Numbers:
Employee IDs after removing even
numbers:
101
103
105
```

Run Save

© 2026 SIMATS Online Lab. All rights reserved.

34°C Mostly cloudy Search 14:14 06-08-2026

Q3)

Stream x CSA0927 - ASSES x CSA0927 SLOT D x CSA0927 - GITHU x prem1424/JAVA- x CSA0927 - 04-08 x SIMATS Online L x Ask Gemini x School

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

SIMATS ENGINEERING **SIMATS Online Programming Lab** **JAVA PROGRAMMING** **GANGULA RAJU** 192411065RD

ITERATOR Back

QUESTIONS

Q1 A college stores the names of students in an ArrayList. The administrator wants to display all student names using an Iterator instead of a for loop. 10 marks

Q2 Remove Even Numbers Using Iterator. 10 marks

Q3 Product Price Analysis Using Iterator. 10 marks

3/3 answered

Q3 Product Price Analysis Using Iterator 10 marks

A supermarket stores the prices of various products in an ArrayList<Double>. The manager wants to analyze the prices using an Iterator.

Write a Java program to:

- Create an ArrayList<Double>.
- Read the prices of 10 products from the user.
- Traverse the list using an Iterator.
- Calculate and display:
 - Total price of all products.
 - Average product price.
 - Highest product price.
- Display all product prices using the Iterator.

Your Code

```
1 import java.util.ArrayList;
2 import java.util.Iterator;
3 import java.util.Scanner;
4 public class ProductPriceAnalysis{
5     public static void main(String[] args){
6         Scanner sc = new Scanner(System.in);
```

Input

```
700
800
900
1000
```

Output

14:14 06-08-2026

Stream

CSA0927 - ASSES

CSA0927 SLOT D

CSA0927 - GITHU

prem1424/JAVA-

CSA0927 - 04-08

SIMATS Online L

Ask Gemini

Not secure simatslab.saveetha.com/practice_app/classactivity/attempt?assignment_id=816

School

SIMATS
ENGINEERING

SIMATS Online Programming Lab

JAVA PROGRAMMING

GANGULA RAJU
192411065RD

```
3 import java.util.Scanner;
4 public class ProductPriceAnalysis{
5     public static void main(String[] args){
6         Scanner sc = new Scanner(System.in);
7         ArrayList<Double> prices = new ArrayList<Double>();
8         System.out.println("Enter prices of 10 products:");
9         for(int i=1; i<=10; i++){
10             System.out.print("Price " + i+ ": ");
11             prices.add(sc.nextDouble());
12         }
13         Iterator<Double>it =prices.iterator();
14         double total =0;
15         double highest =prices.get(0);
16         System.out.println("\nProduct Prices:");
17         while(it.hasNext()){
18             double price = it.next();
19             System.out.println(price);
20             total = total +price;
21             if(price >highest){
22                 highest =price;
23             }
24         }
25         double average = total /prices.size();
26         System.out.println("\nTotal Price = " + total);
27         System.out.println("Average Price = " + average);
28         System.out.println("Highest Price = " + highest);
29         sc.close();
30     }
31 }
```

900
1000

Output

```
Total Price = 5600.0
Average Price = 560.0
Highest Price = 1000.0
```

34°C
Mostly cloudy

Search



ENG
IN

51%

14:14
06-08-2026

