

Session 1

- Introduction to web Design

1. Inspect Instagram post image

1. Open Instagram in **Chrome**.
2. Open the Instagram home page and find a post.
3. Right-click on the post image → **Inspect**.
4. In **Elements**, Chrome will highlight the HTML element containing the image.
5. Look for an `<img>` tag or its parent `<div>`.

Important: Instagram's HTML/CSS classes are dynamically generated and can change, so there is **no single fixed class name** I can reliably give you. Write the exact tag and class that Chrome shows on your screen.

Example format:

Tag: `<img>`
Class: `[class shown in Chrome DevTools]`

2. Create `myprofile.html`

Create a file named **myprofile.html** and put this code inside:

```
<!DOCTYPE html>
<html>
<head>
  <title>My Profile</title>
</head>
<body>

  <h1>Rajveer Zala</h1>

  <p>
    I am a student interested in web development and
    software engineering.
    I enjoy learning HTML, CSS, C++, databases, and other
    technologies.
  </p>
```

```


</body>
</html>
```

Put your image in the **same folder** as `myprofile.html` and name it:

`profile.jpg`

Then double-click `myprofile.html` to open it in Chrome.

3. Change background color using DevTools

1. Open `myprofile.html` in Chrome.
2. Right-click your name → **Inspect**.
3. In DevTools, select the `<h1>` element.
4. On the right side, find **Styles**.
5. Add:

```
background-color: yellow;
```

Your name will immediately get a yellow background.

You can try other colors too:

```
background-color: lightblue;
```


or

```
background-color: pink;
```

This change is temporary and will disappear when you refresh the page.

4. DOM structure

```
html
|
```



3 levels example

HTML

↓

BODY

↓

H1 → Your Name

P → Your Bio

IMG → Profile Picture

This demonstrates the **parent-child relationship** in the DOM: `<html>` is the parent of `<body>`, and `<body>` is the parent of your `<h1>`, `<p>`, and `<img>` elements.

Session 2

- **Html page structure**

```
<!DOCTYPE html>  
<html lang="en">
```

```
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>My Foodie Profile</title>
</head>
<body>
<h1>My Foodie Profile</h1>
<h2>About Me</h2>
<p>I am a food lover who enjoys discovering new
flavors and trying different cuisines.</p>
<h2>My Favorite Cuisine</h2>
<p>My favorite cuisine is Indian cuisine
because it offers rich spices, variety, and
delicious flavors.</p>
<h2>My Best Meal</h2>
<p>One of my best meals was a delicious
Gujarati thali with fresh rotli, sabzi, dal,
rice,
sweets, and several tasty sides. It was a
memorable meal because of the variety and
flavor.</p>
<h2>Top 5 Favorite Dishes</h2>
<ul>
<li>Gujarati Thali</li>
<li>Pizza</li>
<li>Paneer Tikka</li>
<li>Masala Dosa</li>
<li>Chole Bhature</li>
</ul>
<h2>3 Restaurants I Want to Try</h2>
<ol>
<li>Gordhan Thal</li>
<li>Domino's Pizza</li>
<li>Barbeque Nation</li>
```

```
</ol>
<h2>Favorite Dish</h2>
<a href="https://www.dominos.co.in/"
target="_blank">

</a>
<h2>Food Delivery Apps</h2>
<table border="1" cellpadding="8">
<tr>
<th>App Name</th>
<th>Delivery Charges</th>
<th>Rating</th>
</tr>
<tr>
<td>Zomato</td>
<td>n20-n50</td>
<td>4.3/5</td>
</tr>
<tr>
<td>Swiggy</td>
<td>n20-n60</td>
<td>4.2/5</td>
</tr>
<tr>
<td>Uber Eats</td>
<td>n25-n60</td>
<td>4.1/5</td>
</tr>
</table>
</body>
</html>
```

Session 3

- Form and input

Task 1–3 – Flipkart-style Product Review Form

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Product Review</title>
</head>
<body>
<h1>Product Review</h1>
<form action="/submit-review" method="POST">
<label for="username">Username:</label>
<input type="text" id="username"
name="username" required>
<br><br>
<label for="rating">Rating:</label>
<select id="rating" name="rating" required>
<option value="" selected disabled>Select
rating</option>
<option value="1">1 Star</option>
<option value="2">2 Stars</option>
<option value="3">3 Stars</option>
<option value="4">4 Stars</option>
<option value="5">5 Stars</option>
</select>
<br><br>
<label for="review">Review:</label><br>
<textarea id="review" name="review"
minlength="20" required></textarea>
<br><br>
```

```
<button type="submit">Submit Review</button>
</form>
</body>
</html>
```

Task 4–5 – Zomato-style Food Order Form

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Food Order</title>
</head>
<body>
<h1>Food Order Form</h1>
<form>
<label for="name">User Name:</label>
<input type="text" id="name" name="name"
required>
<br><br>
<label for="food">Food Item:</label>
<select id="food" name="food" required>
<option value="" selected disabled>Select
food</option>
<option>Pizza</option>
<option>Paneer Tikka</option>
<option>Masala Dosa</option>
</select>
<br><br>
<label for="quantity">Quantity:</label>
<input type="number" id="quantity"
name="quantity" min="1" required>
<br><br>
<label for="instructions">Delivery
Instructions:</label><br>
<textarea id="instructions" name="instructions"
```

```
required></textarea>
<br><br>
<!-- Disabled because the order ID is
generated/fixed by the system,
so users should not edit it. -->
<label for="orderId">Order ID:</label>
<input type="text" id="orderId"
value="ORD12345" disabled>
<br><br>
<button type="submit">Place Order</button>
</form>
</body>
</html>
```

Session 4

- Semantic html5

Task 1 – Blog Post Layout

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>My Blog</title>
</head>
<body>
<header><h1>My Food Blog</h1></header>
<nav>
<a href="#">Home</a> |
<a href="#">Explore</a> |
<a href="#">About</a>
</nav>
<article>
<h2>My Favorite Food Experience</h2>
```

```
<p>Today I am sharing one of my favorite food
experiences.</p>
</article>
<footer>© 2026 My Food Blog</footer>
</body>
</html>
```

Task 2 – Restaurant Listing

```
<section>
<article>
<header><h2>Spice Garden</h2></header>
<p>Indian and Gujarati cuisine with family-
friendly dining.</p>
<footer>Rating: 4.5/5 | Delivery: 30-40
min</footer>
</article>
<article>
<header><h2>Pizza House</h2></header>
<p>Fresh pizzas, pasta, and sides.</p>
<footer>Rating: 4.2/5 | Delivery: 25-35
min</footer>
</article>
</section>
```

Task 3 – Product Page Section

```
<section>
<nav aria-label="Breadcrumb">
<a href="#">Home</a> &gt;
<a href="#">Mobiles</a> &gt;
<span>Smartphone</span>
</nav>
<article>
<header>
```

```
<h1>Smartphone X</h1>

</header>
<p>Powerful smartphone with a high-quality
display and camera.</p>
</article>
<footer>Offer: 10% off | Warranty: 1
year</footer>
</section>
```

Task 4 – Refactor non-semantic movie review

```
<header>
<h1>Movie Review: Interstellar</h1>
</header>
<nav>
<a href="#">Home</a>
<a href="#">Movies</a>
<a href="#">Reviews</a>
</nav>
<article>
<h2>Interstellar Review</h2>
<p>A science-fiction movie with an emotional
story and impressive visuals.</p>
<p>Rating: 5/5</p>
</article>
<footer>© 2026 Movie Reviews</foot
```

Session 5

- Introduction to css3

Task 1 – Inline CSS Product Card

```
<div>
<h2 style="background-color: #ffe0b2; font-
size: 26px;">
Wireless Headphones
</h2>
<p>Comfortable headphones with clear sound.</p>
</div>
```

Task 2 – Internal CSS Offer Banner

```
<!DOCTYPE html>
<html>
<head>
<style>
.offer-banner {
font-family: Arial, sans-serif;
color: white;
background-color: #e91e63;
padding: 15px;
text-align: center;
}
</style>
</head>
<body>
<div class="offer-banner">50% OFF - Fashion
Sale!</div>
</body>
</html>
```

Task 3 – External CSS

```
<!-- product.html -->
<!DOCTYPE html>
<html>
```

```
<head>
<link rel="stylesheet" href="styles.css">
</head>
<body>
<button>Buy Now</button>
<button>Add to Cart</button>
</body>
</html>
/* styles.css */
button {
background-color: #e23744;
color: white;
border: none;
border-radius: 20px;
padding: 10px 18px;
cursor: pointer;
}
button:hover {
background-color: #b71c1c;
}
```

Task 4 – Playlist selectors

```
.playlist-item {
background-color: #181818;
color: white;
padding: 10px;
margin: 5px;
}
#currently-playing {
background-color: #1db954;
color: white;
}
```

Task 5 – Light/Dark mode

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<title>Movie Details</title>
<style>
body {
background: white;
color: black;
font-family: Arial, sans-serif;
padding: 20px;
}
body.dark-mode {
background: #121212;
color: white;
}
.movie-card {
padding: 20px;
border-radius: 10px;
background: #eeeeee;
}
body.dark-mode .movie-card {
background: #242424;
}
</style>
</head>
<body>
<button onclick="toggleTheme()">Switch
Theme</button>
<div class="movie-card">
<h1>Movie Details</h1>
<p>Watch trailers, check ratings, and explore
movie information.</p>
</div>
<script>
function toggleTheme() {
```

```
document.body.classList.toggle("dark-mode");
}
</script>
</body>
</html>
```

Session 6

- **Box model position**

Task 1 – Zomato-style restaurant card

```
<!DOCTYPE html>
<html><head><style>
.restaurant-
card{margin:30px;padding:20px;border:2px
solid #e23744;width:320px}
.restaurant-name{padding:10px;border-
bottom:1px solid #ccc}
.cuisine{margin:10px 0;padding:8px}
.rating{padding:8px;border:1px solid #ddd}
</style></head><body>
<div class="restaurant-card">
<h2 class="restaurant-name">Spice
Garden</h2>
<p class="cuisine">Indian & Gujarati
Cuisine</p>
<p class="rating">Rating: 4.5/5</p>
</div></body></html>
```

Task 2 – Flipkart-style product tile

```
<style>
.product{width:280px;border:1px solid
#ccc;padding:15px}
.product img{width:100%}.product-
name{display:block}
.price{display:inline-block;font-
weight:bold}.hide-price{display:none}
</style>
<div class="product">

<h3 class="product-name">Wireless
Headphones</h3>
<span class="price">n1,999</span>
<!-- Add class="hide-price" to the span to
hide it. -->
</div>
```

Task 3 – Fixed WhatsApp badge

```
.whatsapp-
badge{position:fixed;right:20px;bottom:20px
;margin:10px;padding:12px 18px;
border-
radius:25px;background:#25D366;color:white;
font-weight:bold}
```

Task 4 – Movie poster with absolute New badge

```
<style>
```

```
.poster{position:relative;width:200px}.poster img{width:100%}
.new-
badge{position:absolute;top:8px;left:8px;padding:5px
9px;background:#e91e63;color:white}
</style>
<div class="poster"><span class="new-
badge">New</span></div>
```

Task 5 – Reusable spacing class

```
.spacing{margin:15px;padding:15px}
/* Reusing one class avoids repeated values
and makes later changes easier. */
```

Session 7

- **Flebox and Grid**

Task 1 – Social icons with Flexbox

```
.social-icons{display:flex;justify-
content:space-between;align-items:center;max-
width:700px}
```

```
.social-icons img{width:80px;height:80px}
```

HTML

```
<div class="social-icons">


</div>
```

Task 2 – Spotify-style playlist bar

```
.playlist{display:flex;gap:10px}.song{display:f
lex;align-
items:center;width:180px;height:70px;padding:10
px;border:1px solid #ccc}
<div class="playlist">
<div class="song">Song 1 - Artist 1</div><div
class="song">Song 2 - Artist 2</div>
<div class="song">Song 3 - Artist 3</div><div
class="song">Song 4 - Artist 4</div>
<div class="song">Song 5 - Artist 5</div></div>
```

Task 3–4 – Responsive 6-product grid

```
.product-grid{display:grid;grid-template-
columns:repeat(3,1fr);gap:20px}
.product-card{padding:15px;border:1px solid
#ddd}.product-card img{width:100%}
@media(max-width:900px){.product-grid{grid-
template-columns:repeat(2,1fr)}}
@media(max-width:600px){.product-grid{grid-
template-columns:1fr}}
<section class="product-grid">
<div class="product-card"><h3>Produ
ct 1</h3></div>
<div class="product-card"><h3>Produ
ct 2</h3></div>
<div class="product-card"><h3>Produ
ct 3</h3></div>
<div class="product-card"><h3>Produ
ct 4</h3></div>
<div class="product-card"><h3>Produ
ct 5</h3></div>
<div class="product-card"><h3>Produ
ct 6</h3></div>
</section>

```

Session 8

- **Responsive Design**

Task 1–3 – Responsive Flipkart-style product card

```

<!DOCTYPE html><html><head>
<meta name="viewport"

```

```

content="width=device-width, initial-
scale=1.0">
<style>
.product-
card{display:flex;gap:25px;padding:30px;font-
size:20px;border:1px solid #ccc}
.product-card img{width:280px;object-
fit:contain}
@media only screen and (max-
width:1200px){.product-
card{padding:25px;font-size:19px}}
@media only screen and (max-
width:900px){.product-
card{padding:20px;font-size:17px}}
@media only screen and (max-width:600px){
.product-card{flex-
direction:column;padding:15px;font-
size:15px}
.product-card img{width:100%}}
</style></head><body>
<div class="product-card">
<div><h2>Smartphone X</h2><p>Powerful
smartphone with excellent camera and
display.</p><h3>n19,999</h3></div></div>
</body></html>

```

Task 4 – Testing note

Resize Chrome or use DevTools Device Toolbar. At mobile width the image moves above the details. Tablet uses smaller spacing/font, while desktop uses larger spacing and text.

Take mobile, tablet, and desktop screenshots and submit them with this note

Session 9

• Bootstrap Basics

Task 1 – Three product cards

```
<div class="container"><div class="row g-3">
<div class="col-12 col-md-4"><div
class="card"><div class="card-body"><h5>Product
1</h5><p>n999</
<div class="col-12 col-md-4"><div
class="card"><div class="card-body"><h5>Product
2</h5><p>n1,499
<div class="col-12 col-md-4"><div
class="card"><div class="card-body"><h5>Product
3</h5><p>n1,999
</div></div>
```

Task 2 – Zomato listing, two cards per row

```
<div class="container"><div class="row g-
```

```

3">
<div class="col-6"><div class="card p-
3"><h5>Spice Garden</h5><p>Indian cuisine
and family dining.</p></div></div>
<div class="col-6"><div class="card p-
3"><h5>Pizza House</h5><p>Fresh pizza and
pasta.</p></div></div>
<div class="col-6"><div class="card p-
3"><h5>South Tiffin</h5><p>Dosa, idli and
South Indian food.</p></div></div>
<div class="col-6"><div class="card p-
3"><h5>Sweet Corner</h5><p>Desserts and
sweets.</p></div></div>
</div></div>

```

Task 3–4 – Movie details with mobile stacking

```

<div class="container"><div class="row
align-items-center">
<div class="col-12 col-md-6 text-
center"></div>
<div class="col-12 col-md-6"><h1>Movie
Title</h1><p>Genre: Action /
Drama</p><p>Rating: 4.5/5</p><button
class="btn btn-primary">Book No</div></div>

```

Session 10

• Bootstrap Components

Task 1 – Responsive music navbar

```
<nav class="navbar navbar-expand-lg bg-dark
navbar-dark"><div class="container">
<a class="navbar-brand" href="#">Music
App</a>
<button class="navbar-toggler" data-bs-
toggle="collapse" data-bs-
target="#menu"><span class="navbar-toggler-
icon"></span></button>
<div class="collapse navbar-collapse"
id="menu"><ul class="navbar-nav ms-auto">
<li class="nav-item"><a class="nav-link"
href="#">Home</a></li><li class="nav-
item"><a class="nav-link"
href="#">Playlists</a></li><li c
</ul></div></div></nav>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap
@5.3.3/dist/js/bootstrap.bundle.min.js"></s
cript>
```

Task 2 – Product card

```
<div class="card" style="width:18rem">
<div class="card-body"><h5 class="card-
title">Wireless Headphones</h5><p
class="card-text">n1,999</p>
<a href="#" class="btn btn-primary">Buy
Now</a></div></div>
```

Task 3 – Three-movie carousel

```
<div id="movieCarousel" class="carousel
slide" data-bs-ride="carousel"><div
class="carousel-inner">
<div class="carousel-item active"><div class="carousel-
caption"><h5>Movie One<
<div class="carousel-item"><div class="carousel-
caption"><h5>Movie Two</h5></d
<div class="carousel-item"><div class="carousel-
caption"><h5>Movie Three</h5><
</div></div>
```

Task 4 – Restaurant review form

```
<form class="p-3">
<label class="form-
label">Name</label><input type="text"
class="form-control mb-3" required>
<label class="form-
label">Rating</label><select class="form-
select mb-3" required>
<option value="" selected disabled>Select
rating</option><option>1
Star</option><option>2
Stars</option><option>3
Stars</option><option>
```

```
</select><label class="form-label">Review</label><textarea class="form-control mb-3" required></textarea>
<button class="btn btn-danger">Submit
Review</button></form>
```

Task 5 – Food filter buttons

```
<div class="btn-group">
<button class="btn btn-danger active">All</button><button class="btn btn-outline-danger">Veg</button>
<button class="btn btn-outline-danger">Non-Veg</button><button class="btn btn-outline-danger">Desserts</button>
</div>
```

session 11

• Bootstrap Utilities & Customization

Task 1 – Three spacing levels

```
<div class="m-2 p-2 card">Small spacing
product</div>
<div class="m-4 p-4 card">Medium spacing
product</div>
<div class="m-5 p-5 card">Large spacing
product</div>
```

Task 2 – Movie review typography

```
<div class="card p-4"><h2 class="fw-bold fs-2">Movie Title</h2>
<p class="fw-semibold fs-4">Rating:
4.5/5</p><p class="fw-normal fs-6">This is
a short movie review.</p></div>
```

Task 3 – Restaurant color utilities

```
<div class="card p-3"><h5>Spice Garden</h5>
<span class="badge bg-success">Rating
4.5</span>
<span class="badge bg-warning text-
dark">20% OFF</span>
<span class="badge bg-
danger">Closed</span></div>
```

Task 4 – Custom primary button

```
/* custom.css - load after Bootstrap */
.btn-primary{background-
color:#e23744;border-color:#e23744}
.btn-primary:hover{background-
color:#b71c1c;border-color:#b71c1c}
<!-- HTML --><button class="btn btn-
primary">Book Ticket</button>
```

Task 5 – Light/dark theme switcher

```
<div id="main" class="container bg-light
text-dark p-5">
<button class="btn btn-secondary"
onclick="toggleTheme()">Switch
Theme</button>
<h2>Movie Details</h2><p>Movie information
appears here.</p></div>
<script>
function toggleTheme(){
const box=document.getElementById("main");
box.classList.toggle("bg-
light");box.classList.toggle("bg-dark");
box.classList.toggle("text-
dark");box.classList.toggle("text-light");
}
</script>
```

Session 12

• Integration Review

Task 1–5 – Complete music artist landing page

```
<!DOCTYPE html>
<html lang="en"><head>
<meta charset="UTF-8"><meta name="viewport"
content="width=device-width, initial-scale=1">
<title>Music Artist</title>
<link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.
3.3/dist/css/bootstrap.min.css"
rel="stylesheet">
```

```

<link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap-
icons@1.11.3/font/bootstrap-icons.min.css">
<style>
body{background:#f8f9fa}.hero{padding:60px
20px}
.artist-img{width:160px;height:160px;object-
fit:cover;border-radius:50%}
.playlist img{height:180px;object-fit:cover}
</style></head><body>
<nav class="navbar navbar-expand-lg bg-dark
navbar-dark sticky-top"><div class="container">
<a class="navbar-brand" href="#home">My
Artist</a>
<button class="navbar-toggler" data-bs-
toggle="collapse" data-bs-target="#nav"><span
class="navbar-toggler-icon"></span></button>
<div id="nav" class="collapse navbar-
collapse"><ul class="navbar-nav ms-auto">
<li class="nav-item"><a class="nav-link"
href="#home">Home</a></li>
<li class="nav-item"><a class="nav-link"
href="#about">About</a></li>
<li class="nav-item"><a class="nav-link"
href="#contact">Contact</a></li>
</ul></div></div></nav>
<section id="home" class="hero text-
center">
<h1 class="fw-bold">My Music Artist</h1><p
class="lead">Singer, songwriter and music
creator.</p>
<div class="d-flex justify-content-center gap-
2">
<a class="btn btn-dark" href="#"><i class="bi
bi-instagram"></i> Instagram</a>
<a class="btn btn-success" href="#"><i
class="bi bi-spotify"></i> Spotify</a>

```

```

<a class="btn btn-primary" href="#"><i
class="bi bi-youtube"></i> YouTube</a>
</div></section>
<section id="about" class="container py-5"><h2
class="text-center mb-4">Featured
Playlists</h2>
<div class="row g-4">
<div class="col-12 col-md-4"><div class="card
playlist h-100"><div class="card-
body"><h5>C
<div class="col-12 col-md-4"><div class="card
playlist h-100"><div class="card-
body"><h5>W
<div class="col-12 col-md-4"><div class="card
playlist h-100"><div class="card-
body"><h5>T
</div></section>
<section class="container py-5"><h2
class="text-center mb-4">Product
Showcase</h2><div class="row g-3">
<div class="col-6 col-md-3"><div class="card h-
100"><div class="card-body"><h6>Product
1</h6><but
<div class="col-6 col-md-3"><div class="card h-
100"><div class="card-body"><h6>Product
2</h6><but
<div class="col-6 col-md-3"><div class="card h-
100"><div class="card-body"><h6>Product
3</h6><but
<div class="col-6 col-md-3"><div class="card h-
100"><div class="card-body"><h6>Product

```

```
4</h6><but
</div></section>
<footer id="contact" class="bg-dark text-light
text-center p-4"><p>Follow the artist</p>
<a href="#" class="text-light fs-3 mx-2"><i
class="bi bi-instagram"></i></a>
<a href="#" class="text-light fs-3 mx-2"><i
class="bi bi-facebook"></i></a>
<a href="#" class="text-light fs-3 mx-2"><i
class="bi bi-youtube"></i></a>
<p class="mt-3 mb-0">© 2026 My Music
Artist</p></footer>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3
.3/dist/js/bootstrap.bundle.min.js"></script>
</body></html>
```