


INT-332 Practical-1


Docker-Compose:

Example 1: Convert the given DockerFile to compose file

Step 1: Create a Folder



Step 2: Now Compose docker-compose.yml



Step 3; Now Create html folder:

The screenshot shows the Docker Desktop interface. On the left, the 'Builds' tab is selected. The main area displays a table of containers:

Name	Tag	Image ID	Created	Size	Actions
raaz01/php_4705	v1	4be8740fbe76	8 days ago	707.23 MB	[Play] [More] [Delete]

Below the table, a terminal window is open, showing the following commands and output:

```
PS C:\Users\sr382> cd compose1
PS C:\Users\sr382\compose1> mkdir html

Directory: C:\Users\sr382\compose1

Mode                LastWriteTime         Length Name
----                -
d-----          3/6/2026 12:32 PM             html
```

The screenshot shows a code editor with the following HTML content in the 'index.html' file:

```
<!DOCTYPE html>
<html>
<head>
  <title>Compose Demo</title>
</head>
<body>
  <h1>Hello from Docker Compose</h1>
  <p>This page is running from Apache container</p>
</body>
</html>
```

Step4: Now run command: **docker compose up -d**

The screenshot shows the Docker Desktop interface with the 'Terminal' tab selected. The terminal displays the output of the command `docker compose up -d`:

```
PS C:\Users\sr382\compose1> docker compose up -d
time="2026-03-06T12:34:57+05:30" level=warning msg="project has been loaded without an explicit name from a symlink. Using name \"compose1\""
time="2026-03-06T12:34:58+05:30" level=warning msg="No services to build"
[+] up 2/2
✓ Network compose1_default Created      0.3s
✓ Container compose1-web-1 Created      0.7s
```

Below the terminal output, a table shows the status of the containers:

NAME	IMAGE	COMMAND	SERVICE	CREATED	STATUS	PORTS
compose1-web-1	httpd	"httpd-foreground"	web	7 seconds ago	Up 18 seconds	0.0.0.0:80->80/tcp, [::]:80->80/tcp

The bottom status bar indicates: Engine running | RAM 0.90 GB | CPU 0.25% | Disk: 7.07 GB used (limit 1006.85 GB) | Terminal | Update available

Step5:Now on browser type : localhost:8080

Hello from Docker Compose

This page is running from Apache container