

INT-332 Practical-2

Jenkins Pipeline for File and Folder Operations with Multi-Stage Execution

Step 1: Open Jenkins Dashboard:

Open your browser and go to <http://localhost:8080> and login to Jenkins.

Step 2: Create a New Pipeline Job:

Click on 'New Item'

2. Enter job name: **file-folder-pipeline-1**

3. Select 'Pipeline' 4. Click OK

Step 3: Configure Pipeline Script:

Pipeline syntax

```
pipeline {
  agent any


  stages {
    stage('Project 1: Create Folder') {
      steps {
        echo "Project 1: Creating a folder 'myProjectFolder'"
        // For Linux/Unix agents:
        // sh 'mkdir -p myProjectFolder'
        // For Windows agents, uncomment the line below:
        bat 'mkdir Folder1Jenkins'
      }
    }
  }
}
```

```
stage('Project 2: Create File') {  
  steps {  
    echo "Project 2: Creating a file 'myProjectFolder2/myFile.txt'"  
    // For Linux/Unix agents:  
    //sh 'touch Folder1Jenkins/myFile.txt'  
    // For Windows agents, uncomment the line below:  
    bat 'type nul > Folder1Jenkins\\myFile.txt'  
  }  
}  
  
stage('Project 3: Write Contents to File') {  
  steps {  
  
    echo "Project 3: Writing contents into 'myProjectFolder2/myFile.txt'"  
    // For Linux/Unix agents:  
    //sh 'echo "Hello, this is the content added by Project 3" > myProjectFolder/myFile.txt'  
    // For Windows agents, uncomment the line below:  
    bat 'echo Hello, this is the content added by Project 3 > Folder1Jenkins\\myFile.txt'  
  }  
}  
  
post {  
  always {  
    echo "Displaying the contents of the file:"  
    // For Linux/Unix agents:  
    //sh 'cat myProjectFolder/myFile.txt'  
    // For Windows agents, uncomment the line below:  
    bat 'type Folder1Jenkins\\myFile.txt'  
  }  
}
```


Step 4: Save and Run Pipeline:

Click on 'Save' and then click on 'Build Now' to run the pipeline.

Step 5: Observe Output:



The screenshot shows the Jenkins web interface for a pipeline named 'file-folder-pipeline-1'. The left sidebar contains navigation links: Status, Changes, Build Now, Configure, Delete Pipeline, Stages, Rename, and Pipeline Syntax. The main area displays the pipeline's status as 'file-folder-pipeline-1' with a green checkmark. Below this, it says 'Jenkins Pipeline for File and Folder Operations with Multi-Stage Execution.' and 'Permalinks' with a list of build links: 'Last build (#1), 17 days ago', 'Last stable build (#1), 17 days ago', 'Last successful build (#1), 17 days ago', and 'Last completed build (#1), 17 days ago'. A 'Builds' section shows a single build '#1' from 'April 17, 2026' at '12:48 PM'.



The screenshot shows the Jenkins web interface for a specific build of the pipeline 'file-folder-pipeline-1', build #1. The left sidebar contains navigation links: Status, Changes, Console Output, Edit Build Information, Delete build '#1', Timings, Pipeline Overview, Replay, Pipeline Steps, and Workspaces. The main area displays the build status as '#1 (Apr 17, 2026, 12:48:54 PM)' with a green checkmark. Below this, it says 'Started by user Sandesh Raj Yadav' and 'This run spent: 57 ms waiting; 6.4 sec build duration; 6.4 sec total from scheduled to completion.' A 'No changes' message is also visible. The bottom right corner shows 'REST API' and 'Jenkins 2.541.3'.

